

**FACET DAILY MOISTURIZER SPF 35- avobenzone, octocrylene, octisalate, octinoxate lotion**  
**Cosco International, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Facet Daily Moisturizer + SPF 35**

**Drug Facts**

**Active Ingredient.....Purpose**

Avobenzone 3.00%.....Sunscreen  
Octocrylene 9.50%.....Sunscreen  
Octisalate 5.00%.....Sunscreen  
Octinoxate 7.50%.....Sunscreen

**Uses**

- Helps prevent sunburn. If used as directed with other sun protection measures, (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.
- Higher SPF gives more sunburn protection

**Warnings**

**For external use only.**

**Keep out of reach of children.**

**If swallowed**, get medical help or contact a Poison Control Center immediately.

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Do not use**

- on damaged or broken skin.

**Stop use and ask a doctor if**

- rash or irritation develops and lasts.

**Directions**

- Use only as directed
- Apply liberally and spread evenly 15 minutes before sun exposure
- Reapply at least every 2 hours or immediately after towel drying
- Use a water-resistant sunscreen if swimming or sweating
- For children under 6 months of age: Ask a doctor

**Sun Protection Measures** spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses.

### ***Inactive Ingredients***

Water, Glyceryl Stearate SE, Alkyl (C12-15) Benzoate, Butyloctyl Salicylate, Capryloyl Glycerin/Sebacic Acid Copolymer, Glyceryl Stearate/PEG-100 Stearate, Cetostearyl Alcohol, Ceteareth 20, Isopropyl Myristate, Dimethicone, Phenoxyethanol, Butylene Glycol, Glycerin, Jojoba Oil, Caprylyl Glycol, Carbomer Interpolymer Type B (Allyl Pentaerythritol Crosslinked), Niacinamide (vitamin B3), Panthenol, Sodium Chloride, Sodium Hydroxide, Sodium Hyaluronate, Hyaluronic Acid

### ***Other Information***

- Protect the product in this container from excessive heat and direct sun
- Store at temperatures below 90°F
- May discolor some fabrics.

### ***Questions or Comments?***

Call (855) 658-8855

Distributed by

Thirty Madison

New York, NY, 1001

(855) 658-8855

Made in USA

### Drug Facts

**Active Ingredients** Avobenzone - 3.0%, Octocrylene - 9.5%, Octisalate - 5.0%, Octinoxate - 7.5% \_\_\_\_\_ **Purpose** Sunscreen

**Uses** • Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun • Higher SPF gives more sunburn protection

### Warnings

For external use only.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

When using this product • keep out of eyes. Rinse with water to remove.

Do not use • on damaged or broken skin.

Stop use and ask a doctor if • rash or irritation develops and lasts.

**Directions** • Use only as directed • Apply liberally and spread evenly 15 minutes before sun exposure • Reapply at least every 2 hours or immediately after towel drying • Use a water-resistant sunscreen if swimming or sweating • For children under 6 months of age: Ask a doctor **Sun Protection Measures** spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeve shirts, pants, hats, and sunglasses.

**Inactive Ingredients** Water, Glycerin Stearate Se, Alkyl (C12-15) Benzoate, Butyloctyl Salicylate, Capryloyl Glycerin/sebacic Acid Copolymer, Glycerin Stearate/peg-100 Stearate, Cetostearyl Alcohol, Ceteareth 20, Isopropyl Myristate, Dimethicone, Phenoxyethanol, Butylene Glycol, Glycerin, Jojoba Oil, Caprylyl Glycol, Carbomer Interpolymer Type B (Allyl Pentaerythritol Crosslinked), Niacinamide (Vitamin B3), Panthenol, Sodium Chloride, Sodium Hydroxide, Sodium Hyaluronate, Hyaluronic Acid

**Other Information** • Protect the product in this container from excessive heat and direct sun • Store at temperatures below 90°F • May discolor some fabrics.

**Questions or Comments** Call (855) 658-8855

Distributed by Thirty Madison  
New York, NY, 10016, 855-658-8855  
Made in USA

facetcare.com

# FACET

## Daily Moisturizer + SPF 35

Designed by dermatologists  
Protect and hydrate your skin with  
hyaluronic acid and niacinamide

3 ml

EYEMARK CANNEL

No print in this channel

## Daily Moisturizer + SPF 35

Designed by dermatologists  
Protect and hydrate your skin with  
hyaluronic acid and niacinamide

2 fl oz

### Drug Facts

**Active Ingredients** Avobenzone - 3.0%, Octocrylene - 9.5%, Octisalate - 5.0%, Octinoxate - 7.5% \_\_\_\_\_ **Purpose** Sunscreen

**Uses** • Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun • Higher SPF gives more sunburn protection

### Warnings

For external use only.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

When using this product • keep out of eyes. Rinse with water to remove.

Do not use • on damaged or broken skin.

Stop use and ask a doctor if • rash or irritation develops and lasts.


**Directions** • Use only as directed • Apply liberally and spread evenly 15 minutes before sun exposure • Reapply at least every 2 hours or immediately after towel drying • Use a water-resistant sunscreen if swimming or sweating • For children under 6 months of age: Ask a doctor **Sun Protection Measures** spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeve shirts, pants, hats, and sunglasses.

**Inactive Ingredients** Water, Glycerin Stearate Se, Alkyl (C12-15) Benzoate, Butyloctyl Salicylate, Capryloyl Glycerin/sebacic Acid Copolymer, Glycerin Stearate/peg-100 Stearate, Cetostearyl Alcohol, Ceteareth 20, Isopropyl Myristate, Dimethicone, Phenoxyethanol, Butylene Glycol, Glycerin, Jojoba Oil, Caprylyl Glycol, Carbomer Interpolymer Type B (Allyl Pentaerythritol Crosslinked), Niacinamide (Vitamin B3), Panthenol, Sodium Chloride, Sodium Hydroxide, Sodium Hyaluronate, Hyaluronic Acid

**Other Information** • Protect the product in this container from excessive heat and direct sun • Store at temperatures below 90°F • May discolor some fabrics.

**Questions or Comments** Call (855) 658-8855.

Dist by Thirty Madison, New York, NY, 10016, (855) 658-8855 thirty Madison.com Made in USA



## FACET DAILY MOISTURIZER SPF 35

avobenzone, octocrylene, octisalate, octinoxate lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52261-0800
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.03 kg in 1 kg
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.05 kg in 1 kg
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.095 kg in 1 kg
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.075 kg in 1 kg

### Inactive Ingredients

Ingredient Name	Strength
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CAPRYLOYL GLYCERIN/SEBACIC ACID COPOLYMER (2000 MPA.S)</b> (UNII: N7YC58165T)	
<b>DIMETHICONE 350</b> (UNII: 2Y53S6ATLU)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	

<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>GLYCERYL STEARATE/PEG-100 STEARATE</b> (UNII: RD25J5V947)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 809Y72KV36)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)
<b>JOJOBA OIL</b> (UNII: 724GKU717M)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52261-0800-1	1 in 1 CARTON	09/01/2022	
1		0.059 kg in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:52261-0800-0	0.003 kg in 1 PACKET; Type 0: Not a Combination Product	09/01/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/01/2022	

**Labeler** - Cosco International, Inc. (016433141)

**Registrant** - Cosco International, Inc. (016433141)

### Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture(52261-0800) , label(52261-0800) , pack(52261-0800)