

**ZINC COLD THERAPY- zinc gluconate tablet**  
**Amerisource Bergen**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**GOOD NEIGHBOR PHARMACY Zinc Cold Therapy Citrus Flavor 25 Chewable Tablets**

**Drug Facts**

<b>Active ingredient (in each tablet)</b>	<b>Purpose</b>
Zincum Gluconicum 1x(11mg Zinc)	Cold Remedy

**Uses**

- may help reduce duration and severity of cold symptoms
  - sore throat
  - stuffy nose
  - sneezing
  - coughing
- This product was formulated to help reduce the duration and severity of cold symptoms and was not formulated to be effective for flu or allergies.

**Warnings**

**Ask a doctor before use if you have**

- a sensitivity to zinc or are allergic to zinc
- are taking minocycline, doxycycline, tetracycline or are on Coumadin therapy, zinc treatment may inhibit the absorption of these medicines.

**Stop use and ask a doctor** if symptoms persist beyond 7 days.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222

**Directions**

- **For best results, use at the first sign of a cold and continue to use as directed**
  - **adults and children 12 years of age and older:**
    - chew one tablet completely at the onset of symptoms. Do not swallow tablets

whole.

- repeat every 3 hours until symptoms are gone
  - to avoid minor stomach upset, do not take on an empty stomach.
  - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids
  - recommended daily dose is 6 tablets for adults and 4 tablets for ages 12 through 17
- **Children under 12 years of age:**Consult a doctor before use.

### **Other information**

- Do not take zinc tablets on an empty stomach to avoid possible minor stomach upset.
- Store at room temperature

### **Inactive ingredients**

ascorbic acid, crospovidone, FD&C yellow #6 lake, magnesium stearate, natural and artificial flavor, sorbitol, starch, sucralose

### **Questions or comments?**

**1-866-467-2748**

### **PRINCIPAL DISPLAY PANEL**

\* Compare to Ionizable Zinc Content in Zicam<sup>®</sup> Cold Remedy Rapid Melts<sup>®</sup>

**NDC# 46122-540-63**

### **Zinc Cold Therapy**

Citrus Flavor

Naturally and Artificially Flavored

May help reduce duration and severity of cold symptoms\*\*

- Sugar Free
- Homeopathic†

**25CHEWABLE TABLETS**

**DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.**

†CLAIM IS BASED ONLY ON THEORIES OF HOMEOPATHY FROM 1700S NOT ACCEPTED BY MOST MODERN MEDICAL EXPERTS .THERE IS NO SCIENTIFIC EVIDENCE THAT THE PRODUCT WORKS

\*\*THIS PRODUCT IS A HOMEOPATHIC REMEDY, AS SUCH, IT HAS NOT UNDERGONE REVIEW ON APPROVAL BY THE FDA AND THEREFORE HAS NOT BEEN DEMONSTRATED TO BE SAFE OR EFFECTIVE TO DIAGNOSE, TREAT, PREVENT, MITIGATE OR CURE ANY

CONDITION OR DISEASE.

Distributed by:

AmerisourceBergen

1 West First Avenue

Conshohocken, PA 19428

Questions or Concerns

www.mygnp.com

**IMPORTANT:** Keep this carton for future reference on full labeling.

\*This product is not manufactured or distributed by Matrixx, LLC, the distributor of Zicam®

**GOOD NEIGHBOR PHARMACY**

### Zinc Cold Therapy

**Citrus Flavor**

May help reduce duration and severity of cold symptoms\*\*

• Sugar Free  
• Homeopathic<sup>1</sup>

**GOOD NEIGHBOR PHARMACY**

**Zinc Cold Therapy**

**Citrus Flavor**

May help reduce duration and severity of cold symptoms\*\*

**GOOD NEIGHBOR PHARMACY**

**Zinc Cold Therapy**

**Citrus Flavor**

May help reduce duration and severity of cold symptoms\*\*

**25 CHEWABLE TABLETS**

**25 CHEWABLE TABLETS**

**25 CHEWABLE TABLETS**

**DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.**

**Drug Facts**

**Active ingredient (in each tablet)** Purpose  
Zincum Gluconicum 1x (71mg Zinc) Cold Remedy

**Uses**

- may help reduce duration and severity of cold symptoms
- sore throat ■ stuffy nose ■ sneezing ■ coughing

This product was formulated to help reduce the duration and severity of cold symptoms and was not formulated to be effective for flu or allergies.

**Warnings**

Ask a doctor before use if you have

- a sensitivity to zinc or are allergic to zinc
- are taking minocycline, doxycycline, tetracycline or are on Coumadin therapy, zinc treatment may inhibit the absorption of these medicines.

Stop use and ask a doctor if symptoms persist beyond 7 days.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

**Directions**

For best results, use at the first sign of a cold and continue to use as directed

- adults and children 12 years of age and older:
  - chew one tablet completely at the onset of symptoms. Do not swallow tablets whole.
  - repeat every 3 hours until symptoms are gone
  - to avoid minor stomach upset, do not take on an empty stomach
  - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids
  - recommended daily dose is 6 tablets for adults and 4 tablets for ages 12 through 17
- children under 12 years of age: Consult a doctor before use

**Other information**

- do not take zinc tablets on an empty stomach to avoid possible minor stomach upset.
- store at room temperature

**Inactive ingredients**  
ascorbic acid, croscarmellose, FD&C Yellow No. 6, flavors, magnesium stearate, sorbitol, starch, sucralose

**Questions or comments? 1-800-467-2748**

\*This product is not manufactured or distributed by Matrixx Initiatives, Inc., owner of the registered trademarks Zicam® Cold Remedy RapidMelt®.

1. THE PRODUCT IS A HOMEOPATHIC REMEDY. AS SUCH, IT HAS NOT UNDERGONE REVIEW OR APPROVAL BY THE FDA AND THEREFORE HAS NOT BEEN DEMONSTRATED TO BE SAFE OR EFFECTIVE TO DIAGNOSE, TREAT, PREVENT, MITIGATE OR CURE ANY CONDITION OR DISEASE.

2. CLAIM IS BASED ONLY ON THEORIES OF HOMEOPATHY FROM WHICH NOT ACCEPTED BY MOST MODERN MEDICAL EXPERTS. THERE IS NO SCIENTIFIC EVIDENCE THAT THE PRODUCT WORKS.

3. THE PRODUCT IS A HOMEOPATHIC REMEDY. AS SUCH, IT HAS NOT UNDERGONE REVIEW OR APPROVAL BY THE FDA AND THEREFORE HAS NOT BEEN DEMONSTRATED TO BE SAFE OR EFFECTIVE TO DIAGNOSE, TREAT, PREVENT, MITIGATE OR CURE ANY CONDITION OR DISEASE.

**Barcode:** 0 87701 43110 4

**Lot:** 118K0725AB0C

**Exp:**

**IMPORTANT:**  
Keep the carton for future reference on full labeling.

# ZINC COLD THERAPY

zinc gluconate tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46122-540
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	1 [hp_X]

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SORBITOL (UNII: 506T60A25R)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND (Biconcave)	<b>Size</b>	16mm
<b>Flavor</b>	CITRUS	<b>Imprint Code</b>	r8
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-540-63	25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/26/2018	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved homeopathic		06/26/2018	

**Labeler** - Amerisource Bergen (007914906)

