

**RITE-AID GENTLE LAXATIVE- bisacodyl suppository**  
**RITE AID PHARMACY**

-----  
**Rite-Aid® Gentle Laxatives Bisacodyl Suppository**

**Active Ingredient (in each Suppository)**

	Purpose
Bisacodyl USP, 10 mg.....	Stimulant Laxative

**Uses**

Uses - For temporarily relief of occasional constipation and irregularity  
-This product generally produces bowel movement in 15 minutes to 1 hour

**Warnings**

For rectal use only.

**Do not use**

Do not use - more than once per day - for a period of longer than one week unless directed by a doctor - laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

**Ask a doctor**

Ask a doctor before use if you have - noticed a sudden change in bowel habits that persists over a period of two weeks

**When using this product**

When using this product - May cause abdominal discomfort, faintness, rectal burning, and mild cramps

**Stop use and ask a doctor**

Stop use and ask a doctor if you have rectal bleeding or fail to have bowel movement after using a laxative. This may indicate a serious condition

**If pregnant or breast-feeding**

If pregnant or breast-feeding, ask a health professional before use.

## **Keep out of reach of children**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

Adults and children 12 years of age and older  
Children under 6

Children 6 to under 12 years

One suppository once daily  
Ask doctor.

1/2 suppository once daily

-Detach one suppository from the strip and remove from foil - Carefully insert one suppository well into the rectum

-Do not use more than once per day

## **Other information**

Other information - Store at room temperature: 15 ° - 30 °C (59 ° - 86 °F). Do not exceed 30 °C (86 °F) - Individually sealed for your protection. Do not use if foil is torn or open

## **Inactive ingredient**

Inactive ingredient Hydrogenated vegetable oil

## **Purpose**

Stimulant Laxative

## **Rite-Aid Gentle Laxative 8ct**



**FAST RELIEF LAXATIVE  
SUPPOSITORIES**

**BISACODYL USP 10 mg**

**FREE FRAGRANCE FREE  
F R C M CAFFEINE FREE**

NDC 11822-4892-5

Compare to the active ingredient in  
**Dulcolax® Suppositories\***

**FAST RELIEF LAXATIVE  
SUPPOSITORIES**

**BISACODYL USP 10 mg**

Prompt relief of constipation  
often in 15 minutes to 1 hour  
Individually wrapped



**8**

**SUPPOSITORIES**

**FAST RELIEF LAXATIVE  
SUPPOSITORIES**  
BISACODYL USP 10 mg

DISTRIBUTED BY:  
RITE AID, 30 HUNTER LANE,  
CAMP HILL, PA 17011  
www.riteaid.com

**SATISFACTION  
GUARANTEE**  
If you're not satisfied, we'll  
happily refund your money.



\*This product is not manufactured or distributed by  
Chewtem, Inc., distributor of Dulcolax® Suppositories.

FOR YOUR SAFETY, SUPPOSITORIES  
ARE PACKAGED IN TAMPER-EVIDENT  
SEALED WRAPPERS. DO NOT USE IF  
WRAPPERS IS TORN OR OPEN.  
KEEP OUTER CARTON FROM COMPLETE  
WRAPPING AND PRODUCT INFORMATION.

**Drug Facts**

**Active ingredient (in each suppository)** Bisacodyl, 10 mg

**Purpose** Stimulant laxative

**Uses** For relief of occasional constipation. This product generally produces bowel movement in 15 minutes to 1 hour.

**Warnings** For rectal use only.

Ask a doctor before use if you have:  
 Stomach pain, nausea or vomiting. A sudden change in bowel habits lasting more than 2 weeks.  
 Already used a laxative for more than 1 week.  
 When using this product it may cause stomach discomfort, flatulence, rectal burning and mild cramps.  
 Stop use and ask a doctor if you have rectal bleeding or you fall to have a bowel movement after using a laxative. This may indicate a serious condition.  
 If pregnant or breastfeeding, ask a doctor before use.  
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children 12 years of age and older: One suppository once daily.  
 Children 6 to 12 years: ½ suppository once daily.  
 Children under 6: Ask a doctor.

Insert one suppository from the strip and remove from foil. Do not use more than once per day.  
 Carefully insert one suppository well into the rectum.

**Other information** Store at room temperature: 15°–30° C (59°–86° F). Do not exceed 30° C (86° F) individually sealed for your protection. Do not use if foil is torn or open.

**Inactive ingredient** Hydrogenated vegetable oil



**FAST RELIEF LAXATIVE  
SUPPOSITORIES**

**BISACODYL USP 10 mg**

Prompt relief of constipation  
often in 15 minutes to 1 hour  
Individually wrapped

**FREE** FRAGRANCE FREE  
CAFFEINE FREE

NDC 11822-4890-9

Compare to the active ingredient in  
Dulcolax<sup>®</sup> Suppositories\*

**FAST RELIEF LAXATIVE  
SUPPOSITORIES**

**BISACODYL USP 10 mg**

Prompt relief of constipation  
often in 15 minutes to 1 hour  
Individually wrapped



**16**  
SUPPOSITORIES

**FAST RELIEF LAXATIVE  
SUPPOSITORIES**  
BISACODYL USP 10 mg  
Prompt relief of constipation  
often in 15 minutes to 1 hour

DISTRIBUTED BY:  
RITE AID, 30 HUNTER LANE,  
CAMP HILL, PA 17011  
www.riteaid.com

**SATISFACTION  
GUARANTEE**

If you're not satisfied, we'll  
happily refund your money.

\*This product is not manufactured or distributed by  
Chatham, Inc., distributor of Dulcolax<sup>®</sup> Suppositories.



**Drug Facts**

**Active ingredient (in each suppository)** ■ Bisacodyl, 10 mg ■ Stimulant Laxative

**Use** ■ For relief of occasional constipation ■ The product generally produces bowel movement in 15 minutes to 1 hour

**Warnings**  
For rectal use only.

Ask a doctor before use if you have  
■ Already used a laxative for more than 1 week.  
■ Stomach pain, nausea or vomiting ■ A sudden change in bowel habits lasting more than 2 weeks  
When using this product it may cause stomach discomfort, flatness, rectal burning and mild cramps  
Stop use and ask a doctor if ■ You have rectal bleeding ■ You have a severe condition  
using a laxative. This may indicate a serious condition.

If pregnant or breastfeeding, ask a doctor before use.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
Adults and children 12 years of age and older ■ One suppository once daily  
Children 6 to 12 years ■ ½ suppository once daily  
Children under 6 ■ Ask a doctor  
■ Break one suppository from the strip and remove from foil ■ Carefully insert one suppository well into the rectum. ■ Do not use more than once per day.

**Other information** ■ Store at room temperature, 15°–30° C (59°–86° F). Do not exceed 30° C (86° F). ■ Individually sealed for your protection. Do not use if foil is torn or open.  
**Inactive ingredients** ■ Hydrogenated vegetable oil

FOR YOUR SAFETY, SUPPOSITORIES ARE PACKAGED IN TAMPER-EVIDENT  
SEALED WRAPPERS. DO NOT USE IF WRAPPERS SHOW OR OPEN.  
KEEP OUTER CARTON FOR COMPLETE WARNING AND PRODUCT INFORMATION.

**RITE-AID GENTLE LAXATIVE**

bisacodyl suppository

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-4890
<b>Route of Administration</b>	RECTAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BISACODYL</b> (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	10 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>PALM KERNEL OIL</b> (UNII: B0S90M0233)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	BULLET	<b>Size</b>	32mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11822-4890-5	2 in 1 CARTON	09/17/2017	
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-4890-9	4 in 1 CARTON	09/17/2017	
2		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M007	01/01/2012	

**Labeler** - RITE AID PHARMACY (014578892)**Registrant** - Unipack LLC (116015769)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Unipack LLC		009248480	manufacture(11822-4890)

