

**MUCINEX DM- dextromethorphan hydrobromide and guaifenesin tablet,
extended release
Mechanical Servants LLC**

Mucinex®

DM

Drug Facts

<i>Active ingredients (in each extended-release bi-layer tablet)</i>	<i>Purpose</i>
Dextromethorphan HBr 30 mg	Cough suppressant
Guaifenesin 600 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store at 20-25°C (68-77°F)
- tamper evident: do not use if carton is open or if pouch is broken or torn

Inactive ingredients

carbomer homopolymer type B; D&C yellow #10 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions?

1-866-MUCINEX (1-866-682-4639) You may also report side effects to this phone number.

Dist. by:

R B Health (US), Parsippany, NJ 07054-0224

PRINCIPAL DISPLAY PANEL - 2 Tablet Pouch

Mucinex® DM

**600 mg guaifenesin & 30 mg dextromethorphan HBr
extended-release bi-layer tablets**

EXPECTORANT & COUGH SUPPRESSANT

12

HOUR®

- **Controls Cough**
- **Thins And Loosens Mucus**

2

extended-release bi-layer tablets

Mucinex^{DM}

600 mg guaifenesin & 30 mg dextromethorphan HBr
extended-release bi-layer tablets

EXPECTORANT & COUGH SUPPRESSANT



- ✓ Controls Cough
- ✓ Thins And Loosens Mucus

2 extended-release bi-layer tablets

www.childrensmiraclenetworkhospitals.org
Convenience Valet donates \$.01
to Children's Miracle
Network Hospitals for the
purchase of this package.

Minimum Donation: **\$250,000** (Annual)
cvalet.com

Do Not Use if the sealed
child resistant pouch is
broken or torn.

minimum annual
\$250,000
Donation
See details on back.



**Children's
Miracle Network
Hospitals[®]**

PARENTS:

Learn about teen medicine abuse
www.StopMedicineAbuse.org



**Important: Read all product information before using.
Keep this package for important information.**

Drug Facts

Active ingredients (in each extended-release bi-layer tablet)	Purpose
Dextromethorphan HBr 30 mg.....	Cough suppressant
Guaifenesin 600 mg.....	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings


- Do not use**
- for children under 12 years of age
 - if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

The Children's Miracle Network Hospitals name and logo are used with permission which in no way constitutes endorsement, express or implied, of any commercial product or company.

OPEN PANEL FOR CONTINUED DRUG FACTS

Repackaged and distributed by Convenience Valet[®] Melrose Park, IL 60160

94-47-11-15-FB / C9B-MP-JF-6647



PRINCIPAL DISPLAY PANEL-2 Tablet Pouch 4ct Package

Mucinex® DM

600 mg guaifenesin & 30 mg dextromethorphan HBr
extended-release bi-layer tablets

EXPECTORANT & COUGH SUPPRESSANT

12 HOUR ®

Controls Cough
Thins And Loosens Mucus

4 Extended-Release Bi-layer Tablets

(2 Pouches: 2 tablets each)



MUCINEX DM

dextromethorphan hydrobromide and guaifenesin tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:29485-6647
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01Z NK31)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	white (yellow and white)	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	Mucinex;600
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-6647-1	1 in 1 BLISTER PACK	06/26/2012	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021620	06/26/2012	

MUCINEX DM

dextromethorphan hydrobromide and guaifenesin tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:29485-6942
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01Z NK31)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	white (yellow and white)	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	Mucinex;600
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-6942-4	2 in 1 BLISTER PACK	07/17/2017	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021620	07/17/2017	

Labeler - Mechanical Servants LLC (005530951)

Establishment

Name	Address	ID/FEI	Business Operations
Mechanical Servants LLC		005530951	repack(29485-6647, 29485-6942) , relabel(29485-6647, 29485-6942)

Revised: 12/2021

Mechanical Servants LLC