

ECO BANDAGE SAND- benzethonium chloride liquid
ECO Bandage LLC

Product Label

Active Ingredient

Active Ingredient Purpose

Benzethonium chloride 0.23%..... First aid antiseptic

Warnings

Warnings

For external use only.

Flammable keep away from fire of flame

Do Not Use

Do not use:

On open or bleeding wounds.

In eyes or on mucus membranes.

Over large areas of body

On infected areas or bleeding or draining wounds

Deep cuts or puncture wounds

Animal bites

Serious burns

Longer than 1 week unless directed by healthcare professional

With other first aid products such as liquids, creams or lotions

Inactive Ingredients

Inactive Ingredients amyl acetate, butyl acetate, USP castor oil, ethyl acetate, hypophosphorous acid, isopropanol, nitrocellulose, pigments, SD alcohol 3-C, SIAB.

Ask Doctor

Before use ask a healthcare professional if you have any of the following:

Serious bleeding

Diabetes

Poor circulation

When Using

When using this product

Do not store at temperatures above 120 degrees F

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal

Stop use and ask a healthcare professional if

Condition persists or gets worse

Infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

Directions

Clean and dry affected area.

Shake bottle well before use.

Wipe excess off brush

Apply a thin layer to a closed wound.

Let dry for 30 to 45 seconds.

Additional layers may be added once the previous layer has dried.

Other Information

Other Information

Eco Bandage wears off naturally.

To remove: simply peel off, apply coconut/olive oil or apply more Eco Bandage and quickly wipe off.

Store at room temperature (68-77°F, 20-25°C), away from heat.

Cap bottle tightly.

The antiseptic may temporarily sting upon application if the wound is open.

Use

Use

First aid to help prevent bacterial contamination and conceal minor cuts, scrapes and burns.

Hiding minor cuts and scrapes

Protect or prevent hangnails, blisters, and calluses.

Keep Out of Reach

Keep out of reach of children

Indications

Use

First aid to help prevent bacterial contamination and conceal minor cuts, scrapes and burns.

Hiding minor cuts and scrapes

Protect or prevent hangnails, blisters, and calluses.

Dosage

Directions

Clean and dry affected area.

Shake bottle well before use.

Wipe excess off brush

Apply a thin layer to a closed wound.

Let dry for 30 to 45 seconds.

Additional layers may be added once the previous layer has dried.

Principal Label

<p>ACTIVE INGREDIENT: Benzethonium chloride 0.23%</p> <p>PURPOSE: First Aid Antiseptic</p> <p>USES: First Aid to prevent bacterial contamination and conceal minor cuts, scrapes, and burns. Protect or prevent hangnails, blisters, and calluses.</p> <p>INACTIVE INGREDIENTS: Amyl Acetate, Butyl Acetate, USP Castor Oil, Ethyl Acetate, Hypophosphorous Acid, Isopropanol, Nitrocellulose, Pigments, SD Alcohol 3-C, SAIB.</p> <p>DIRECTIONS: Clean and dry effected area. Shake bottle well before use. Wipe excess off brush. Apply a thin layer to a closed wound. Let dry for 30 to 45 seconds. Additional layers may be added once previous layer has dried.</p>	<p>SAND</p>  <p>Eco</p> <p>BANDAGE</p> <p>Brush It On</p> <p>FLEXIBLE + WATERPROOF LIQUID BANDAGE</p> <p>LATEX FREE • ZERO WASTE</p> <p>Replaces ~100+ Sticker Bandages</p> <p>.3 FL OZ / 10 ML</p>	<p>OTHER INFORMATION: Eco Bandage wears off naturally. To remove: simply peel off, apply coconut/olive oil or apply more Eco Bandage and quickly wipe off. Store at room temperature. Cap bottle tightly. The antiseptic may temporarily sting upon application if wound is open.</p> <p>WARNINGS: For external use only. Flammable: Keep away from fire or flame. Ask Doctor before use if: Serious bleeding, Diabetes or Poor Circulation.</p> <p>DO NOT USE: On open or bleeding wounds, in eyes or on mucus membranes, over large areas of body, on infected areas or draining wounds, deep cuts or puncture wounds, animal bites or serious burns, longer than 1 week unless directed by a doctor.</p> <p>Keep out of reach of children. If swallowed, get medical help or call Poison Control Center at 1-800-222-1222.</p> <p>MADE IN THE USA exclusively for Eco Bandage LLC in FDA registered, UL certified, cGMP compliant facility.</p> <p>For a complete list of warnings and additional information contact: ©Eco Bandage LLC Stuart, FL 34996 833-EcoBandage www.EcoBandage.com</p>
--	---	--

ECO BANDAGE SAND

benzethonium chloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83829-051(NDC:37946-7526)
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.23 kg in 100 kg

Inactive Ingredients

Ingredient Name	Strength
BUTYL ACETATE (UNII: 464P5N1905)	28.5 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83829-051-10	10 kg in 1 BOTTLE; Type 0: Not a Combination Product	12/10/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	12/10/2023	

Labeler - ECO Bandage LLC (124618827)

Registrant - ECO Bandage LLC (124618827)

Establishment

Name	Address	ID/FEI	Business Operations
ECO Bandage LLC		124618827	relabel(83829-051)

Establishment

Name	Address	ID/FEI	Business Operations
Alchemix Corporation		615263956	manufacture(83829-051)

Establishment

Name	Address	ID/FEI	Business Operations
Sample Solutions LLC		132970034	repack(83829-051)

Revised: 4/2024

ECO Bandage LLC