

REGULAR STRENGTH ACETAMINOPHEN- acetaminophen tablet
KROGER COMPANY

Kroger Acetaminophen 325 mg Tablets

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps

temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if the user has liver disease

Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Do not take more than directed.

See overdose warning

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 tablets every 4 to 6 hours while symptoms last• do not take more than 10 tablets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children 6 years to under 12 years	<ul style="list-style-type: none">• take 1 tablet every 4 to 6 hours while symptoms last• do not take more than 5 tablets in 24 hours• do not use for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor

Other information

- SODIUM FREE
- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients povidone, pregelatinized starch, sodium starch glycolate*, stearic acid

*may contain this ingredient

Questions or comments? 1-800-632-6900



NDC 41226-340-01



REGULAR STRENGTH Acetaminophen 325 mg

CONTAINS NO ASPIRIN

**PAIN RELIEVER/
FEVER REDUCER** 100 TABLETS

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Uses
temporarily relieves minor aches and pains due to:
headache muscular aches backache minor pain of arthritis
the common cold toothache premenstrual and menstrual cramps
temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if adult takes more than 4,000 mg of acetaminophen in 24 hours child takes more than 5 doses in 24 hours, which is the maximum daily amount taken with other drugs containing acetaminophen adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening blisters rash
If a skin reaction occurs, stop use and seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions Do not take more than directed. See overdose warning
adults and children 12 years and over: take 2 tablets every 4 to 6 hours while symptoms last do not take more than 10 tablets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor

children 6 years to under 12 years: take 1 tablet every 4 to 6 hours while symptoms last do not take more than 5 tablets in 24 hours do not use for more than 5 days unless directed by a doctor

children under 6 years: ask a doctor
Other information SODIUM FREE store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F) use by expiration date on package
Questions or comments? Call 1-800-632-6900

YOUR PHARMACIST RECOMMENDED
For More Product Information, Scan UPC Using Your Kroger App or Call 800-632-6900

340R 0324
LOT:
EXP:

Varnish
Omit Area

Coating/Print
Omit Area

LOT:
EXP:



www.kroger.com
Love It or Your Money Back.
Our Brands. Our Guarantee.

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Drug Facts

Active ingredient (in each tablet) Purpose
Acetaminophen 325 mg, Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
headache muscular aches
backache minor pain of arthritis
the common cold toothache
premenstrual and menstrual cramps
temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if adult takes more than 4,000 mg of acetaminophen in 24 hours
child takes more than 5 doses in 24 hours, which is the maximum daily amount
taken with other drugs containing acetaminophen
adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
skin reddening blisters rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use
with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure

Drug Facts (continued)

whether a drug contains acetaminophen, ask a doctor or pharmacist.
If you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if the user has liver disease

Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days in adults
pain gets worse or lasts more than 5 days in children under 12 years
fever gets worse or lasts more than 3 days
new symptoms occur
redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions Do not take more than directed, See overdose warning

- adults and children 12 years and over: take 2 tablets every 4 to 6 hours while symptoms last do not take more than 10 tablets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor

Drug Facts (continued)

- children 6 years to under 12 years: take 1 tablet every 4 to 6 hours while symptoms last do not take more than 5 tablets in 24 hours do not use for more than 5 days unless directed by a doctor

Other information

- SODIUM FREE
store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)
use by expiration date on package

Inactive ingredients povidone, pregelatinized starch, sodium starch glycolate*, stearic acid
*may contain this ingredient

Questions or comments? Call 1-800-632-6900

Tyleno® is a registered trademark of Kenvue, Inc. Kenvue, Inc. is not affiliated with The Kroger Co. or this product.

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

For More Product Information, Scan UPC Using Your Kroger App or Call 800-632-6900

YOUR PHARMACIST RECOMMENDED
340R 0324

Coating
Omit

Top of Package

NDC 41226-340-01

COMPARE TO THE ACTIVE INGREDIENT
IN REGULAR STRENGTH TYLENOL®

Front of Package



Kroger health

REGULAR STRENGTH
Acetaminophen 325 mg

CONTAINS NO ASPIRIN
100 TABLETS

PAIN RELIEVER/
FEVER REDUCER

ACTUAL SIZE

E1323R

Coating/Print
Omit Area

Coating
Omit

1/8" Print Bleed

REGULAR STRENGTH ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41226-340
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL340
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41226-340-01	1 in 1 CARTON	04/18/2024	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/18/2024	

Labeler - KROGER COMPANY (006999528)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
Time Cap Laboratories, Inc.		037052099	manufacture(41226-340)

Revised: 4/2024

KROGER COMPANY