

CVS BACITRACIN WITH PAIN RELIEF - bacitracin and lidocaine ointment

CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredient

Purpose

Bacitracin, USP 500 units.....	First Aid Antibiotic
Lidocaine 4% w/w.....	Pain Reliever

Uses

- first aid to help prevent infection in and temporarily relieve pain due to
- minor cuts - scrapes - burns

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Uses

- first aid to help prevent infection in and temporarily relieve pain due to
- minor cuts - scrapes - burns

Warnings

For external use only

- Do not use** - in the eyes - over large areas of the body
- if you are allergic to any of the ingredients
 - longer than 1 week unless directed by a doctor

Ask a doctor before use in the case of a deep puncture wound, animal bites or serious burns

Stop use and ask a doctor if - the condition persists or gets worse

- a rash or other allergic reaction develops
- symptoms last for more than 7 days or clear up and come back within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years and older

- clean the affected area - apply a small amount of this product (an amount equal

to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Children under 2 years ask a doctor

Inactive Ingredients

white petrolatum



Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin USP 500 units	First aid antibiotic
Lidocaine 4% w/w	Pain reliever

Uses first aid to help prevent infection in and temporarily relieve pain due to
■ minor cuts ■ scrapes ■ burns

Warnings
For external use only
Do not use ■ in the eyes ■ over large areas of the body
■ if you are allergic to any of the ingredients
■ longer than 1 week unless directed by a doctor

Ask a doctor before use in the case of deep puncture wound, animal bites, or serious burns

Stop use and ask a doctor if ■ the condition persists or gets worse
■ a rash or other allergic reaction develops
■ symptoms last for more than 7 days or clear up and come back within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children 2 years and older
■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
■ may be covered with a sterile bandage
Children under 2 years ask a doctor

Inactive ingredient white petrolatum

Distributed by: **CVS Pharmacy, Inc.**
One CVS Drive
Woonsocket, RI 02895
© 2010 CVS/pharmacy
www.cvs.com 1-800-shop-CVS



462871

BX047CVS15G-3

Package Not Child Resistant

NET WT 0.5 OZ (15g)
15 GEL PACKETTES - [0.03 OZ (1g) each]

A portable way to help prevent infection in minor cuts, scrapes, burns and tattoos

BACITRACIN
With PAIN RELIEF
FIRST AID ANTIBIOTIC OINTMENT
WITH PAIN RELIEVER



pharmacy



BACITRACIN
With PAIN RELIEF
FIRST AID ANTIBIOTIC OINTMENT
WITH PAIN RELIEVER

A portable way to help prevent infection in minor cuts, scrapes, burns and tattoos

A portable way to help prevent infection in minor cuts, scrapes, burns and tattoos

BACITRACIN
With PAIN RELIEF
FIRST AID ANTIBIOTIC OINTMENT
WITH PAIN RELIEVER





CVS BACITRACIN WITH PAIN RELIEF

bacitracin and lidocaine ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-537
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	600 [USPU] in 1 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-537-11	1 in 1 CARTON		
1		14 g in 1 TUBE		
2	NDC:59779-537-55	10 in 1 CARTON		
2		1 g in 1 DOSE PACK		
3	NDC:59779-537-54	15 in 1 CARTON		

3	1 g in 1 DOSE PACK		
---	--------------------	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	07/08/2010	

Labeler - CVS Pharmacy (062312574)

Registrant - Pharma Pac, LLC (140807475)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Pac, LLC		140807475	manufacture

Revised: 8/2011

CVS Pharmacy