

BISMUTH- bis muth subsalicylate suspension
ASPEN VETERINARY

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

ASPEN VETERINARY BISMUSOL

BISMUSOL

Anti-Diarrheal Liquid

Palatable Oral Suspension

For Animal Use Only

Keep Out of Reach of Children

NET CONTENTS:

1 Gallon

(3.785 L)

ASPEN

Veterinary Resources, Ltd.

INDICATIONS:

A palatable oral suspension for use as an aid in controlling simple diarrhea in cattle, horses, dogs and cats.

CAUTION:

This product contains salicylate; do not administer with other salicylate-containing products, such as aspirin. Do not administer to pregnant animals unless prescribed by a licensed veterinarian.

DOSAGE AND ADMINISTRATION:

Administer orally.

Dogs and Cats: 1 - 3 tablespoonfuls every 1-3 hours

Calves and Foals: 3 - 4 ounces every 2-3 hours

Cattle and Horses: 6 - 10 ounces every 2-3 hours

WARNING:

If diarrhea persists after using this product for 2 days, contact a veterinarian.

Aspen LC:046066

Manufactured for:

Aspen Veterinary Resources, Ltd.

Liberty, MO 64068, USA

A125AP Rev. 07/12

COMPOSITION:

Bismuth Subsalicylate.....1.75%

In a palatable aqueous suspension.

Flavoring and coloring added.

SHAKE WELL BEFORE USING.

FOR ORAL USE ONLY.

KEEP FROM FREEZING.

Store at controlled room temperature not above 37°C (98.6°F).

Restricted Drug.

Use only as directed.

Not for human use.

TAKE TIME OBSERVE LABEL DIRECTIONS

Lot No. Exp. Date

Package/Label Principal Display Panel

<p>INDICATIONS: A palatable oral suspension for use as an aid in controlling simple diarrhea in cattle, horses, dogs and cats.</p> <p>CAUTION: This product contains salicylate; do not administer with other salicylate containing products, such as aspirin. Do not administer to pregnant animals unless prescribed by a licensed veterinarian.</p> <p>DOSAGE AND ADMINISTRATION: Administer orally.</p> <p>Dogs and Cats: 1–3 tablespoonfuls every 1–3 hours.</p> <p>Calves and Foals: 3–4 ounces every 2–3 hours.</p> <p>Horses and Cattle: 6–10 ounces every 2–3 hours.</p> <p>WARNING: If diarrhea persists after using this product for 2 days, consult veterinarian.</p> <p>Aspen LC:046066 Manufactured for: Aspen Veterinary Resources®, Ltd. Liberty, MO 64068, USA A125AP Rev. 07/12</p>	 <p>Bismusol</p> <p>Anti-Diarrheal Liquid Palatable Oral Suspension</p> <p>For Animal Use Only Keep Out of Reach of Children</p>  <p>NET CONTENTS: 1 Gallon (3.785 L)</p>	<p>COMPOSITION: Bismuth Subsalicylate..... 1.75% In a palatable aqueous suspension. Flavoring and coloring added.</p> <p>SHAKE WELL BEFORE USING. FOR ORAL USE ONLY. KEEP FROM FREEZING.</p> <p>Store at controlled room temperature not above 37°C (98.6°F).</p> <p>Restricted Drug. Use only as directed. Not for human use.</p> <p>TAKE TIME  OBSERVE LABEL DIRECTIONS</p>  <p>0 99355 00017 9</p> <p>Lot No. Exp. Date</p>
--	--	--

BISMUTH

bismuth subsalicylate suspension

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD18YE)	BISMUTH SUBSALICYLATE	18 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GUAR GUM (UNII: E8911637KE)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
WATER (UNII: 059QF0KO0R)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor	WINTERGREEN	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-002-02	3785 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		06/09/2011	

Labeler - ASPEN VETERINARY (627265361)

Revised: 9/2013

ASPEN VETERINARY