

EZ2GO MAGNESIUM CITRATE SALINE LAXATIVE LEMON FLAVOR- magnesium citrate liquid

Valley Medical Products LLC

EZ2Go Magnesium Citrate Saline Laxative Lemon Flavor

Drug Facts

Active ingredient (in each fl oz)

Magnesium citrate 1.745 g

Purpose

Saline laxative

Uses

- For relief of occasional constipation (irregularity).
- Generally produce bowel movement in 1/2 to 6 hours.

Warnings:

Ask a doctor before use if you have

- Kidney disease
- a magnesium restricted diet
- Abdominal pain, nausea, or vomiting
- Noticed a sudden change in bowel habits that persists over a period of 2 weeks
- Already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- Taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor

if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact Poison Control Centre right away. Store at temperature between 46° and 86° F (8° and 30°)

Directions

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other Information:

- each fl oz contains: magnesium 290 mg
- each fl oz contains: sodium 1 mg

Inactive Ingredients:

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions?

1-800-403-9832 Valley Medical Products, LLC, Jacksonville, FL 32224

Package Labeling:

Drug Facts

Active ingredient (in each fl oz) Purpose
Magnesium citrate 1.745 g Saline laxative

Uses: ■ For relief of occasional constipation (irregularity).
■ Generally produces bowel movement in ½ to 6 hours.

Warnings: Ask a doctor before use if you have
■ Kidney disease
■ a magnesium restricted diet
■ Abdominal pain, nausea, or vomiting
■ Noticed a sudden change in bowel habits that persists over a period of 2 weeks
■ Already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are
■ Taking any other drug.
■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident twist-off cap is missing, broken, or separated from neckring

COPY FREE AREA LEFT OPEN FOR LOT AND EXPIRATION DATE

NDC 76470-035-35



Magnesium Citrate
Saline Laxative



Alcohol content 0.025% (From flavoring) 10 fl.oz (296ml)

Drug Facts (continued)

Store at temperatures between 46° and 86°F (8° and 30°C)

Directions: ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other Information:

■ each fl oz contains: magnesium 290 mg
■ each fl oz contains: sodium 1 mg

Inactive Ingredients: benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions? 1-800-403-9832
Valley Medical Products, LLC, Jacksonville, FL 32224

UPC

EZ2GO MAGNESIUM CITRATE SALINE LAXATIVE LEMON FLAVOR

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76470-025
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:76470-025-01	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/01/2024	
----------	------------------	--	------------	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	01/01/2024	

Labeler - Valley Medical Products LLC (969389407)

Revised: 1/2024

Valley Medical Products LLC