#### BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE- liquid bandage liquid Rite Aid Corporation

-----

**Rite Aid Liquid Bandage** 

#### Active ingredients

Benzethonium chloride 0.2% Dyclonine hydrochloride 0.75%

#### Purpose

First aid antiseptic

Topical analgesic

#### Uses

• first aid to prevent bacteria contamination in minor cuts and scrapes

## Warnings

#### For external use only.

#### Flammable:

do not use while smoking or near heat or flame.

## Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

## Ask a doctor before use if you have

- deep puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

## When using this product

do not sotre at temperaure above 120 °F

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

#### Stop use and ask a doctor if

- conditions persists or gets worse
- infection occurs

#### Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

## Directions

- Clean affected area
- apply a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more Liquid Bandage and quickly wipe off
- finger nail polish remover may dissolve Liquid Bandage

# Other information

- cap bottle tightly
- store at room temperature away from heat
- may temporarily sting upon application
- do not allow to come in contact with floors, countertops, or other finished surfaces will stain

## Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD slcohol 40

## Questions

Call 1-866-964-0939

## **Principal Display Panel**

LIQUID BANDAGE

**TOPICAL ANALGESIC & ANTISEPTIC** 

For small cuts & wounds • To help prevent infection

Antiseptic formula dries to formo an invisible protective cover that is flexible

Use Liquid Bandage for: blisters, chapped & cracked fingertips, hangnails, paper cuts, shaving nicks & help in preventing the formation of calluses.

Great for: athletes, active lifestyles, outdoor sportsmen & musicians NET 0.3 FL OZ (9 mL)



Drug Facts Drug Facts Do NOT USE IF Do NOT USE IF Do NOT USE IF Do NOT USE IF

	INZETHC		LORIDE PLUS D	YCLON	INE HYD	ROCH	ILO	RIDE	
P	roduct Info	ormation							
Pr	oduct Type	HUMAN OTC DRUG			ltem Code (Source)			NDC:11822-0128	
Ro	oute of Admi	nistration	TOPICAL						
Δα	tive Ingre	dient/Active	Moietv						
	Active Ingredient/Active Moiety Ingredient Name Basis of						Strength Strength		
BENZETHONIUM CHLORIDE (UNII UNII:1VU15B70BP)						BENZ ETHONIUM		0.2 mg in 9 mL	
	<b>CLONINE HYD</b> II:078A24Q30O		NII: ZEC193879Q) (DYCLONINE - DYCLONINE HYDROCHLO			_		0.75 mg in 9 mL	
In	active Ing								
							Strength		
	ETONE (UNII: )	1364PS73AF) (UNII: 92Q24NH7A	c)						
		(01011: 9202410177 II: D5340Y2I9G)							
		(UNII: 7684508N	MZ)						
ΡΥ	ROXYLIN (UNII	: KYR8BR2X6O)							
AL	COHOL (UNII: 3	3K9958V90M)							
Pa	ackaging								
#	Item Code	Р	ackage Description		Marketin Dat	•	Ма	rketing Enc Date	
	NDC:11822- 0128-9	9 mL in 1 BOTTL Combination Pro	E, WITH APPLICATOR; Type duct	0: Not a	12/22/2017		11/2	0/2026	
M		Informat							
	Marketing Category	Applicat	tion Number or Mono Citation	graph	Marketing S Date	Start	Mar	keting End Date	

Revised: 6/2025