

**CARBON DIOXIDE OXYGEN- carbon dioxide oxygen gas
MATHESON TRI-GAS, INC.**

Carbon Dioxide/Oxygen 20/80

Compressed gas, oxidizing, n.o.s.

(Carbon Dioxide, Oxygen)

UN3156

Medical Gas Mixture

Carbon Dioxide, USP CAS: 124-38-9

Balance Oxygen, USP CAS: 7782-44-7

Rx only

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

DANGER CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER MAY INCREASE RESPIRATION AND HEART RATE.

Do not handle until all safety precautions have been read and understood. Avoid breathing gas. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.


FIRST AID: IF ACCIDENTLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL

Matheson

909 Lake Carolyn Pkwy

Irving, TX 75039



Compressed gas, oxidizing, n.o.s.
(Carbon Dioxide, Oxygen)
UN3156

| Medical Gas Mixture | |
|-----------------------|----------------|
| % Carbon Dioxide, USP | CAS: 124-38-9 |
| Balance Oxygen, USP | CAS: 7782-44-7 |

Rx only

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

DANGER CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED; MAY CAUSE OR INTENSIFY FIRE; OXIDIZER; MAY INCREASE RESPIRATION AND HEART RATE.

Do not handle until all safety precautions have been read and understood. Avoid breathing gas. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ACCIDENTALLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

CARBON DIOXIDE OXYGEN

carbon dioxide oxygen gas

| Product Information | | | |
|--------------------------------|--------------------------|---------------------------|---------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:55037-712 |
| Route of Administration | RESPIRATORY (INHALATION) | | |

| Active Ingredient/Active Moiety | | |
|---|-------------------|---------------|
| Ingredient Name | Basis of Strength | Strength |
| OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) | OXYGEN | 800 mL in 1 L |

| Inactive Ingredients | |
|--|---------------|
| Ingredient Name | Strength |
| CARBON DIOXIDE (UNII: 142M471B3J) | 200 mL in 1 L |

| Packaging | | | | |
|-----------|------------------|---|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:55037-712-01 | 6860 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1987 | |
| 2 | NDC:55037-712-02 | 740 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1987 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA | NDA205889 | 01/01/1987 | |

Labeler - MATHESON TRI-GAS, INC. (179092028)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------|---------|-----------|------------------------|
| MATHESON TRI-GAS, INC. | | 035676147 | manufacture(55037-712) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------|---------|-----------|------------------------|
| MATHESON TRI-GAS, INC. | | 045200315 | manufacture(55037-712) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------|---------|-----------|------------------------|
| MATHESON TRI-GAS, INC. | | 074768669 | manufacture(55037-712) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------|---------|-----------|------------------------|
| MATHESON TRI-GAS, INC. | | 111249868 | manufacture(55037-712) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------|---------|-----------|------------------------|
| MATHESON TRI-GAS, INC. | | 606686202 | manufacture(55037-712) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------|---------|-----------|------------------------|
| MATHESON TRI-GAS, INC. | | 832779602 | manufacture(55037-712) |

Revised: 2/2024

MATHESON TRI-GAS, INC.