LISTERINE TOTAL CARE STAIN REMOVER ANTICAVITY FLUORIDE FRESH MINTsodium fluoride mouthwash Johnson & Johnson Consumer Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Listerine $^{\circledR}$ Total Care Stain Remover Anticavity Fluoride Mouthwash Fresh Mint

Drug Facts

Active ingredient

Sodium fluoride (0.02%) (0.01% w/v Fluoride ion)

Purpose

Anticavity

Use

aids in the prevention of dental cavities

Warnings

Stop use and ask a dentist if oral irritation or tooth sensitivity occurs

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older:
- use twice daily after brushing your teeth with a toothpaste
- vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- supervise children as necessary until capable of using without supervision
- Children under 12 years of age: consult a dentist or doctor

Other information

protect from excessive heat (40°C/104°F)

Inactive ingredients

Water, Sorbitol, Alcohol (21.6% v/v), Hydrogen Peroxide, Poloxamer 407, Flavor, Sodium Saccharin, Sodium Lauryl Sulfate, Eucalyptol, Methyl Salicylate, Thymol, Phosphoric Acid, Menthol, Disodium Phosphate, Sucralose

Questions?

call toll-free **888-222-0182 or 215-273-8755** (collect)

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 946 mL Bottle Label

ANTICAVITY FLUORIDE MOUTHWASH

LISTERINE ®

TOTAL CARE
STAIN REMOVER

IMPORTANT: READ DIRECTIONS FOR PROPER USE

SODIUM FLUORIDE &

ACIDULATED PHOSPHATE TOPICAL SOLUTION

6 IN 1 BENEFITS

1.HELPS PREVENT CAVITIES

2.RESTORES ENAMEL

3.STRENGTHENS TEETH

4.KILLS BAD BREATH GERMS

5.CLEANS THE WHOLE MOUTH

6.FRESHENS BREATH

FRESH MINT

946 mL (32 Fl Oz)



30040836



ANTICAVITY FLUORIDE MOUTHWASH

LISTERIE TOTAL CARE STAIN REMOVER

IMPORTANT: READ DIRECTIONS FOR PROPER USE.

SODIUM FLUORIDE & ACIDUL ATED PHOSPHATE TOPICAL SOLUTION :



- 1. HELPS PREVENT CAVITIES
- 2. RESTORES ENAMEL
- 3. STRENGTHENS TEETH
- 4 KILLS BAD BREATH GERMS
- 5. CLEANS THE WHOLE MOUTH
- 6. FRESHENS BREATH

30040827 946 mL (32 F1 Oz)

FRESH MINT



Active ingred Sodium Fluoride Use aids in the Warnings Stop use and as Keep out of reac

Active ingredient Purpose

Sodium Fluoride (0.02%) (0.01% w/v Fluoride Ion)..... Anticavity

Use aids in the prevention of dental cavities

Stop use and ask a dentist if oral irritation or tooth sensitivity occurs **Keep out of reach of children.** If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older:
 - use twice daily after brushing your teeth with a toothpaste
 - vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
 - do not swallow the rinse
- . do not eat or drink for 30 minutes after rinsing
- supervise children as necessary until capable of using without supervision
- . Children under 12 years of age: consult a dentist or doctor

Other information

protect from excessive heat (40°C/104°F)

Inactive ingredients Water, Sorbitol, Alcohol (21.6% v/v), Hydrogen Peroxide, Poloxamer 407, Flavor, Sodium Saccharin, Sodium Lauryl Sulfate, Eucalyptol, Methyl Salicylate, Thymol, Phosphoric Acid, Menthol, Disodium Phosphate, Sucralose

Questions? Call toll-free 888-222-0182 or 215-273-8755 (Collect)

Whitening results expected at 12 weeks. Results may vary.

Care To Recycle®

Meets USP Assay Test 2.
Do not use if printed band around cap is broken or missing.

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

J&JC| 2018 www.listerine.com



TURN
TO OPEN: SQUEEZE the cap and TURN.
TO CLOSE: Turn cap until it locks.

The LISTERINE® bottle design is a registered trademark of Johnson & Johnson.



LISTERINE TOTAL CARE STAIN REMOVER ANTICAVITY FLUORIDE FRESH MINT

sodium fluoride mouthwash

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69968-0537

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O) | SODIUM FLUORIDE | 0.1 mg in 1 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
SORBITOL (UNII: 506T60A25R)			
ALCOHOL (UNII: 3K9958V90M)			
SODIUM LAURYL SULFATE (UNII: 368GB5141J)			
POLOXAMER 407 (UNII: TUF2IVW3M2)			
HYDROGEN PEROXIDE (UNII: BBX060AN9V)			
PHOSPHORIC ACID (UNII: E4GA8884NN)			
EUCALYPTOL (UNII: RV6J6604TK)			
THYMOL (UNII: 3J50XA376E)			
METHYL SALICYLATE (UNII: LAV5U5022Y)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)			
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:69968- 0537-1	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2010			
2 NDC:69968- 0537-3	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2010	09/07/2023		

Marketing In	rketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part355	06/01/2010			

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023 Johnson & Johnson Consumer Inc.