AMAZON BASIC CARE ACID REDUCER - famotidine tablet, film coated Amazon.com Services LLC

Drug Facts

Active ingredient (in each tablet)

Famotidine USP 20 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years and over:
 - to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
 - to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10
 to 60 minutes before eating food or drinking beverages that cause heartburn
 - do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20° to 25°C (68° to 77°F)
- protect from moisture

Inactive ingredients

carnauba wax, corn starch, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, red iron oxide, sodium starch glycolate, talc, titanium dioxide and yellow iron oxide.

Questions or comments?

call 1-855-274-4122

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

JUST ONE TABLET prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

Do not use if carton is open or if printed foil seal under bottle cap is open or torn.

DISTRIBUTED BY:

AMAZON.COM SERVICES LLC 410 TERRY AVENUE N., SEATTLE, WA 98109

© 2024 AMAZON.COM, INC. OR ITS AFFILIATES. ALL RIGHTS RESERVED.

Made in India

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL -20 mg (25 Tablets, Container Label)

amazon

basic+care

Maximum Strength

NDC 72288-363-53

Famotidine Tablets USP 20 mg

Acid Reducer

Just One Tablet! Prevents & Relieves Heartburn Due to Acid Indigestion

25 TABLETS



PACKAGE LABEL-PRINCIPAL DISPLAY PANEL -20 mg (25 Tablets, Container Carton Label)

amazon

basic+care

Maximum Strength

Compare to Maximum Strength Pepcid® AC active ingredient*

NDC 72288-363-53

Famotidine Tablets USP 20 mg

Acid Reducer

Just One Tablet! Prevents & Relieves Heartburn Due to Acid Indigestion

25 TABLETS



AMAZON BASIC CARE ACID REDUCER

famotidine tablet, film coated

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288-363	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				

	Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UN	III: 5QZ015J2Z8) (FAMOTIDINE - UNII:5QZ015J2Z8)	FAMOTIDINE	20 mg
Inactive Ing	radianta		
mactive mg			Chuo a ath
	Ingredient Name		Strength
	(UNII: R12CBM0EIZ)		
	UNII: 08232NY3SJ)		
	L CELLULOSE (1600000 WAMW) (UNII: RFW2ET6	71P)	
	2910 (5 MPA.S) (UNII: R75537T0T4)		
MAGNESIUM ST	EARATE (UNII: 70097M6I30)		
MICROCRYSTAL	LINE CELLULOSE (UNII: OP1R32D61U)		
FERRIC OXIDE R	ED (UNII: 1K09F3G675)		
SODIUM STARCH	I GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)		
TALC (UNII: 7SEV	7J4R1U)		
TITANIUM DIOXI	DE (UNII: 15FIX9V2JP)		
FERRIC OXIDE Y	ELLOW (UNII: EX438O2MRT)		
Product Cha	racteristics		
Color	YELLOW	Score	no score
Shape	ROUND (Square shaped Biconvex)	Size	5mm
Flavor		Imprint Code	CC;59
Contains			

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:72288-363- 53	1 in 1 CARTON	05/15/2024		
1		25 in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:72288-363- 14	1 in 1 CARTON	05/15/2024		
2		50 in 1 BOTTLE; Type 0: Not a Combination Product			
3	NDC:72288-363- 34	1 in 1 CARTON	05/15/2024		
3		200 in 1 BOTTLE; Type 0: Not a Combination Product			
4	NDC:72288-363- 40	2 in 1 CARTON	05/15/2024		
4		200 in 1 BOTTLE; Type 0: Not a Combination Product			
Μ	larketing	Information			

Marketing Application Number or Monograph		Marketing Start Marketing End		
Category Citation		Date Date		
	ANDA	ANDA206531	05/15/2024	

Labeler - Amazon.com Services LLC (128990418)

Registrant - Aurohealth LLC (078728447)

Establishment			
Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(72288-363), MANUFACTURE(72288-363)

Revised: 5/2024

Amazon.com Services LLC