

**AMAZON BASIC CARE ACETAMINOPHEN - acetaminophen tablet**  
**Amazon.com Services LLC**

-----

***Drug Facts***

***Active ingredient (in each caplet)***

Acetaminophen USP 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen.

Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a

health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 caplets every 6 hours while symptoms last</li><li>• do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

***Other information***

- store between 20° to 25°C (68° to 77°F)
- **do not use if carton is open or if printed foil seal under cap is torn or missing.**

## Inactive ingredients

povidone, pregelatinized starch (maize), stearic acid.

## Questions or comments?

call **1-855-274-4122**

### DISTRIBUTED BY:

AMAZON.COM SERVICES LLC  
410 TERRY AVENUE N.  
SEATTLE, WA 98109

Made in India

## PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg (100 Caplets Bottle)

amazon  
basic+care

Extra Strength  
NDC 72288-692-10

See New Warnings Information  
& Directions

Acetaminophen  
Caplets 500 mg  
Pain Reliever/Fever Reducer  
For Adults  
Contains No Aspirin

100 CAPLETS  
500 mg EACH

Top Layer Printing side

**amazon** basic+care

**Extra Strength**  
NDC 72288-692-10

See New Warnings Information  
& Directions

**Acetaminophen**  
Caplets 500 mg  
Pain Reliever/Fever Reducer  
For Adults  
Contains No Aspirin

100 CAPLETS  
500 mg EACH

**Drug Facts**

**Active ingredient (in each caplet) Purpose**

Acetaminophen USP 500 mg.....Pain reliever/  
fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

**DISTRIBUTED BY:**  
AMAZON.COM SERVICES LLC  
410 TERRY AVENUE N.  
SEATTLE, WA 98109  
© 2024 AMAZON.COM, INC.  
OR ITS AFFILIATES.  
ALL RIGHTS RESERVED.

**GLUTEN FREE**  
Made in India

P 1434072 LM-5699

\*  
Unvarnished Zone  
(dotted line not for printing)  
33 x 13 mm

Lift here for Drug Facts

## Top Layer adhesive side

P1434072 LM-5699
<p><b>Drug Facts (continued)</b></p> <p><b>Warnings</b>                  Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours</p> <ul style="list-style-type: none"> <li>with other drugs containing acetaminophen</li> <li>3 or more alcoholic drinks every day while using this product</li> </ul> <p><b>Allergy alert:</b> acetaminophen may cause severe skin reactions.                  Symptoms may include:</p> <ul style="list-style-type: none"> <li>skin reddening</li> <li>blisters</li> <li>rash</li> </ul> <p>If a skin reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.</li> <li>if you are allergic to acetaminophen or any of the inactive ingredients in this product</li> </ul> <p><b>Ask a doctor before use if you have liver disease</b></p> <p><b>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin</b></p> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>pain gets worse or lasts more than 10 days</li> <li>fever gets worse or lasts more than 3 days</li> <li>new symptoms occur</li> <li>redness or swelling is present</li> </ul> <p>These could be signs of a serious condition.</p> <p><b>If pregnant or breast-feeding</b>, ask a health professional before use. ▶</p>
Gluing Area

## Base Layer

Gluing Area				
<p><b>Drug Facts (continued)</b></p> <p><b>Keep out of reach of children.</b></p> <p><b>Overdose warning:</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li><b>do not take more than directed (see overdose warning)</b></li> </ul> <table border="1"> <tr> <td>adults and children 12 years and over</td> <td> <ul style="list-style-type: none"> <li>take 2 caplets every 6 hours while symptoms last</li> <li>do not take more than 6 caplets in 24 hours, unless directed by a doctor</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul> </td> </tr> <tr> <td>children under 12 years</td> <td>ask a doctor</td> </tr> </table> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>store between 20° to 25°C (68° to 77°F)</li> <li>do not use if printed foil seal under cap is torn or missing.</li> </ul> <p><b>Inactive ingredients</b>                  povidone, pregelatinized starch (maize), stearic acid.</p> <p><b>Questions or comments?</b> call 1-855-274-4122</p>	adults and children 12 years and over	<ul style="list-style-type: none"> <li>take 2 caplets every 6 hours while symptoms last</li> <li>do not take more than 6 caplets in 24 hours, unless directed by a doctor</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul>	children under 12 years	ask a doctor
adults and children 12 years and over	<ul style="list-style-type: none"> <li>take 2 caplets every 6 hours while symptoms last</li> <li>do not take more than 6 caplets in 24 hours, unless directed by a doctor</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul>			
children under 12 years	ask a doctor			
P1434072 LM-5699				

## PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg (100 Caplets Bottle Carton)

amazon  
 basic+care

Extra Strength  
 NDC 72288-692-10  
 Compare to  
 Extra Strength

**Tylenol® Caplets**  
**active ingredient\***

**See New Warnings Information & Directions**

**Acetaminophen**  
**Caplets 500 mg**  
**Pain Reliever/Fever Reducer**  
**For Adults**  
**Contains No Aspirin**

**100 CAPLETS**  
**500 mg EACH**

**Extra Strength**

See New Warnings Information & Directions

**Acetaminophen**  
 Caplets 500 mg  
 Pain Reliever/Fever Reducer  
 For Adults  
 Contains No Aspirin

100 CAPLETS  
 500 mg EACH

**amazon**

**Extra Strength**

NDC 72288-692-10

See New Warnings Information & Directions

**Acetaminophen**  
 Caplets 500 mg  
 Pain Reliever/Fever Reducer  
 For Adults  
 Contains No Aspirin

100 CAPLETS  
 500 mg EACH

**basic+care**

Compare to Extra Strength Tylenol® Caplets active ingredient\*



actual size



1 10935515104889 7

P 1054631 LK-5698

Unvarnished Zone  
 (dotted line not for printing)  
 49 x 16 mm

**amazon**

**Extra Strength**

NDC 72288-692-10

See New Warnings Information & Directions

**Acetaminophen**  
 Caplets 500 mg  
 Pain Reliever/Fever Reducer  
 For Adults  
 Contains No Aspirin

100 CAPLETS  
 500 mg EACH

**amazon**

**Extra Strength**

NDC 72288-692-10

See New Warnings Information & Directions

**Acetaminophen**  
 Caplets 500 mg  
 Pain Reliever/Fever Reducer  
 For Adults  
 Contains No Aspirin


100 CAPLETS  
 500 mg EACH

**basic+care**

Compare to Extra Strength Tylenol® Caplets active ingredient\*



actual size



1 10935515104889 7

P 1054631 LK-5698

Unvarnished Zone  
 (dotted line not for printing)  
 49 x 16 mm

**Drug Facts (continued)**

**If pregnant or breast-feeding, ask a health professional before use.**  
 Keep out of reach of children.  
 Do not use if you are allergic to acetaminophen. For more information, contact a Poison Control Center (night only) at (1-800-372-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
 Do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> <li>take 2 caplets every 6 hours while needed</li> <li>do not take more than 6 caplets in 24 hours, unless directed by a doctor</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	ask a doctor

**Other Information**

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is open or if printed foil seal under cap is torn or missing.

**Inactive ingredients**  
 povidone, pregelatinized starch (maize), stearic acid.

**Questions or comments?** call 1-855-274-4122

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**  
 \* This product is not manufactured or distributed by McKesson Consumer Healthcare, distributor of Tylenol® Extra Strength Caplets.

DISTRIBUTED BY:  
 AMAZON.COM SERVICES LLC  
 410 9th Avenue, 5th Floor  
 SEATTLE, WA 98101  
 © 2024 AMAZON.COM, INC.  
 ALL RIGHTS RESERVED.  
 Made in India

Gluten Free

**RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION**

**Drug Facts**

**Active ingredient (in each caplet)**  
 Acetaminophen USP 500 mg

**Purpose**  
 Pain reliever/  
 Fever reducer

**Uses**  
 temporarily relieves minor aches and pains due to:

- the common cold
- headache
- minor pain of arthritis
- muscular aches
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- itching
- swelling
- difficulty breathing
- stomach pain
- fever
- skin rash
- itching
- swelling
- difficulty breathing
- stomach pain
- fever

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are taking other prescription or nonprescription drugs containing acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease**  
 Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever persists or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

<b>AMAZON BASIC CARE ACETAMINOPHEN</b>			
acetaminophen tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72288-692
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients	
Ingredient Name	Strength
POVIDONE K30 (UNII: U725QWY32X)	
STARCH, CORN (UNII: O8232NY3SJ)	
PALMITOSTEARIC ACID (UNII: Q8Y7S3B85M)	

Product Characteristics			
Color	WHITE (White to off White)	Score	no score
Shape	CAPSULE (Biconvex)	Size	18mm
Flavor		Imprint Code	N79
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-692-10	1 in 1 CARTON	05/15/2024	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:72288-692-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	05/15/2024	
3	NDC:72288-692-50	500 in 1 BOTTLE; Type 0: Not a Combination Product	05/15/2024	
4	NDC:72288-692-01	1000 in 1 BOTTLE; Type 0: Not a Combination Product	05/15/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/15/2024	

**Labeler** - Amazon.com Services LLC (128990418)

**Registrant** - Aurohealth LLC (078728447)

Establishment			
Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	ANALYSIS(72288-692) , MANUFACTURE(72288-692)

