

LIDOPRO PATCH- lidocaine, menthol, and methyl salicylate patch
Clinic Pharma

LidoPro Patch

Active Ingredient

Lidocaine 4%

Purpose

Topical Anesthetic

Active Ingredient

Menthol .5%

Purpose

Topical Analgesic

Active Ingredient

Methyl Salicylate .1%

Purpose

Topical Counterirritant

Uses

Temporarily relieves minor pain

Warnings

For external use only

Do not use

- more than one patch on your body at a time or on cuts, irritated, or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor.

When using this product

- Use only as directed. Read and follow directions and warning on this packaging.

- Do not apply to wounds or damaged, broken, or irritated skin
- Avoid contact with the eyes or mucous membranes
- Do not bandage tightly or apply local heat (such as heating pads) to area of use
- Do not use at the same time as other topical analgesics
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if

- conditions worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast feeding,

ask health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

adults and children over 12 years:

- clean and dry the affected area
- remove patch from plastic liner and place on the affected area
- use 1 patch for up to 12 hours
- place used patch on the liner when not in use
- re-use the patch up to 2 times.


children 12 years or younger: ask a doctor

OTHER INGREDIENTS:

Vegan Glycerol, Polyacrylate, Aqua. Polysorbate 80


Principal Display Panel

LidoPro patch




LidoProTM patch
Extended Release Topical System
7 cm x 12.5 cm (2.8 in x 5 in)

30
patches




LidoProTM patch
Extended Release Topical System
7 cm x 12.5 cm (2.8 in x 5 in)

NDC 83881-401-30



30
patches

- ✓ Deep Penetrating
- ✓ Long-lasting
- ✓ Soothing



3 83881 40130 3

Manufactured for:
Clinic Pharma
Las Vegas, NV 89121

Clinic Pharma
For questions or comments,
call (800) 224-2048
Lot:
Use by:

DRUG FACTS	Purpose
Active Ingredient Lidocaine 4%.....	Topical Anesthetic
Menthol 5%.....	Topical Analgesic
Methyl Salicylate 1%.....	Topical Counterirritant

USE • Temporarily relieves minor pain

WARNINGS
For external use only

Do not use • more than one patch on your body at a time or on cut, irritated, or swollen skin
• on puncture wounds • for more than one week without consulting a doctor.


When using this product: • Use only as directed. Read and follow directions and warning on this packaging. • Do not apply to wounds or damaged, broken, or irritated skin • Avoid contact with the eyes or mucous membranes. • Do not bandage tightly or apply local heat (such as heating pads) to the area of use. • Do not use at the same time as other topical analgesics • Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if • conditions worsen • redness is present • irritation develops • symptoms persist for more than 7 days or clear up and occur again within a few days • you experience signs of injury, such as pain, swelling, or blistering where the product was applied


If pregnant or breast feeding, ask health professional before use.
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS • adults and children over 12 years:
• clean and dry the affected area • place used patch on the liner when not in use
• remove patch from plastic liner and place on the affected area • re-use the patch up to 2 times.
• use 1 patch for up to 12 hours • children 12 years or younger: ask a doctor


OTHER INGREDIENTS:
Vegan Glycerol, Polyacrylate, Aqua, Polysorbate 80



NDC 83881-401-02




LidoProTM patch
Extended Release Topical System
7 cm x 12.5 cm (2.8 in x 5 in)



- ✓ Deep Penetrating
- ✓ Long Lasting
- ✓ Soothing

2
patches



LidoProTM patch
Extended Release Topical System

DRUG FACTS	Purpose
Active Ingredient Lidocaine 4%.....	Topical Anesthetic
Menthol 5%.....	Topical Analgesic
Methyl Salicylate 1%.....	Topical Counterirritant

USE • Temporarily relieves minor pain

WARNINGS
For external use only

Do not use • more than one patch on your body at a time or on cut, irritated, or swollen skin
• on puncture wounds • for more than one week without consulting a doctor.

When using this product: • Use only as directed. Read and follow directions and warning on this packaging. • Do not apply to wounds or damaged, broken, or irritated skin • Avoid contact with the eyes or mucous membranes. • Do not bandage tightly or apply local heat (such as heating pads) to the area of use. • Do not use at the same time as other topical analgesics • Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.


Stop use and ask a doctor if • conditions worsen • redness is present • irritation develops • symptoms persist for more than 7 days or clear up and occur again within a few days • you experience signs of injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast feeding, ask health professional before use.
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS • adults and children over 12 years:
• clean and dry the affected area • place used patch on the liner when not in use
• remove patch from plastic liner and place on the affected area • re-use the patch up to 2 times.
• use 1 patch for up to 12 hours • children 12 years or younger: ask a doctor

OTHER INGREDIENTS:
Vegan Glycerol, Polyacrylate, Aqua, Polysorbate 80

Manufactured for:
Clinic Pharma
Las Vegas, NV 89121



3 83881 40102 0

LIDOPRO PATCH

lidocaine, menthol, and methyl salicylate patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83881-401
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 mg in 100 mg
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.5 mg in 100 mg
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	0.1 mg in 100 mg

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83881-401-30	15 in 1 BOX	02/09/2024	
1		2 in 1 POUCH		
1		8500 mg in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:83881-401-02	2 in 1 POUCH	02/09/2024	
2		8500 mg in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/09/2024	

Labeler - Clinic Pharma (119158469)

