

**ACID CONTROLLER ORIGINAL STRENGTH- famotidine tablet**  
**ACID CONTROLLER MAXIMUM STRENGTH- famotidine tablet**  
**CVS Health Corp**

-----  
**Famotidine 10 mg and 20 mg Tablets (OTC)**

**Active ingredient (in each tablet)**

Famotidine USP, 10 mg/20 mg

**Purpose**

Acid reducer

**Uses**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Directions

- **For Famotidine 10 mg:**
- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
  - to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **15 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor
- **For Famotidine 20 mg:**
- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
  - to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **10 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture and light

### Inactive ingredients

colloidal silicon dioxide, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch, synthetic red iron oxide (only in 10 mg), talc and titanium dioxide

### Questions or comments?

call 1-888-375-3784

### Tips For Managing Heartburn

#### Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

### PACKAGE LABEL PRINCIPAL DISPLAY PANEL SECTION



PACKAGE LABEL PRINCIPAL DISPLAY PANEL SECTION



Z C L I R O O G I

**CVS Health.**

**MAXIMUM STRENGTH**

# Acid Controller

FAMOTIDINE TABLETS USP, 20 mg  
Acid reducer

**Drug Facts**

**Active ingredient (in each tablet)**  
Famotidine USP, 20 mg ..... Acid reducer

**Purpose**  
Acid reducer

**Uses**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers.

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are taking a prescription drug.** Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults and children 12 years and over:
  - to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.
  - to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10 to 60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

**Inactive ingredients**  
colloidal silicon dioxide, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch, talc and titanium dioxide

**Questions?** call 1-888-375-3784

**CVS Health.**

Compare to the active ingredient in Maximum Strength Pepcid® AC\*

NDC 69842-267-50

**MAXIMUM STRENGTH**

# Acid Controller

FAMOTIDINE TABLETS USP, 20 mg  
Acid reducer

**Just one tablet:**  
Prevents & relieves heartburn due to acid indigestion



Actual Bottle Size on Side Panel



Actual Size

**50 TABLETS**

**CVS Quality**  
Money Back Guarantee

REV 09/20

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Maximum Strength Pepcid AC®. Pepcid AC® is a registered trademark of Johnson & Johnson.

Distributed by: CVS Pharmacy, Inc., One CVS Drive, Woonsocket, RI 02895  
© 2020 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
Made in India V-11031

TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP PRINTED WITH "CHECKED FOR YOUR PROTECTION" IS BROKEN OR MISSING



1 5 0 0 8 1 7 3 2

#398672

FPO 80%  
UPC# 050428388976

X XXXXXXX XXXXXX X

ACID CONTROLLER ORIGINAL STRENGTH			
famotidine tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-266(NDC:55111-118)
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>		<b>Strength</b>
	MAGNESIUM STEARATE (UNII: 70097M6I30)		
	CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D6IU)		
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
	HYPROMELLOSES (UNII: 3NXW29V3WO)		
	STARCH, CORN (UNII: O8232NY3SJ)		
	Polyethylene Glycol, Unspecified (UNII: 3WJQ0SDW1A)		
	TALC (UNII: 7SEV7J4R1U)		
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
	FERRIC OXIDE RED (UNII: 1K09F3G675)		

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	6mm
<b>Flavor</b>		<b>Imprint Code</b>	C;118
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-266-40	1 in 1 CARTON	10/01/2020	
1		40 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69842-266-90	1 in 1 CARTON	10/01/2020	
2		90 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:69842-266-30	1 in 1 CARTON	12/01/2020	
3		30 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077367	10/01/2020	

**ACID CONTROLLER MAXIMUM STRENGTH**

famotidine tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-267(NDC:55111-396)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	20 mg

**Inactive Ingredients**

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
STARCH, CORN (UNII: O8232NY3SJ)	
Polyethylene Glycol, Unspecified (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	L1
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-267-65	1 in 1 CARTON	10/01/2020	
1		65 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69842-267-13	1 in 1 CARTON	10/01/2020	
2		130 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:69842-267-50	1 in 1 CARTON	12/01/2020	
3		50 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:69842-267-10	1 in 1 CARTON	12/01/2020	
4		100 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:69842-267-25	1 in 1 CARTON	12/15/2020	
5		25 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077367	10/01/2020	

**Labeler** - CVS Health Corp (062312574)

## Establishment

Name	Address	ID/FEI	Business Operations
Dr. Reddy's Laboratories Louisiana LLC		830397282	analysis(69842-266, 69842-267)

Revised: 9/2020

CVS Health Corp