STELLALIFE VEGA ORAL CARE UNFLAVORED PAIN AND SWELLING RELIEFarnica, calendula, chamomilla, echinacea angustifolia, echinacea purpurea, hepar sulph calc, hypericum, Ignatia, ledum palustre, ruta, silicea, staphysagria gel StellaLife. Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Oral Care Gel - Unflavored - StellaLife VEGA

Active Ingredients

Arnica 3X, 6X, 18X, Calendula 3X, Chamomilla 5X, Echinacea angustifolia 3X, Echinacea purpurea 3X, Hepar sulph calc 8X, Hypericum 10X, Ignatia 30X, Ruta 12X, Silicea 8X, Staphysagria 8X

Purpose

Active IngredientPurpose

Arnica Bruising, swelling

Calendula Antiseptic Chamomilla Swelling

Echinacea angustifolia

tifolia Antiseptic

Echinacea

purpurea

Antiseptic

Hepar sulph calc Antiseptic

Hypericum Bruising, wound

lgnatia healing
lgnatia Soothing
Ledum palustre Analgesic
Ruta Bruising
Analgesic,

antiseptic

Staphysagria Analgesic, soothing

Temporarily

- Relieves pain and swelling.
- Promotes healing.
- Reduces bruising.
- Relieves oral ulcers.
- Hydrates oral

Directions

Adults and children over the age of 6 years: Wash hands. Apply to the gum at the surgical or affected area with a cotton swab. Allow gel to dissolve. Do not eat or drink for 20 minutes after application. Apply 4 times per day or as directed by a dental professional. Consult your healthcare professional for use in children under6 years of age.

Keep out of reach of children

■ Keep this and all drugs out of the reach of children and pets. In case of accidental overdose, seek professional assistance or

contact a poison control center immediately

Pregnancy warning

■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product.

Inactive ingredients

Allantoin, Hydroxyethylcellulose, Potassium sorbate, Purified water, Sodium benzoate, Sodium metabisulfite, Xylitol.

Do not use

■ Do not use if you have a known allergy or sensitivity to any of the ingredients.

Stop use

■ Stop use and consult a health professional is you experience irritation or unusual sensitivity, or develop a rash,

Warnings

For your protection this container has a seal. Do not use if this tamper evident seal is broken or missing.

Ask dential professional

■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Other information

■ Store at room temperature.

- Keep away from direct heat or sunlight.
- Because of natural ingredients. color may vary overtime.
- Use within 60 days of opening

Questions?

(305) 788-8555 or support@StellaLife.com

StellaLife VEGA Oral Care Gel PDP



Drug Facts (continued)

Directions

Adults and children over the age of 6 years: Wash hands. Apply to the gum at the surgical or affected area with a cotton swab. Allow gel to dissolve. Do not eat or drink for 20 minutes after application. Apply 4 times per day or as directed by a dental professional. Consult your healthcare professional for use in children under 6 years of age.

Other information

For your protection this container has a seal. Do not use if this tamper evident seal is broken or missing.

- Store at room temperature.
- Keep away from direct heat or sunlight.
- Because of natural ingredients, color may vary over time.
- Use within 60 days of opening.

Inactive ingredients

Allantoin, Hydroxyethylcellulose, Potassium sorbate, Purified water, Sodium benzoate, Sodium metabisulfite, Xylitol.

Questions?

(305) 788-8555 or support@StellaLife.com

CT021450017

Homeopathic NDC 69685-122-01



DENTIST RECOMMENDED

Pain and swelling

Promotes healing* Reduces bruising* Relieves oral ulcers* Hydrates oral cavity*

VEGA® Oral Care

Unflavored 1 fl oz (30 ml)



Unflavored

Distributed by:

StellaLife*, Inc. 2875 NE 191 St Suite 500 Aventura, FL 33180, **USA**

Awarded Editors' Choice. the highest distinction given by the Dental Advisor¹



StellaLife.com

VEGA* and Intelligent Healing* are trademarks of StellaLife*, Inc. All rights reserved.

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Drug Facts

Active ingredients Purpose Contains an equal amount of each of the following HPUS ingredients/potencies: Amica 3X, 6X, 18X.. Bruising, swelling Calendula 3X Antiseptic Chamomilla 5X Swelling Echinacea angustifolia 3XAntiseptic Echinacea purpurea 3X.. Antiseptic Hepar sulph calc 8X Antiseptic Hypericum 10X .. Bruising, wound healing Ignatia 30XSoothing Ledum palustre 6X Analgesic Ruta 12XBruising Silicea 8X Analgesic, antiseptic

Staphysagria 8X.. Analgesic, soothing

Uses Temporarily

- Relieves pain and swelling.
- Promotes healing.
- Reduces bruising.
- Relieves oral ulcers.
- Hydrates oral cavity.

Warnings

- Do not use if you have a known allergy or sensitivity to any of the ingredients.
- Stop use and consult a health professional if you experience irritation or unusual sensitivity, or develop a rash.
- As with any drug, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product.
- Keep this and all drugs out of the reach of children and pets. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.
- If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.







STELLALIFE VEGA ORAL CARE UNFLAVORED PAIN AND SWELLING RELIEF

arnica, calendula, chamomilla, echinacea angustifolia, echinacea purpurea, hepar sulph calc, hypericum, Ignatia, ledum palustre, ruta, silicea, staphysagria gel

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69685-122
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWG	6 [hp_X] in 1 mL	
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL	
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII: VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL	
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII: XK4IUX8MNB)	HYPERICUM PERFORATUM	10 [hp_X] in 1 mL	
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_X] in 1 mL	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	8 [hp_X] in 1 mL	
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	12 [hp_X] in 1 mL	
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:080TY208ZW)	ARNICA MONTANA	3 [hp_X] in 1 mL	
MATRICARIA RECUTITA (UNII: GOR4UBI2ZZ) (MATRICARIA RECUTITA - UNII:GOR4UBI2ZZ)	MATRICARIA RECUTITA	5 [hp_X] in 1 mL	
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	3 [hp_X] in 1 mL	
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	8 [hp_X] in 1 mL	
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	8 [hp_X] in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
XYLITOL (UNII: VCQ006KQ1E)		
ALLANTOIN (UNII: 344S277G0Z)		
SODIUM METABISULFITE (UNII: 4VON5FNS3C)		
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)		

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:69685-122- 01	1 in 1 BOX	01/08/2024			
1		30 mL in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		01/08/2024		
		01/08/2024		

Labeler - StellaLife, Inc. (079714251)

Revised: 4/2024 StellaLife, Inc.