# VEGA ORAL CARE RECOVERY CUCUMBER- kit StellaLife, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### **Vega Oral Care Recovery Kit - Cucumber**

#### StellaLife VEGA Oral Care Cucumber Rinse

StellaLife VEGA Oral Care Cucumber Rinse

#### **Cucumber Rinse Active Ingredient**

Azadirachta indica 3X Calendula 3X Echinacea purpurea 3X Plantago major 3X

#### **Purpose**

Active ingredient	Purpose
Azadirachta	Antigingivitis,
indica	swelling
Calendula	Antiseptic
Echinacea	Antiseptic
purpurea	Antiseptic
Plantago major	Antiseptic

#### Uses

- Antimicrobial.
- Promotes oral health.
- Hydrates oral cavity.
- Supports healthy gums.
- Freshens breath.

#### **Directions**

Adults and children over the age of 6 years: Shake well. Use 3/4 tablespoon (10 ml) per application 3 times a day or as recommended by a dental professional. Swish in the mouth for 1-2 minutes and then spit out. Do not swallow. Refrain from eating or drinking for at least 20 minutes after use. Consult your healthcare professional for use in children under 6 years of age.

#### Keep out of reach of children

■ Keep this and all drugs out of the reach of children and pets. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

#### PREGNANCY AND BREAST FEEDING

■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product.

#### Other information

- Store at room temperature.
- Keep away from direct heat or sunlight.
- Because of natural ingredients, color may vary over time.
- Use within 60 days of opening.

#### **Warnings**

For your protection, this bottle has an inner seal under the cap. Do not use if tamper evident cap seal is broken or missing.

#### Stop use

■ Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.

#### Ask doctor

■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Alcohol, Allantoin, Citric acid, Cucumber flavor, Glycerin, Potassium sorbate, Propolis, Purified water, Sodium benzoate, Xylitol.

#### **Questions?**

(305) 788-8555 or support@StellaLife.com

# **Unflavored Spray**

**Unflavored Spray** 

# **Unflavored Spray Active Ingredients**

Arnica 3X, 6X, 18X, Calendula 3X, Chamomilla 5X, Echinacea angustifolia 3X, Echinacea purpurea 3X, Hepar sulph calc 8X, Hypericum 10X, Ignatia 30X, Ruta 12X, Silicea 8X, Staphysagria 8X

# **Unflavored Spray Pregnancy**

■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a

healthcare professional before using this product.

#### **Purpose**

Active IngredientPurpose

Arnica Bruising, swelling

Calendula Antiseptic
Chamomilla Swelling
Echinacea Antiseptic

angustifolia

Echinacea purpurea

Antiseptic

Hepar sulph calc Antiseptic

Hypericum Bruising, wound

lgnatia Soothing
Ledum palustre Analgesic
Ruta Bruising
Silicea Analgesic,

antiseptic

Staphysagria Analgesic, soothing

#### Keep out of reach of children

■ Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

# **Warnings**

For your protection, this bottle has a full body seal. Do not use if this tamper evident seal is broken or missing.

#### **Directions**

Adults and children over 6 years of age: Shake well. Spray 3-4 times per application under the tongue. Repeat 3-4 times per day or as directed by your doctor. Consult a healthcare professional for use in children under 6 years of age.

# **Unflavored Spray Uses**

- Relieves pain and swelling.
- Promotes healing.
- Reducing bruising.

#### Do not use

■ Do not use if you have a known allergy or sensitivity to any of the ingredients.

# Stop use

■ Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.

#### Ask dental professional

■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

#### Other information

- Store at room temperature.
- Keep away from direct heat or sunlight.
- Because of natural ingredients. color may vary overtime.
- Use within 60 days of opening

#### **Questions?**

(305) 788-8555 or

Support@StellaLife.com

#### **Unflavored Gel**

Unflavored Gel

## **Unflavored Gel Active Ingredients**

Arnica 3X, 6X, 18X, Calendula 3X, Chamomilla 5X, Echinacea angustifolia 3X, Echinacea purpurea 3X, Hepar sulph calc 8X, Hypericum 10X, Ignatia 30X, Ruta 12X, Silicea 8X, Staphysagria 8X

# Purpose

Active IngredientPurpose

Arnica Bruising, swelling

Calendula Antiseptic
Chamomilla Swelling
Echinacea Antiseptic

angustifolia

Echinacea Antiseptic purpurea

Hepar sulph calc Antiseptic

Hypericum

Bruising, wound

lgnatia Soothing
Ledum palustre Analgesic
Ruta Bruising
Silicea Analgesic,

antiseptic

Stanbycagria Analgesic,

#### Uses

#### **Temporarily**

- Relieves pain and swelling.
- Promotes healing.
- Reduces bruising.
- Relieves oral ulcers.
- Hydrates oral

#### Directions

Adults and children over the age of 6 years: Wash hands. Apply to the gum at the surgical or affected area with a cotton swab. Allow gel to dissolve. Do not eat or drink for 20 minutes after application. Apply 4 times per day or as directed by a dental professional. Consult your healthcare professional for use in children under6 years of age.

#### Keep out of reach of children

■ Keep this and all drugs out of the reach of children and pets. In case of accidental overdose, seek professional assistance or contact a poison control center immediately

#### **Pregnancy**

■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product.

#### **Inactive Ingredients**

Allantoin, Hydroxyethylcellulose, Potassium sorbate, Purified water, Sodium benzoate, Sodium metabisulfite, Xylitol.

#### Do not use

■ Do not use if you have a known allergy or sensitivity to any of the ingredients.

#### Stop Use

■ Stop use and consult a health professional is you experience irritation or unusual sensitivity, or develop a rash,

## Warnings

For your protection this container has a seal. Do not use if this tamper evident seal is broken or missing.

#### Ask Dental Professional

■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.


#### Other Information

- Store at room temperature.
- Keep away from direct heat or sunlight.
- Because of natural ingredients. color may vary overtime.
- Use within 60 days of opening

**Questions?** 

(305) 788-8555 or

support@StellaLife.com



# **VEGA ORAL CARE RECOVERY CUCUMBER**

kit kit

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69685-106

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69685-106- 01	1 in 1 BOX; Type 1: Convenience Kit of Co- Package	02/10/2024	

Quantity of Parts		
Part #	Package Quantity	Total Product Quantity
Part 1		1
Part 2		1
Part 3		1

## Part 1 of 3

# STELLALIFE VEGA ORAL CARE CUCUMBER ADVANCED HEALING FORMULA

azadirachta indica, calendula, echinacea purpurea, plantago major rinse

Product Information	
Item Code (Source)	NDC:69685-123
Route of Administration	ORAL

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	3 [hp_X] in 1 mL
PLANTAGO MAJOR (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)	PLANTAGO MAJOR	3 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD) (CALENDULA OFFICINALIS FLOWER - UNII:P0M7O4Y7YD)	CALENDULA OFFICINALIS FLOWER	3 [hp_X] in 1 mL
AZADIRACHTA INDICA BARK (UNII: G580B439YI) (AZADIRACHTA INDICA BARK - UNII: G580B439YI)	AZ ADIRACHTA INDICA BARK	3 [hp_X] in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
WATER (UNII: 059QF0KO0R)	
ALLANTOIN (UNII: 344S277G0Z)	
PROPOLIS WAX (UNII: 6Y8XYV2NOF)	
XYLITOL (UNII: VCQ006KQ1E)	
ALCOHOL (UNII: 3K9958V90M)	

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
CUCUMBER (UNII: YY7C30VXJT)	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/12/2024	

# Part 2 of 3

## STELLALIFE VEGA ORAL CARE PAIN AND SWELLING RELIEF

arnica, calendula, chamomilla, echinacea angustifolia, echinacea purpurea, hepar sulph calc, hypericum, Ignatia, ruta, staphysagria spray

# Product Information Item Code (Source) NDC:69685-121 Route of Administration ORAL

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
MATRICARIA RECUTITA (UNII: GOR4UBI2ZZ) (MATRICARIA RECUTITA - UNII:GOR4UBI2ZZ)	MATRICARIA RECUTITA	5 [hp_X] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	8 [hp_X] in 1 mL
<b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII: VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
<b>ECHINACEA PURPUREA</b> (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	3 [hp_X] in 1 mL
ARNICA MONTANA (UNII: 080TY208ZW) (ARNICA MONTANA - UNII:080TY208ZW)	ARNICA MONTANA	3 [hp_X] in 1 mL
<b>DELPHINIUM STAPHISAGRIA SEED</b> (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	8 [hp_X] in 1 mL
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	8 [hp_X] in 1 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	10 [hp_X] in 1 mL
<b>LEDUM PALUSTRE TWIG</b> (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWG	6 [hp_X] in 1 mL
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	12 [hp_X] in 1 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_X] in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
GLYCERIN (UNII: PDC6A3C0OX)		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
WATER (UNII: 059QF0KO0R)		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/12/2024	

# Part 3 of 3

# STELLALIFE VEGA ORAL CARE UNFLAVORED PAIN AND SWELLING RELIEF

arnica, calendula, chamomilla, echinacea angustifolia, echinacea purpurea, hepar sulph calc, hypericum, Ignatia, ledum palustre, ruta, silicea, staphysagria gel

Product Information	
Item Code (Source)	NDC:69685-122
Route of Administration	TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
MATRICARIA RECUTITA (UNII: GOR4UBI2ZZ) (MATRICARIA RECUTITA - UNII:GOR4UBI2ZZ)	MATRICARIA RECUTITA	5 [hp_X] in 1 mL		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	8 [hp_X] in 1 mL		
<b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII: VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL		
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	3 [hp_X] in 1 mL		
ARNICA MONTANA (UNII: 080TY208ZW) (ARNICA MONTANA - UNII:080TY208ZW)	ARNICA MONTANA	3 [hp_X] in 1 mL		
<b>DELPHINIUM STAPHISAGRIA SEED</b> (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	8 [hp_X] in 1 mL		
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	3 [hp_X] in 1 mL		
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	8 [hp_X] in 1 mL		
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII: XK4IUX8MNB)	HYPERICUM PERFORATUM	10 [hp_X] in 1 mL		

<b>LEDUM PALUSTRE TWIG</b> (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWG	6 [hp_X] in 1 mL
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	12 [hp_X] in 1 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_X] in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)		
HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP)		
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
WATER (UNII: 059QF0KO0R)		
ALLANTOIN (UNII: 344S277G0Z)		
XYLITOL (UNII: VCQ006KQ1E)		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		02/12/2024		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/08/2024	

# Labeler - StellaLife, Inc. (079714251)

Revised: 3/2024 StellaLife, Inc.