

**CAREALL ACETAMINOPHEN- acetaminophen tablet**  
**New World Imports, Inc**

-----  
**Drug Facts**

**Active Ingredient**

Acetaminophen 325mg

**Purpose**

Pain reliever / Fever reducer

**Keep out of Reach of Children**

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center immediately (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Uses**

Temporary relieves minor aches and pains due to:

the common cold, headache, toothache, muscular aches, backache, minor pain of arthritis, premenstrual and menstrual cramps, and reduction of fever

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if:

Adult takes more than 4,000mg of acetaminophen in 24 hours

Child takes more than 5 doses in 24 hours

Taken with other drugs containing acetaminophen

Adult has 3 or more alcoholic drinks every day while using this product

**Allergy Alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters or rash. If a skin reaction occurs, stop use and seek medical help right away.

**Do not use:**

With any other drug containing acetaminophen (prescription or nonprescription).

If you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if user has:** liver disease

**Ask a doctor or pharmacist before use if:** the user is taking the blood thinning drug warfarin.

**Stop use and ask a doctor if:**

Pain gets worse or lasts for more than 10 days.

Pain gets worse or lasts more than 5 days in children under 12 years.

Fever gets worse or lasts for more than 3 days.

New symptoms occur.

Redness or swelling is present.

These could be signs of a serious condition.

**If pregnant or breast-feeding,**ask a health professional before use.

**Adults and children 12 years of age and older:**

Take 2 tablets every 4 to 6 hours while symptoms last

Do not take more than 10 tablets in 24 hours.

Do not use for more than 10 days unless directed by a doctor

**Children 6-11 years of age:**

Take 1 tablet every 4 to 6 hours while symptoms last.

Do not take more than 5 tablets in 24 hours.

Do not use for more than 5 days unless directed by a doctor

**Children under 6 years of age:** Ask a doctor

povidone, pregelatinized starch, sodium starch glycolate, stearic acid

NDC 51824-085-01

**CAREALL<sup>®</sup> Non-Aspirin**  
Regular Strength

**Acetaminophen**

► Pain Reliever  
► Fever Reducer

**100 TABLETS**  
**325 MG EACH**

Compare to the active ingredient of Regular Strength Tylenol<sup>®</sup>

DO NOT USE IF IMPRINTED SERIAL NUMBER IS UNREADABLE OR MISSING

**Drug Facts**

**Active ingredient (in each tablet)** Purpose  
Acetaminophen 325 mg Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - minor pain of arthritis
  - backache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if:

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 2 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- skin rash
- itching
- blistering

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if the user is allergic to acetaminophen or any of the inactive ingredients in this product.

Distributed by: MWI, Inc.  
160 Athens Way  
Nashville, TN 37228

0 85317 00478 1

This product is not for sale in the United States or distributed by Mutual Consumer Healthcare, distributor of Regular Strength Tylenol<sup>®</sup>

FEEL BACK HERE FOR MORE DRUG FACTS

COUNTING FREE AREA FOR LOT/EXP

**Drug Facts (continued)**

**Ask a doctor before use if the user has liver disease. Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. **Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)
- adults and children 12 years and older:
  - take 2 tablets every 4 to 6 hours while symptoms last
  - do not take more than 10 tablets in 24 hours
  - do not use for more than 10 days unless directed by a doctor
- children 6-11 years:
  - take 1 tablet every 4 to 6 hours while symptoms last
  - do not take more than 5 tablets in 24 hours
  - do not use for more than 5 days unless directed by a doctor
- children under 5 years:
  - ask a doctor

**Other information**

- store between 20°-25°C (68°-77°F)

**Inactive ingredients:** povidone, polyethylene glycol, sodium starch glycolate, stearic acid

**Questions or comments?** 1-844-705-4384

STOP PEELING

## CAREALL ACETAMINOPHEN

acetaminophen tablet

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:51824-085 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength |
|---|-------------------|----------|
| <b>Acetaminophen</b> (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D) | Acetaminophen     | 325 mg   |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>Starch, Corn</b> (UNII: O8232NY3SJ)                        |          |
| <b>Stearic Acid</b> (UNII: 4ELV7Z65AP)                        |          |
| <b>Povidone</b> (UNII: FZ989GH94E)                            |          |
| <b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B) |          |

### Product Characteristics

|              |                      |              |          |
|--------------|----------------------|--------------|----------|
| <b>Color</b> | white (white )       | <b>Score</b> | 2 pieces |
| <b>Shape</b> | ROUND (Round Circle) | <b>Size</b>  | 10mm     |

| <b>Flavor</b>                |  | <b>Imprint Code</b>                                | M2A3;57344           |                    |
|------------------------------|--|--|----------------------|--------------------|
| <b>Contains</b>              |  |  |                      |                    |
| <b>Packaging</b>             |  |  |                      |                    |
| #                            | Item Code                                | Package Description                                | Marketing Start Date | Marketing End Date |
| 1                            | NDC:51824-085-01                         | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 03/18/2021           |                    |
| <b>Marketing Information</b> |  |  |                      |                    |
| Marketing Category           | Application Number or Monograph Citation | Marketing Start Date                               | Marketing End Date   |                    |
| OTC Monograph Drug           | M013                                     | 03/18/2021   |                      |                    |

**Labeler** - New World Imports, Inc (075372276)

Revised: 11/2023

New World Imports, Inc