

MEDICHOICE BARRIER- dimethicone cloth
Owens & Minor Distribution, Inc.

MediChoice Barrier Cream Cloth

Drug Facts

Active ingredient

Dimethicone 3.2%

Purpose

Skin Protectant

Uses

- Temporarily protects and helps relieve chapped or cracked skin
- Helps prevent perineal dermatitis • Protects from minor skin irritation associated with perineal dermatitis

Warnings

For external use only.

Keep out of eyes, ears and mouth.

Stop use and consult a doctor

if condition worsens or does not improve within 7 days.

Keep out of reach of children

except with adult supervision. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Remove wet and soiled garment. • Cleanse soiled area using a fresh barrier cream cloth. • Discard wipe after use. • Do not flush. • For individual use only.

If heating is desired:

- Tear open package, heat entire package in microwave for no longer than 18 seconds. Check the temperature of cloths as microwave wattage varies. May also used at room temperature. • Ensure temperature of washcloths is not excessively hot. Gloves diminish sensitivity to heat. Closely monitor heat level with infants, unresponsive or skin sensitive individuals.

Inactive ingredients

Aqua, Glycerin, Cetearyl Alcohol, PPG-15 Stearyl Ether, Glyceryl Stearate, PEG-100 Stearate, Phenoxyethanol, Aloe Barbadensis Leaf Extract, Capryly Glycol, Xanthan Gum

Package Labeling:

<p>Drug Facts</p>	<p>NDC 39892-0950-1</p> <p>MEDICHOICE®</p> <p>Barrier Cream Cloth</p> <p>With 3.2% Dimethicone 7.9 in. x 7.9 in.</p> <p>• Microwavable • For Professional Use • Unscented</p> <p>3 Wipes/Pack</p> <p>Reorder: 51865</p> <p>NET WT 2.65 oz. (0.16 lb)</p> <p>     </p>
<p>Active ingredient Purpose Dimethicone 3.2%.....Skin Protectant</p>	
<p>Uses</p> <ul style="list-style-type: none"> Temporarily protects and helps relieve chapped or cracked skin Helps prevent perineal dermatitis Protects from minor skin irritation associated with perineal dermatitis 	
<p>Warnings For external use only. Keep out of eyes, ears and mouth.</p>	
<p>Stop use and consult a doctor if condition worsens or does not improve within 7 days.</p> <p>Keep out of reach of children except with adult supervision. If swallowed, get medical help or contact a Poison Control Center right away.</p>	
<p>Directions</p> <ul style="list-style-type: none"> Remove wet and soiled garment. Cleanse soiled area using a fresh barrier cream cloth. Discard wipe after use. Do not flush. For individual use only. 	
<p>If heating is desired:</p> <ul style="list-style-type: none"> Tear open package, heat entire package in microwave for no longer than 18 seconds. Check the temperature of cloths as microwave wattage varies. May also used at room temperature. Ensure temperature of washcloths is not excessively hot. Gloves diminish sensitivity to heat. Closely monitor heat level with infants, unresponsive or skin sensitive individuals. 	
<p>Other information Store at room temperature.</p>	
<p>Inactive ingredients Aqua, Glycerin, Cetearyl Alcohol, PPG-15 Stearyl Ether, Glyceryl Stearate, PEG-100 Stearate, Phenoxyethanol, Aloe Barbadensis Leaf Extract, Capryly Glycol, Xanthan Gum</p>	


LOT: YYMMXX01A EXP: YYYY-MM-DD



(01) 2 0885632 41416 6

Manufactured for Owens & Minor, Inc.
9120 Lockwood Boulevard
Mechanicsville, VA 23116
Made in CHINA
Rev. A

Package Labeling:



MEDICHOICE BARRIER

dimethicone cloth

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:39892-0950
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	32 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PPG-15 STEARYL ETHER (UNII: 1II18XLS1L)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39892-0950-1	3 in 1 PACKAGE	01/25/2024	
1		20 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:39892-0950-2	72 in 1 CASE	01/25/2024	
2		216 in 1 PACKAGE		

2

20 g in 1 PATCH; Type 0: Not a Combination Product

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	01/25/2024	

Labeler - Owens & Minor Distribution, Inc. (847412269)

Revised: 2/2024

Owens & Minor Distribution, Inc.