

**NIGHTTIME COLD AND COUGH CHILDRENS- diphenhydramine hcl,
phenylephrine hcl liquid
Best Choice (Valu Merchandisers Company)**

Drug Facts

Active ingredients (in each 5 mL)

Diphenhydramine HCl 6.25 mg

Phenylephrine HCl 2.5 mg

Purposes

Antihistamine/Cough suppressant

Nasal decongestant

Uses

- temporarily relieves
 - sneezing
 - runny nose
 - itchy nose or throat
 - itchy, watery eyes due to hay fever
 - nasal and sinus congestion
 - cough due to minor throat and bronchial irritations as may occur with a cold

Warnings

Do not use

- in a child under 4 years of age
- in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.
- with any other product containing diphenhydramine, even one used on skin
- for the purpose of making your child sleepy

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- cough that occurs with too much phlegm (mucus)

- chronic cough that lasts, or as occurs with asthma
- a breathing problem such as chronic bronchitis

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers.

When using this product,

- **do not exceed recommended dosage**
- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 7 days, comes back, or occurs with a fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not give more than 6 doses in 24 hours unless directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL= milliliter
- shake well before using

Age	Dose
children 6 to under 12 years of age	10 mL every 4 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years	do not use

Other Information

- **each 5 mL contains:** sodium 3 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light

Inactive ingredients

acesulfame potassium, anhydrous citric acid, EDTA disodium, FD&C blue #1, FD&C red

#40, flavor, maltitol, propylene glycol, purified water, sodium benzoate, trisodium citrate dihydrate

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Children's Triaminic® Night Time Cold & Cough

Children's Triacting Night Time Cold & Cough

Diphenhydramine HCl 6.25 mg

Antihistamine / Cough Suppressant

Phenylephrine HCl 2.5 mg

Nasal Decongestant

Multi-symptom relief

- Cough
- Runny, stuffy nose
- Itchy throat

For Ages 6 to 11 years

Alcohol-free

Grape Flavor

FL OZ (mL)

*This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Children's Triaminic® Night Time Cold & Cough.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER THE CAP IS BROKEN OR MISSING.

PROUDLY DISTRIBUTED BY: VALU MERCHANDISERS, CO.

5000 KANSAS AVE, KANSAS CITY, KS 66106

Package Label

Drug Facts (continued)	
Directions	
<ul style="list-style-type: none"> ■ do not give more than 6 doses in 24 hours unless directed by a doctor ■ measure only with dosing cup provided. Do not use any other dosing device. ■ mL = milliliter ■ keep dosing cup with product ■ shake well before using 	
Age	Dose
children 6 to under 12 years of age	10 mL every 4 hours
children 4 to under 6 years of age	do not use unless directed by a doctor
children under 4 years of age	do not use
Other information	
<ul style="list-style-type: none"> ■ each 5 mL contains: sodium 3 mg ■ store between 20-25°C (68-77°F). Do not refrigerate. ■ protect from light 	
Inactive ingredients acesulfame potassium, citric acid, EDTA disodium, FD&C blue #1, FD&C red #40, flavor, maltitol, propylene glycol, purified water, sodium benzoate, sodium citrate	
Questions or comments? Call 1-877-753-3938 Monday-Friday 9AM-5PM EST	

*This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Children's Triaminic® Night Time Cold & Cough.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



Dosing Cup Included

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

Best Choice,
100% Guaranteed
www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY: VALU MERCHANDISERS, CO.
5000 KANSAS AVE, KANSAS CITY, KS 66106



Scan here for more product information.
Call 1-844-292-1112 for more product information.

Best Choice®
Compare to the active ingredients in
Children's Triaminic® Night Time Cold & Cough*

Children's Triacting Night Time Cold & Cough

Diphenhydramine HCl 6.25 mg
Antihistamine/ Cough Suppressant
Phenylephrine HCl 2.5 mg
Nasal Decongestant

Multi-symptom relief

- Cough
- Runny, stuffy nose
- Itchy throat

For ages 6 to 11 years
Alcohol-free

Grape Flavor
4 FL OZ (118 mL)

Best Choice®
Compare to the active ingredients in
Children's Triaminic® Night Time Cold & Cough*

Children's Triacting Night Time Cold & Cough

Diphenhydramine HCl 6.25 mg
Antihistamine/ Cough Suppressant
Phenylephrine HCl 2.5 mg
Nasal Decongestant

Multi-symptom relief

- Cough
- Runny, stuffy nose
- Itchy throat

For ages 6 to 11 years
Alcohol-free

Grape Flavor
4 FL OZ (118 mL)

Drug Facts	
Active ingredients (in each 5 mL)	Purposes
Diphenhydramine HCl 6.25 mg	Antihistamine/Cough suppressant
Phenylephrine HCl 2.5 mg	Nasal decongestant
Uses	
<ul style="list-style-type: none"> ■ temporarily relieves ■ sneezing ■ runny nose ■ itchy nose or throat ■ itchy, watery eyes due to hay fever ■ nasal and sinus congestion ■ cough due to minor throat and bronchial irritations as may occur with a cold 	
Warnings	
<ul style="list-style-type: none"> ■ Do not use ■ in a child under 4 years of age ■ in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product. ■ with any other product containing diphenhydramine, even one used on skin ■ for the purpose of making your child sleepy 	
Ask a doctor before use if the child has	
<ul style="list-style-type: none"> ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ glaucoma ■ cough that occurs with too much phlegm (mucus) ■ chronic cough that lasts, or as occurs with asthma ■ a breathing problem such as chronic bronchitis 	
Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.	
When using this product	
<ul style="list-style-type: none"> ■ do not exceed recommended dosage ■ marked drowsiness may occur ■ excitability may occur, especially in children ■ sedatives and tranquilizers may increase drowsiness 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> ■ nervousness, dizziness, or sleeplessness occurs ■ symptoms do not improve within 7 days or occur with a fever ■ cough persists for more than 7 days, comes back, or occurs with a fever, rash, or persistent headache. These could be signs of a serious condition. 	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	



66202-9422-PLD/EV

PLD-A320E F0007483

Lot No:
Exp. Date:

BEST CHOICE Children's Triacting Night Time Cold & Cough Grape Flavor

NIGHTTIME COLD AND COUGH CHILDRENS

diphenhydramine hcl, phenylephrine hcl liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-984
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	6.25 mg in 5 mL
	PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
MALTITOL (UNII: D65DG142WK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-984-04	1 in 1 BOX	06/10/2022	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/10/2022	

Labeler - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 2/2024

Best Choice (Valu Merchandisers Company)