

DAYTIME NIGHTTIME SINUS RELIEF MAXIMUM STRENGTH- acetaminophen, dextromethorphan hbr, doxylamine succinate, phenylephrine hcl, guaifenesin Walgreens

Drug Facts

Active ingredients in Daytime (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Guaifenesin 200 mg

Phenylephrine HCl 5 mg

Active ingredients in Nighttime (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Doxylamine succinate 6.25 mg

Phenylephrine HCl 5 mg

Purpose for Daytime

Pain reliever/fever reducer

Cough suppressant

Expectorant

Nasal decongestant

Purpose for Nighttime

Pain reliever/fever reducer

Cough suppressant

Antihistamine

Nasal decongestant

Uses

DAYTIME

- temporarily relieves
 - nasal congestion
 - headache

- cough due to inhaled irritants
- sinus congestion and pressure
- minor aches and pains
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

NIGHTTIME

- temporarily relieves
 - nasal congestion
 - cough due to inhaled irritants
 - headache
 - sinus congestion and pressure
 - minor aches and pains
 - runny nose and sneezing
- promotes nasal and/or sinus drainage

Warnings

DAYTIME and NIGHTTIME

Liver warning: These products contain acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Do not use

DAYTIME and NIGHTTIME

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

DAYTIME

- liver disease

- high blood pressure
- diabetes
- heart disease
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

NIGHTTIME

- liver disease
- high blood pressure
- diabetes
- heart disease
- thyroid disease
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

DAYTIME

taking the blood thinning drug warfarin

NIGHTTIME

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product,

DAYTIME

do not use more than directed

NIGHTTIME

- **do not use more than directed**
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

DAYTIME and NIGHTTIME

- nervousness, dizziness, or sleeplessness
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present

- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

DAYTIME and NIGHTTIME

ask a health professional before use.

Keep out of reach of children.

DAYTIME and NIGHTTIME

Overdose warning: Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

DAYTIME

- do not take more than directed (see Overdose warning)
- do not take more than 12 softgels (Daytime and NightTime) in any 24-hour period
- adults and children 12 years of age and older: take 2 softgels every 4 hours
- children under 12 years of age: do not use
- when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

NIGHTTIME

- do not take more than directed (see Overdose warning)
- do not take more than 12 softgels (Daytime and Nighttime) in any 24-hour period
- adults and children 12 years of age and older: take 2 softgels every 4 hours
- children under 12 years of age: do not use
- when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

Other information

DAYTIME and NIGHTTIME

- swallow whole; do not crush, chew, or dissolve
- store between 15-30°C (59-86F)
- avoid excessive heat

Inactive ingredients

DAYTIME

FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

NIGHTTIME

D&C yellow #10, FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, shellac, sodium hydroxide, sorbitan*, sorbitol, titanium dioxide

Questions or comments?

DAYTIME and NIGHTTIME

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

DAYTIME

Sinus Relief

Acetaminophen / Pain Reliever

Dextromethorphan HBr / Cough Suppressant

Guaifenesin / Expectorant

Phenylephrine HCl / Nasal Decongestant

MAXIMUM STRENGTH

ALCOHOL FREE

- Relieves sinus pressure, headache & congestion
- Controls cough
- thins & loosens mucus
- For ages 12 years & over

SOFTGELS*

NIGHTTIME

Sinus Relief

Acetaminophen / Pain Reliever

Dextromethorphan HBr/ Cough Suppressant

Doxylamine Succinate / Antihistamine

Phenylephrine HCl / Nasal Decongestant

MAXIMUM STRENGTH

ALCOHOL FREE

- Relieves nasal congestion, sinus pressure & pain, runny nose & sneezing
- Controls cough
- For ages 12 years & over

SOFTGELS*

(*LIQUID-FILLED CAPSULES)

Compare to Maximum Strength Mucinex® Sinus-Max® Day & Mucinex® Sinus-Max® Night active ingredients ≠

≠ This product is not manufactured or distributed by Reckitt Benckiser, distributor of Maximum Strength Mucinex® Sinus-Max® Day and Maximum Strength Mucinex® Sinus-Max® Night.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Product Label

<p>Nighttime Sinus Relief (continued)</p> <p>Drug Facts (continued) Stop use and ask a doctor if nervousness, dizziness, or sleeplessness occur; pain, nasal congestion, or cough gets worse or lasts more than 7 days; fever gets worse or lasts more than 3 days; rhinorrhea or swelling is present; new symptoms occur; cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Directions Do not take more than directed (see Overdose warning). Do not take more than 12 softgels (Daytime and Nighttime) in any 24-hour period. Adults and children 12 years of age and older: take 2 softgels every 4 hours. Children under 12 years of age: do not use. When using other Daytime or Nighttime products, carefully read each label to ensure correct dosing.</p> <p>Other information Swallow whole; do not crush, chew, or dissolve. Store between 15-30°C (59-86°F). Avoid excessive heat.</p> <p>Inactive ingredients D&C yellow #10, FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, shellac, sodium hydroxide, sorbitol, sorbitol, titanium dioxide.</p> <p>Questions or comments? Call 1-877-383-3835 Monday-Friday 9AM-5PM EST.</p> <p>Pharmacist Recommended Health expertise you rely on, quality you trust.</p>	<p>Daytime Sinus Relief (continued)</p> <p>Drug Facts Active ingredients (in each softgel) Acetaminophen 325 mg Pain reliever Dextromethorphan HBr 10 mg Cough suppressant Guaifenesin 200 mg Expectorant Phenylephrine HCl 5 mg Nasal decongestant</p> <p>Purposes temporarily relieves nasal congestion; cough due to inhaled irritants; sinus congestion and pressure; minor aches and pains; promotes nasal and/or sinus drainage; helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.</p> <p>Uses temporarily relieves nasal congestion; cough due to inhaled irritants; sinus congestion and pressure; minor aches and pains; promotes nasal and/or sinus drainage; helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.</p> <p>Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours; with other drugs containing acetaminophen; 3 or more alcoholic drinks every day while using this product. Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include skin redness, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Directions Do not take more than directed (see Overdose warning). Do not take more than 12 softgels (Daytime and Nighttime) in any 24-hour period. Adults and children 12 years of age and older: take 2 softgels every 4 hours. Children under 12 years of age: do not use. When using other Daytime or Nighttime products, carefully read each label to ensure correct dosing.</p> <p>Other information Swallow whole; do not crush, chew, or dissolve. Store between 15-30°C (59-86°F). Avoid excessive heat.</p> <p>Inactive ingredients FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol, sorbitol, titanium dioxide.</p> <p>Questions or comments? Call 1-877-383-3835 Monday-Friday 9AM-5PM EST.</p>	<p>Daytime Sinus Relief (continued)</p> <p>Drug Facts (continued) Ask a doctor before use if you have liver disease; high blood pressure; diabetes; heart disease; thyroid disease; trouble urinating due to an enlarged prostate gland; a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema; cough that occurs with too much phlegm (mucus). Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. When using this product, do not use more than directed. Stop use and ask a doctor if nervousness, dizziness, or sleeplessness occur; pain, nasal congestion, or cough gets worse or lasts more than 7 days; fever gets worse or lasts more than 3 days; rhinorrhea or swelling is present; new symptoms occur; cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Directions Do not take more than directed (see Overdose warning). Do not take more than 12 softgels (Daytime and Nighttime) in any 24-hour period. Adults and children 12 years of age and older: take 2 softgels every 4 hours. Children under 12 years of age: do not use. When using other Daytime or Nighttime products, carefully read each label to ensure correct dosing.</p> <p>Other information Swallow whole; do not crush, chew, or dissolve. Store between 15-30°C (59-86°F). Avoid excessive heat.</p> <p>Inactive ingredients FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol, sorbitol, titanium dioxide.</p> <p>Questions or comments? Call 1-877-383-3835 Monday-Friday 9AM-5PM EST.</p>	<p>DAY & NIGHT PACK NDC 0363-0723-24</p> <p>Walgreens</p> <p>Compare to Maximum Strength Mucinex® Sinus-Max® Day & Mucinex® Sinus-Max® Night active ingredients!</p> <p>DAYTIME Sinus Relief ACETAMINOPHEN / PAIN RELIEVER DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT GUAIFENESIN / EXPECTORANT PHENYLEPHRINE HCl / NASAL DECONGESTANT</p> <p>NIGHTTIME Sinus Relief ACETAMINOPHEN / PAIN RELIEVER DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT DOXYLAMINE SUCCINATE / ANTIHISTAMINE PHENYLEPHRINE HCl / NASAL DECONGESTANT</p> <p>MAXIMUM STRENGTH ALCOHOL FREE</p> <ul style="list-style-type: none"> Relieves sinus pressure, headache & congestion Controls cough Thins & loosens mucus Ages 12 & over <p>MAXIMUM STRENGTH ALCOHOL FREE</p> <ul style="list-style-type: none"> Relieves nasal congestion, sinus pressure & pain, runny nose & sneezing Controls cough Ages 12 & over <p>16 SOFTGELS* ACTUAL SIZE</p> <p>8 SOFTGELS* ACTUAL SIZE</p> <p>TOTAL 24 SOFTGELS* (LIQUID-FILLED CAPSULES)</p>	<p>Drug Facts Nighttime Sinus Relief</p> <p>Active Ingredients (in each softgel) Acetaminophen 325 mg Pain reliever Dextromethorphan HBr 10 mg Cough suppressant Doxylamine succinate 6.25 mg Antihistamine Phenylephrine HCl 5 mg Nasal decongestant</p> <p>Purposes temporarily relieves nasal congestion; cough due to inhaled irritants; headache; sinus congestion and pressure; minor aches and pains; runny nose and sneezing; promotes nasal and/or sinus drainage.</p> <p>Uses temporarily relieves nasal congestion; cough due to inhaled irritants; headache; sinus congestion and pressure; minor aches and pains; runny nose and sneezing; promotes nasal and/or sinus drainage.</p> <p>Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours; with other drugs containing acetaminophen; 3 or more alcoholic drinks every day while using this product. Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include skin redness, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have liver disease; high blood pressure; diabetes; heart disease; thyroid disease; glaucoma; trouble urinating due to an enlarged prostate gland; a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema; cough that occurs with too much phlegm (mucus).</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin; taking sedatives or tranquilizers.</p> <p>When using this product do not use more than directed; excitability may occur, especially in children; marked drowsiness may occur; avoid alcoholic drinks; alcohol, sedatives, and tranquilizers may increase drowsiness; be careful when driving a motor vehicle or operating machinery.</p>
---	--	--	---	--

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2017 Walgreen Co.

ITEM 946681 W10024-0118-L
3 11917 18620 7

PARENTS: TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

PLD-C425B FC004407

Lot No.:
Exp. Date:

WALGREENS Daytime Nighttime Sinus Relief

DAYTIME NIGHTTIME SINUS RELIEF MAXIMUM STRENGTH
acetaminophen, dextromethorphan hbr, doxylamine succinate, phenylephrine hcl, guaifenesin kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0723
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0723-24	1 in 1 CARTON; Type 0: Not a Combination Product	05/31/2016	02/28/2025

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	8 BLISTER PACK	8
Part 2	16 BLISTER PACK	16

Part 1 of 2**NIGHTTIME SINUS RELIEF MAXIMUM STRENGTH**

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hci capsule

Product Information

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
DOXYLAMINE SUCCINATE (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
SHELLAC (UNII: 46N107B71O)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	green	Score	no score
Shape	CAPSULE	Size	20mm
Flavor		Imprint Code	116
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 CARTON		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/31/2016	02/28/2025

Part 2 of 2

DAYTIME SINUS RELIEF

acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hci capsule

Product Information

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	CAPSULE	Size	20mm
Flavor		Imprint Code	341
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		16 in 1 CARTON		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/31/2016	02/28/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/31/2016	02/28/2025

Labeler - Walgreens (008965063)