

ASPERFLEX- menthol and methyl salicylate cream
Akron Pharma Inc.

AsperFlex
Tough on Pain
Non-greasy-Topical Analgesic Cream
Deep Penetrating Pain Relief

DRUG FACTS

Active Ingredient

Menthol 10%

Methyl Salicylate 15 %

Purpose

External analgesic

Uses

temporary relieves the minor aches and pain of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad
- on a child under 12 years of age with arthritis-like conditions

Ask a doctor before use if you have

redness over the affected area

When using this product

- avoid contact with eyes or mucous membranes
- do not bandage tightly

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive skin irritation occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions**adults and children 12 years of age and older:**

apply to affected area not more than 3 to 4 times daily

children under 12 years of age: consult a doctor

Other Information

store at 20°-25°C (68°-77°F).

Close cap tightly after use.

Inactive ingredients

citric acid, glyceryl monostearate, lanolin, methylparaben, propylene glycol, propylparaben, purified water, stearic acid, trolamine

Questions or Comments?

Call toll-free 1-877-255-6999.



NDC 71399-6854-3

Ultra Strength

Provides deep relief from muscle aches & joint pain

AsperFlex™
TOUGH ON PAIN

Non-greasy

Topical Analgesic Cream

Deep Penetrating Pain Relief

NET WT. 3 OZ (85 g)

Drug Facts	Purposes Menthol 10% External analgesic Methyl Salicylate 15% External analgesic
Uses temporary relieves the minor aches and pain of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains	
Warnings For external use only. Do not use ■ on wounds or damaged skin ■ with a heating pad ■ on a child under 12 years of age with arthritis-like conditions Ask a doctor before use if you have redness over the affected area When using this product ■ avoid contact with eyes or mucous membranes ■ do not bandage tightly Stop use and ask a doctor if ■ condition worsens or symptoms persist for more than 7 days ■ symptoms clear up and occur again within a few days ■ excessive skin irritation occurs Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222). Directions ■ use only as directed ■ adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor Other information ■ Store at 20°-25°C (68°-77°F). Close cap tightly after use. Inactive Ingredients citric acid, glyceryl monostearate, lanolin, methylparaben, propylene glycol, propylparaben, purified water, stearic acid, tolamine	
Questions or Comments? Call toll-free 1-877-255-6999. Compare to Bengay® active ingredients	

Akron Pharma
Manufactured for:
Akron Pharma, Inc.
Fairfield, NJ-07004
www.akronpharma.com

Rev.:10/23



ASPERFLEX

menthol and methyl salicylate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71399-6854
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	100 mg in 1 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	150 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LANOLIN (UNII: 7EV65EAW6H)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-6854-3	85 g in 1 TUBE; Type 0: Not a Combination Product	06/03/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/03/2024	

Labeler - Akron Pharma Inc. (067878881)

Revised: 2/2023

Akron Pharma Inc.