TOPCARE HYDROCORTISONE- hydrocortisone cream **Topco Associates LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Topco Associates LLC. Hydrocortisone 1% Cream Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
- eczema
- psoriasis
- poison ivy, oak, sumac
- insect bites
- detergents
- jewelry
- cosmetics
- soaps
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- for the treatment of diaper rash. Ask a doctor.
- in the genital area if you have a vaginal discharge. Ask a doctor.

When using this product

- avoid contact with the eyes
- do not use more than directed unless told to do so by a doctor

 do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- · for itching of skin irritation, inflammation, and rashes:
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor
- for external anal and genital itching, adults:
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily

children under 12 years of age: ask a doctor

Other information

store at 20°-25°C (68°-77°F)

Inactive ingredients

aloe barbadensis leaf juice, avena sativa (oat) kernel extract, benzyl alcohol, butylated hydroxytoluene, cetostearyl alcohol, cetyl alcohol, chamomilla recutita (matricaria) flower extract, diazolidinyl urea, dimethicone, distearyldimonium chloride, edetate disodium, glycerin, glyceryl monostearate, hydrolyzed collagen, hydrolyzed elastin, hydrolyzed jojoba esters, jojoba esters, magnesium ascorbyl phosphate, menthyl lactate, methyl gluceth-20, methylparaben, petrolatum, polysorbate 60, potassium hydroxide, PPG-12/SMDI copolymer, propylparaben, purified water, retinyl palmitate, stearamidopropyl PG-dimonium chloride phosphate, steareth-2, steareth-21, stearyl alcohol, tocopheryl acetate

Questions or comments?

1-888-423-0139

Package/Label Principal Display Panel

COMPARE TO CORTIZONE •10® INTENSIVE HEALING FORMULA ACTIVE INGREDIENT

Itch & Rash Relief Cream

Intensive Healing Formula[†]

Relieves Itch

[†]Contains Healing Moisturizers Enriched with Vitamins A, C & E

With Antioxidants & Chamomile

TopCare® health

MAXIMUM STRENGTH

Hydrocortisone 1% Cream

ANTI-ITCH CREAM

Intensive Healing Formula[†]

NET WT 1 OZ (28 g)



COMPARE TO CORTIZONE • 10® INTENSIVE HEALING FORMULA ACTIVE INGREDIENT

Itch & Rash Relief Cream

Intensive Healing Formula[†]

Relieves Itch

†Contains Healing Moisturizers Enriched with Vitamins A, C & E With Antioxidants & Chamomile

RELIEVES:

- Rashes & Redness Eczema & Psoriasis
- Inflammation & Irritation Dry, Itchy Skin



MAXIMUM STRENGTH


Hydrocortisone 1% Cream



ANTI-ITCH CREAM

Intensive Healing Formula

NET WT 1 OZ (28 g)







Drug Facts

PurposeAmi-itch

Active ingredient
Hydrocortione 1%.......

USES

If the mornity relieves itching associated with minor skinir ritations, inflammation, and rashes due to:

If exama provisions province in provisions province in provinc

Warnings For external use only

- Do not use

 If for the treatment of disper rash. Ask a doctor.
- in the genital area if you have a vaginal discharge. Ask a dioctor.

- Whe nusing his product

 sovideomactwish the eyes

 do not use more than directed unless told to do so by a doctor

 don ot put directly into the rectum by using fingers or anymechan bal devibe or applicator

Stopuse andask adoctor if

- opuse and ask according condition worsen a symptoms persist for more than 7d ass or clear up and occur again within a few days, and don otbe agin use of any other hydrocordisone product unless you have aske dado dor
- rectal bleeding occurs

Keep out of reach of children. If swalowed, get medical help or contacta Poison Control Centerright taway.

Drug Facts (continued)

Directions 5 4 1

- for itching of ski nirritation, in 1 ammation, and ras has:
 adults and children 2 years of age and older: apply to affected assa not more
- than 3 to 4 firms daily

 than 3 to 4 firms daily

 children under 2 years of age; do notues, ask a doctor

 for external anal and genital lib hing, adults:

 when pactical, clean the affected area with mild scap and warmwater and
- inse thorough ly

 inse thorough ly

 apply to a spirit dryby patting or b biling with tollet tissue or a soft-cloth before applying
 apply to a flected a sea notmore than 3 to 4 times daily
 children under 12 ye as of age: ask a doctor

Other information store at 20°-25°C 68°-77°F)

Inactive ingredients also bab adensis leaf julis, a ven a sativa (eq.) kernel extract, ben zyl alcohol, buly hisd hydro zybiu ene, cebateary elcohol cetyl alcohol, chamonilla recuff a (in at icari) flower extract, diazzidinyl use, dinatticone, desaryl timon il moth bide, edebtet desolution, glycerh, glyce gli encosterate, hydroly edologa n, hydroly edologio a esters, bid a esters, engo esium accorbyl phosphale, mentry la lastite, engrigidicesh -20, methylpraben, perrolatum, polyporbate 80, pota ssium hydroxida, PF 6-12 SMDI cop olymer, propylpraben, put field water, etinji planitas, et serandor po zyl PF 6-4men nium chloid e phosph ate, also eth-2, at eareth-21, ste anyl elcohol to copheryl acetate

Questions or comments? 1-888-423-0139

DISTRIBUTE D BY TOP 00 ASS OCIATES LLC BLKGROVE VILLAGE, L 600.07 ©TOPCO PERAGO 21 00LSTIONS ? 1-888-42 3-0 139 topcare@top.co.com www.topcare/trand.com

"This product is not manufactured or distributed by Chattem, Inc., distributor of Confizons+108 Internave Healing Formula.



information or call 1-888-423-0139

TOPCARE HYDROCORTISONE

hydrocortisone cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:36800-939

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)HYDROCORTISONE1 g in 100 g

	• · · · · · · • • • · · · · · · · · · ·
Inactive	Ingredients
IIIactive	riigi calciits

Ingredient Name	Strength
-----------------	----------

ALOE VERA LEAF (UNII: ZY81Z83H0X)

OAT (UNII: Z6J799EAJK)

BENZYL ALCOHOL (UNII: LKG8494WBH)

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)

CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)

CETYL ALCOHOL (UNII: 936JST6JCN)
CHAMOMILE (UNII: FGL3685T2X)

DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)

DIMETHICONE (UNII: 92RU3N3Y10)

DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)

EDETATE DISODIUM (UNII: 7FLD91C86K)

GLYCERIN (UNII: PDC6A3C0OX)

GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)

HYDROLYZED JOJOBA ESTERS (ACID FORM) (UNII: UDR641JW8W)

MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5)

MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)

METHYL GLUCETH-20 (UNII: J3QD0LD11P)

METHYLPARABEN (UNII: A2I8C7HI9T)
PETROLATUM (UNII: 4T6H12BN9U)

POLYSORBATE 60 (UNII: CAL22UVI4M)

POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)

PROPYLPARABEN (UNII: Z8IX2SC1OH)

WATER (UNII: 059QF0KO0R)

VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)

STEARETH-2 (UNII: V56DFE46J5) **STEARETH-21** (UNII: 53J3F32P58)

STEARYL ALCOHOL (UNII: 2KR89I4H1Y)

STEARAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE (UNII: W6000VEI5Y)

PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

HYDROLYZED BOVINE ELASTIN (BASE; 1000 MW) (UNII: ZR28QKN0WT)

Product Characteristics				
Color	WHITE	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

ı	Packaging					
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:36800-939-	1 in 1 CARTON	03/15/2020			
	L	28 g in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part348	03/15/2020			

Labeler - Topco Associates LLC (006935977)

Revised: 2/2022 Topco Associates LLC