

LACTISAN- lactic acid solution, concentrate
DeLaval

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DeLaval Lactisan

DeLaval Lactisan

Concentrated Pre-Post Teat Sanitizer with Emollient

Aids in reducing the spread of mastitis-causing organisms

Sanitizante de pezones concentrado para antes y despues del ordeno.
Contiene emolientes.

Ayuda a reducir la transmision de microorganismos que causan mastisis

ACTIVE INGREDIENTS:

Lactic Acid 14.0% w/w

Emollient* 20.0% w/w

After dilution according to directions:

Lactic Acid 3.5%

Emollient* 5.0%

* from Sorbitol

3000-C0116

LA

NPE FREE Formula

KEEP OUT OF REACH OF CHILDREN

!CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NINOS

!CUIDADO

3000

NDC 55756-000

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Eye Contact: Flush with water. Remove contact lenses, if present, after first 5

minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give large quantity of water. Never give anything my mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Store at room temperature. Avoid storing near heat or open flame. Do not store in direct sunlight. Avoid contact with food or feed. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. To discard teat dip, dilute with water and pour down drain.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not for Human Use

Additional Information on Material Safety Data Sheet

GENERAL INSTRUCTIONS

- **Lactisan** is a premium, concentrated teat dip that dilutes to a 3.5% lactic acid pre and post dip.
- DO NOT use **Lactisan** at full strength.
- Consult your veterinarian before using a teat dip on a cow with sore or chapped teats.
- Do not pour unused teat dip back into original container.
- Do not use for cleaning or sanitizing equipment.
- Thoroughly clean and sanitize teat dip cup before milking.
- Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Discard any teat dip that becomes contaminated for any reason.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.

DILUTION / MIXING DIRECTIONS

Add 1 gallon of **Lactisan** to 3 gallons of water and agitate until thoroughly mixed.

Proper dilution of **Lactisan** will yield 3.5% lactic acid with 5% sorbitol for skin conditioning. Failure to follow these mixing instructions may cause injury to animals or reduce the effectiveness of the product as a teat dip.

PRE-DIPPING

- Remove excess organic debris and forestrip. (If water is used, use a minimal amount and dry thoroughly with a clean, single-service paper towel before forestripping.)
- Dip or spray cow's teats with properly diluted **Lactisan** teat dip.
- Allow a 30 second contact time.
- Dry teats thoroughly with a clean, single-service towel.
- Attach milker unit.

POST-DIPPING

- Immediately after milking unit is removed, dip or spray teats with diluted **Lactisan**.

- Before exposing cows to below-freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

Manufactured for: **DeLaval, Inc.**
 11100 N. Congress Avenue
 Kansas City, MO 64153
 Phone: 816-891-7700
 Manufactured by: WestAgro, Inc.
 ©2018, Made in USA

NET CONTENTS:

LOT NO.:

EXP. DATE:

US GAL (LITERS)

DeLaval

3000-D0518

Lactisan™

Concentrated Pre-Post Teat Sanitizer with Emollient
 Aids in reducing the spread of mastitis-causing organisms

Sanitizante de pezones concentrado para antes y después del ordeño. Contiene emolientes.
Ayuda a reducir la transmisión de microorganismos que causan mastitis

ACTIVE INGREDIENTS:
 Lactic Acid 14.0% w/w
 Emollient* 20.0% w/w

After dilution according to directions:
 Lactic Acid 3.5%
 Emollient* 5.0%

*from Sorbitol

LactiSyn

LA

NPE FREE Formula

KEEP OUT OF REACH OF CHILDREN

CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

CUIDADO

3000
NDC 55756-000

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give large quantity of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Store at room temperature. Avoid storing near heat or open flame. Do not store in direct sunlight. Avoid contact with food or feed. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing of in a safe manner. To discard unused teat dip, dilute with water and pour down the drain.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300
Not For Human Use
Additional Information on Safety Data Sheet

GENERAL INSTRUCTIONS

- **Lactisan™** is a premium, concentrated teat dip that dilutes to a 3.5% lactic acid pre and post dip.
- Do not use **Lactisan™** at full strength.
- Consult your veterinarian before using a teat dip on a cow with sore or chapped teats.
- Do not pour unused teat dip back into original container.
- Do not use for cleaning or sanitizing equipment.
- Thoroughly clean and sanitize teat dip cup before milking.
- Use fresh teat dip for each milking.
- Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Discard any teat dip that becomes contaminated for any reason.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.

DILUTION / MIXING DIRECTIONS

Add 1 gallon of **Lactisan™** to 3 gallons of water and agitate until thoroughly mixed. Proper dilution of **Lactisan™** will yield 3.5% lactic acid with 5% sorbitol for skin conditioning. Failure to follow these mixing instructions may cause injury to animals or reduce the effectiveness of the product as a teat dip.

PRE-DIPPING

- Remove excess organic debris and forestrip. (If water is used, use a minimal amount and dry thoroughly with a clean, single-service paper towel before forestripping.)
- Dip or spray cow's teats with properly diluted **Lactisan™** teat dip.
- Allow a 30 second contact time.
- Dry teats thoroughly with a clean, single-service paper towel.

POST-DIPPING

- Attach milker unit.
- Immediately after milking unit is removed, dip or spray teats with diluted **Lactisan™**.
- Before exposing cows to below-freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

Manufactured for: **DeLaval, Inc.** **NET CONTENTS: 55 US GAL. (208.2 L)**
 11100 N. Congress Avenue
 Kansas City, MO 64153
 Phone: 816-891-7700
 Manufactured by: WestAgro, Inc., **LOT NO.:**
 © 2018, Made in USA **EXP. DATE:**

7 320461 203387 >

LACTISAN

lactic acid solution, concentrate

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-000
---------------------	-----------------	---------------------------	---------------

Route of Administration	Topical
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID, L- (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	.14 kg in 1 kg
SORBITOL (UNII: 506T60A25R) (SORBITOL - UNII:506T60A25R)	SORBITOL	.20 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
MAGNESIUM OXIDE (UNII: 3A3U0GI71G)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
C9-11 PARETH-8 (UNII: 80E6PSE1XL)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-000-02	63.3 kg in 1 DRUM		
2	NDC:55756-000-01	232.2 kg in 1 DRUM		
3	NDC:55756-000-27	1161.1 kg in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2012	

Labeler - DeLaval (173704867)

Registrant - WestAgro, Inc. (699288728)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc		147528723	analysis, label, manufacture, pack, api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba WestAgro, Inc.		002222368	analysis, label, manufacture, pack, api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	api manufacture, manufacture, pack, label

Revised: 12/2021

DeLaval