STOP TWO- antimon tartaricum, argentum nitricum, ipecacuanha, mercurius solubilis, natrum sulph, paris quadrifolia, phosphorus, rumex crispus injection Immuvet

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Stop Two

DESCRIPTION

Ingredient name Potency

Antimon Tartaricum 50x

Argentum Nitricum 200x

Ipecacuanha 30x

Mercurius Solubilis 60x

Natrum Sulph 60x

Paris Quadrifolia 200x

Phosphorus 15x, 200x

Rumex Crispus 30x

INDICATIONS AND USAGE

Prevention of equine Exercise-Induced Pulmonary Hemorrhage (EIPH)

• Stop Two® Injection Solution is a homeopathic drug product indicated for the prevention of Exercise-Induced Pulmonary Hemorrhage (EIPH) in horses and camels.

DOSAGE AND ADMINISTRATION

General Considerations

- Stop Two® Injection solution is to be administered i.v.
- Only licensed veterinarians with sufficient expertise in injecting drugs should administer the product.

Standard Dosage - for the prevention of equine Exercise-Induced Pulmonary Hemorrhage (EIPH):

10cc administered 48 hours before strenuous activity

20cc administered 24 hours before strenuous activity

Shake 10 times prior to use

CONTRAINDICATIONS

• There are no known contraindications for Stop Two® Injection solution.

WARNINGS AND PRECAUTIONS

None

ADVERSERE REACTIONS

Post-marketing Experience

• There have been no adverse reactions reported to date.

To report SUSPECTED ADVERSE REACTIONS, contact Immuvet at (352) 291-0200 or info@immuvet.com

OVERDOSAGE

No negative effects of an overdose have been reported and none are expected due to the homeopathic dilutions.

CLINICAL PHARMACOLOGY

Mechanism of Action

The exact mechanism of Stop Two® Injection solution is not fully understood.

Pharmacodynamics

Not applicable for homeopathic medicinal products.

Package Label - Principal Display Panel

Stop Two Injection™

Sterile Injectable Solution

100 mL Sterile Multiple Dose Vial


To reduce the incidence and severity of EIPH (bleeding) in performance horses and camels.

Caution: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

Net contents:

100 mL

INDICATIONS: ACCORDING TO TRADITIONAL HOMEOPATHIC PRACTICE, THESE INGREDIENTS PROVIDE FOR THE REDUCTION OF THE INCIDENCE AND SEVERITY OF EIHP (BLEEDING) IN PERFORMANCE HORSES OR CAMELS.*







MANUFACTURED FOR IMMUVET, INC. 5640 SW 6th Place Suite 500 Ocala, FL 34474 WWW.IMMUVET.COM

NDC 59517-1610-2

INJECTION Homeopathic

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

Rx only

Net Contents: 100 mL (3.2 fl oz)

Sterile Multiple Dose Vial



COMPOSITION:

Each mL of sterile aqueous solution contains: Antimonium Tartaricum 50x, Argentum Nitricum 200x, Ipecacuanha 30x, Mercurius Solubilis 60x, Natrum Sulphuricum 60x, Paris Quadrifolia 200x, Phosphorus 200x, Rumex Crispus 30x, Alcohol 0.5%, and Water for injection.

DOSAGE AND ADMINISTRATION:

Shake the bottle 10 times before using.

Administer 10 to 30 mL intravenously 48 hrs and 24 hrs before strenuous exercise.

KEEP OUT OF THE REACH OF CHILDREN

For veterinary use only.

Consult with a licensed veterinarian if animal is taking any medication or has a medical condition. Do not use if safety seal is broken or missing. Not for use in horses or camels intended for food.

STOP TWO

antimon tartaricum, argentum nitricum, ipecacuanha, mercurius solubilis, natrum sulph, paris quadrifolia, phosphorus, rumex crispus injection

| Product Information | | | | |
|-------------------------|--------------------------|--------------------|----------------|--|
| Product Type | PRESCRIPTION ANIMAL DRUG | Item Code (Source) | NDC:59517-1610 | |
| Route of Administration | INTRAVENOUS | | | |

| Active Ingredient/Active Moiety | | | | |
|--|-----------------------------|-------------------------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| ANTIMONY POTASSIUM TARTRATE (UNII: DL6OZ476V3) (ANTIMONY CATION (3+) - UNII:069647RPT5) | ANTIMONY POTASSIUM TARTRATE | 50 [hp_X] in 1.0 mL | | |
| SILVER NITRATE (UNII: 95IT3W8JZE) (SILVER CATION - UNII:57N7B0K90A) | SILVER NITRATE | 200 [hp_X] in 1.0 mL | | |
| IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L) | IPECAC | 30 [hp_X] in 1.0 mL | | |
| MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2) | MERCURIUS SOLUBILIS | 60 [hp_X] in 1.0 mL | | |
| SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII: 36KCS0R750) | SODIUM SULFATE | 60 [hp_X] in 1.0 mL | | |
| PARIS QUADRIFOLIA (UNII: PME3ETQ5WQ) (PARIS QUADRIFOLIA - UNII: PME3ETQ5WQ) | PARIS QUADRIFOLIA | 200 [hp_X] in 1.0 mL | | |
| PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W) | PHOSPHORUS | 15 [hp_X] in 1.0 mL | | |
| RUMEX CRISPUS ROOT (UNII: 9N1RM2S62C) (RUMEX CRISPUS ROOT - UNII:9N1RM2S62C) | RUMEX CRISPUS ROOT | 30 [hp_X] in 1.0 mL | | |

| Inactive Ingredients | | |
|----------------------------|----------|--|
| Ingredient Name | Strength | |
| ALCOHOL (UNII: 3K9958V90M) | | |
| WATER (UNII: 059QF0KO0R) | | |
| | | |

| Packaging | | | | | | |
|-----------------------|-----------------------|---|----------|----------------------|-----|-----------------------|
| # | Item Code | Package Description | Marketin | g Start Date | Mar | keting End Date |
| 1 | NDC:59517-1610-2 | 100 mL in 1 VIAL, MULTI-DOSE | | | | |
| | | | | | | |
| | | | | | | |
| Marketing Information | | | | | | |
| | Marketing Category | Application Number or Monograph Citation | | Marketing St Date | art | Marketing End Date |

09/28/2017

Labeler - Immuvet (789097040)

unapproved homeopathic

Registrant - Amino Cell, Inc. (099579257)

| Establishment | | | | |
|------------------|---------|-----------|------------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Amino Cell, Inc. | | 099579257 | manufacture, api manufacture | |

Revised: 2/2023 Immuvet