

PLEO NIG- aspergillus niger var. niger capsule
Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo™ Nig
CAPSULES 4X

Homeopathic Antipruritic Medicine

20 CAPSULES

Indications

For temporary relief of external itching and soreness in the urogenital region.

INGREDIENTS

1 capsule contains 330 mg Aspergillus niger 4X.

Inactive ingredients

Lactose, Capsule shells consist of Hypromellose (HPMC).

Tamper Evident

Do not use this product, if imprinted inner blister pack is broken or if imprinted security strip on carton is torn.

DOSAGE

1–3 capsules daily, either before breakfast or at bedtime.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before taking this product.

Keep this and all medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

Made in Germany

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured By:

Sanum-Kehlbeck
GmbH & Co. KG

Rev. 03/2008

PRINCIPAL DISPLAY PANEL - 20 Capsules Carton

**Pleo™ Nig
CAPSULES 4X**

**Homeopathic
Antipruritic Medicine**

Indications: For temporary
relief of external itching
and soreness in the
urogenital region.

ORIGINAL ENDERLEIN

20 CAPSULES

2103-1

**Pleo™ Nig
CAPSULES 4X**

**Homeopathic
Antipruritic Medicine**

Indications: For temporary relief of external itching and soreness in the urogenital region.



20 CAPSULES

INGREDIENTS: 1 capsule contains 330 mg *Aspergillus niger* 4X.

Inactive ingredients: Lactose, Capsule shells consist of Hypromellose (HPMC).

Tamper Evident: Do not use this product, if imprinted inner blister pack is broken or if imprinted security strip on carton is torn.

Made in Germany

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured By:
Sanum-Kehlbeck
GmbH & Co. KG

Rev. 03/2008

DOSAGE: 1-3 capsules daily, either before breakfast or at bedtime.

WARNING : If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before taking this product. **Keep this and all medications out of the reach of children.** In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Protect from light and heat.

Lot #:

2103-1

450KA4XFS20US803

PLEO NIG

aspergillus niger var. niger capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-2103
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
aspergillus niger var. niger (UNII: 9IOA40ANG6) (aspergillus niger var. niger - UNII:9IOA40ANG6)	aspergillus niger var. niger	4 [HP_X]

Inactive Ingredients

Ingredient Name	Strength
lactose (UNII: J2B2A4N98G)	
hypromellose (UNII: 3NXW29V3WO)	

Product Characteristics

Color	YELLOW	Score	no score
Shape	CAPSULE	Size	19mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-2103-1	1 in 1 CARTON		
1		20 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		03/19/1996	

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)

Revised: 10/2009

Sanum Kehlbeck GmbH & Co. KG