

**KIDNEX IV- ginkgo biloba, alpha-ketoglutaricum acidum, citricum acidum, fumaricum acidum, malicum acidum, pyruvic acid, succinicum acidum, argentum metallicum, aurum metallicum, cuprum metallicum, germanium sesquioxide, mercurius vivus, nux vomica, kidney (suis), lymph node (suis), naphthochinonum, natrum oxalaceticum, phosphorus, urinary bladder (suis), aconiticum acidum, cis- liquid  
Energique, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DRUG FACTS:**

### **ACTIVE INGREDIENTS:**

(in each drop): 2.63% of Aconiticum Acidum, Cis- 30X, Alpha-Ketoglutaricum Acidum 8X, 12X, 30X, Argentum Metallicum 12X, Aurum Metallicum 12X, Citricum Acidum 8X, 12X, 30X, Cuprum Metallicum 12X, Fumaricum Acidum 8X, 12X, 30X, Germanium Sesquioxide 12X, Ginkgo Biloba 6X, Kidney (Suis) 12X, 30X, Lymph Node (Suis) 12X, 30X, Malicum Acidum 8X, 12X, 30X, Mercurius Vivus 12X, Naphthochinonum 12X, 30X, Natrum Oxalaceticum 12X, 30X, Nux Vomica 12X, Phosphorus 12X, 30X, Pyruvic Acid 8X, 12X, 30X, Succinicum Acidum 8X, 12X, 30X, Urinary Bladder (Suis) 12X, 30X.

### **INDICATIONS:**

May temporarily relieve symptoms of frequent urination and fluid retention.\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence, Not FDA evaluated.

### **WARNINGS:**

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

### **KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### **DIRECTIONS:**

Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a

health care professional. If symptoms persist for more than 7 days, consult your health care professional. Consult a physician for use in children under 12 years of age.

### INDICATIONS:

May temporarily relieve symptoms of frequent urination and fluid retention.\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence, Not FDA evaluated.

### INACTIVE INGREDIENTS:

Demineralized water, 20% Ethanol.

### QUESTIONS:

Dist. by Energique, Inc.

201 Apple Blvd

Woodbine, IA 51579 **800.869.8078**

### PACKAGE LABEL DISPLAY:

#### ENERGIQUE

SINCE 1987

#### HOMEOPATHIC REMEDY

#### KIDNEX IV

1 fl. oz. (30 ml)

**WARNINGS:** If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

**INDICATIONS:** May temporarily relieve symptoms of frequent urination and fluid retention.\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Dist. by Energique, Inc., 201 Apple Blvd.  
Woodbine, IA 51579 **800.869.8078**

LOT: XXXXXX

MFD: MM/YY



HOMEOPATHIC REMEDY

KIDNEX IV™

1 fl. oz. (30 ml) 20% Ethanol

#### Active Ingredients (in each drop):

2.63% of Aconiticum Acidum, Cis- 30X, alpha-Ketoglutar Ac 8X, 12X, 30X, Arg Met 12X, Aur Met 12X, Citricum Ac 8X, 12X, 30X, Cuprum Met 12X, Fumaricum Ac 8X, 12X, 30X, Germanium Sesquioxide 12X, Ginkgo 6X, Kidney 12X, 30X, Lymph Node 12X, 30X, Malic Ac 8X, 12X, 30X, Merc Viv 12X, Naphthochinonum 12X, 30X, Natrum Oxalaceticum 12X, 30X, Nux Vom 12X, Phos 12X, 30X, Pyruvic Acid 8X, 12X, 30X, Succinicum Acidum 8X, 12X, 30X, Urinary Bladder 12X, 30X.

#### Inactive Ingredients:

Demineralized water, 20% Ethanol.

**DIRECTIONS:** Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional. If symptoms persist for more than 7 days, consult your health care professional. Consult a physician for use in children under 12 years of age.

**WARNINGS:** If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

**INDICATIONS:** May temporarily relieve symptoms of frequent urination and fluid retention.\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Dist. by Energique, Inc., 201 Apple Blvd.  
Woodbine, IA 51579 **800.869.8078**

LOT: XXXXXX

MFD: MM/YY



**HOMEOPATHIC REMEDY**

**KIDNEX IV™**

**1 fl. oz. (30 ml) 20% Ethanol**

**Active Ingredients (in each drop):**

2.63% of Aconiticum Acidum, Cis- 30X, alpha-Ketoglutaric Ac 8X, 12X, 30X, Arg Met 12X, Aur Met 12X, Citricum Ac 8X, 12X, 30X, Cuprum Met 12X, Fumaricum Ac 8X, 12X, 30X, Germanium Sesquioxide 12X, Ginkgo 6X, Kidney 12X, 30X, Lymph Node 12X, 30X, Malic Ac 8X, 12X, 30X, Merc Viv 12X, Naphthochinonum 12X, 30X, Natrum Oxalaceticum 12X, 30X, Nux Vom 12X, Phos 12X, 30X, Pyruvic Acid 8X, 12X, 30X, Succinicum Acidum 8X, 12X, 30X, Urinary Bladder 12X, 30X.

**Inactive Ingredients:**

Demineralized water, 20% Ethanol.

**DIRECTIONS:** Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional. If symptoms persist for more than 7 days, consult your health care professional. Consult a physician for use in children under 12 years of age.

**KIDNEX IV**

ginkgo biloba, alpha-ketoglutaric acid, citric acid, fumaric acid, malic acid, pyruvic acid, succinic acid, argentum metallicum, aurum metallicum, cuprum metallicum, germanium sesquioxide, mercurius vivus, nux vomica, kidney (suis), lymph node (suis), naphthochinonum, natrum oxalaceticum, phosphorus, urinary bladder (suis), aconiticum acidum, cis- liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:44911-0646
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>GINKGO</b> (UNII: 19FUJ2C58T) (GINKGO - UNII:19FUJ2C58T)	GINKGO	6 [hp_X] in 1 mL
<b>OXOGLURIC ACID</b> (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	OXOGLURIC ACID	8 [hp_X] in 1 mL
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	8 [hp_X] in 1 mL
<b>FUMARIC ACID</b> (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)	FUMARIC ACID	8 [hp_X] in 1 mL
<b>MALIC ACID</b> (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)	MALIC ACID	8 [hp_X] in 1 mL
<b>PYRUVIC ACID</b> (UNII: 8558G7RUTR) (PYRUVIC ACID - UNII:8558G7RUTR)	PYRUVIC ACID	8 [hp_X] in 1 mL
<b>SUCCINIC ACID</b> (UNII: AB6MNQ6J6L) (SUCCINIC ACID - UNII:AB6MNQ6J6L)	SUCCINIC ACID	8 [hp_X] in 1 mL
<b>SILVER</b> (UNII: 3M4G523W1G) (SILVER - UNII:3M4G523W1G)	SILVER	12 [hp_X] in 1 mL
<b>GOLD</b> (UNII: 79Y1949PYO) (GOLD - UNII:79Y1949PYO)	GOLD	12 [hp_X] in 1 mL
<b>COPPER</b> (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	12 [hp_X] in 1 mL

<b>GERMANIUM SESQUIOXIDE</b> (UNII: 96WE91N25T) (GERMANIUM SESQUIOXIDE - UNII:96WE91N25T)	GERMANIUM SESQUIOXIDE	12 [hp_X] in 1 mL
<b>MERCURY</b> (UNII: FXS1BY2PGL) (MERCURY - UNII:FXS1BY2PGL)	MERCURY	12 [hp_X] in 1 mL
<b>STRYCHNOS NUX-VOMICA SEED</b> (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	12 [hp_X] in 1 mL
<b>PORK KIDNEY</b> (UNII: X7BCI5P86H) (PORK KIDNEY - UNII:X7BCI5P86H)	PORK KIDNEY	12 [hp_X] in 1 mL
<b>SUS SCROFA LYMPH</b> (UNII: 33A7VYU29L) (SUS SCROFA LYMPH - UNII:33A7VYU29L)	SUS SCROFA LYMPH	12 [hp_X] in 1 mL
<b>1,2-NAPHTHOQUINONE</b> (UNII: 804K62F61Q) (1,2-NAPHTHOQUINONE - UNII:804K62F61Q)	1,2-NAPHTHOQUINONE	12 [hp_X] in 1 mL
<b>SODIUM DIETHYL OXALACETATE</b> (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)	SODIUM DIETHYL OXALACETATE	12 [hp_X] in 1 mL
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	12 [hp_X] in 1 mL
<b>SUS SCROFA URINARY BLADDER</b> (UNII: 3G7U72W8DA) (SUS SCROFA URINARY BLADDER - UNII:3G7U72W8DA)	SUS SCROFA URINARY BLADDER	12 [hp_X] in 1 mL
<b>ACONITIC ACID, (Z)-</b> (UNII: OF5471ZHRR) (ACONITIC ACID, (Z)- - UNII:OF5471ZHRR)	ACONITIC ACID, (Z)-	30 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44911-0646-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	08/23/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/23/2021	

**Labeler** - Energique, Inc. (789886132)

**Registrant** - Apotheca Company (844330915)

### Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(44911-0646) , api manufacture(44911-0646) , label(44911-0646) , pack(44911-0646)

