SWIFTALYN WART REMOVER- wart remover liquid Shenzhen Peruidaishi Technology Co., Ltd.

84048-005

Active Ingredient

Salicylic Acid 1%

Purpose

Remove Warts & Re pair Skin

Use

Remove Warts & Re pair Skin

Warnings

Do not use it on your face..External use only. Pregnant and breastfeeding women should be usedwith caution

* Avoid getting the product into your eyes. if it accidentally getsinto theeyes, rinse it off with water immediately..stop using and ask a physician if irritation occurs. Stop use if there is no improvement within d weeks.. keep it away from children.. it is normal for the treated wart to appear red and swollen if this happens, stop using the product for 3-5 days Once the redness subsides, continue to use the product until the wart completely folls off.

Do not use

Ahays perform a skin patch test before using the product. If iritation occurs discontinue use.

When Using

it is normal for the treated wart to appear red and swollen. if thishappens, stop using the product for 3-5 days Once the redness subsides, continue to use the product until the wart completely falls off.

You should begin to see the effects within 3-5 days. Typically, most minor warts take around 10 days to beremoved, while larger warts may require a longer duration for complete removal and healing

Stop Use

Stop use if there is no improvement within 4 weeks.

Keep Oot Of Reach Of Children

Keep it away from children. Seal the bottle and place it in a cool and dry place.

Directions

- 1. cleanse and dry the affected area.
- 2 Use the brush or cotton swab to apply the wart remaval liquid on the wart Gently dab onto the affected area. if the wart is large, usetapping motins to cover the entire affected area.
- 3. Donot rub.
- 4. Allow 3-5 minutes for the skin to absorb it fully.
- 5. Apply twice a day, in the morning and evening

Other information

Keep it away from children. Seal the bottle and place it in a cool and dry place.

Inactive ingredients

Water Alcohol Denat Propylene Glycol Angelica Dahurica Root Asiatic Acid

PRINCIPAL DISPLAY PANEL



SWIFTALYN WART REMOVER

wart remover liquid

ı	Product	Information	

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84048-005

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)

SALICYLIC ACID 1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength	
ASIATIC ACID (UNII: 9PA5A687X5)		
WATER (UNII: 059QF0KO0R)		
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:84048-005- 01	20 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/24/2024	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M028	01/24/2024		

Labeler - Shenzhen Peruidaishi Technology Co., Ltd. (706728459)

Establishment					
Name	Address	ID/FEI	Business Operations		
Shenzhen Peruidaishi Technology Co., Ltd.		706728459	label(84048-005) , manufacture(84048-005)		

Revised: 3/2024 Shenzhen Peruidaishi Technology Co., Ltd.