EQUATE MENTHOL COUGH DROPS- menthol lozenge Walmart

Menthol 5.4 mg

Active ingredient (in each drop)

Menthol 5.4 mg

Purpose

Cough suppressant / Oral anesthetic

Uses temporarily relieves:

- cough as may occur with a cold
- occasional minor irritation and sore throat

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have:

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore throat is severe, or irritation, pain or redness lasts or worsens
- sore mouth does not improve in 7 days

If pregnant or breast-feeding, as a health professional before use.

Keep out of reach of children.

Directions

adults and children 5 years abd over - dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor.

children under 5 years - ask a doctor

Other information

- 10 calories per drop
- do not use if bag is torn or open

Inactive ingredients: Corn starch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red no. 40, glycerin, gum arabic, medium chain triglycerides, natural flavors, potassium sorbate, soybean oil, sucrose and water.

Questions? Or to report an adverse event call **1-800-245-2898**. Monday - Friday, 9AM to 4PM EST





				sį	ое ч в	nıc	7
	e la constan				or and our		
HEBE	- TEAR P				HEBE -	AA3	1 <
-		JJAARCE	BECLO				
		C)				
)				
		0					
1							
		OUGH DROPS					
enthol lozenge							
entrioriozerige							
Product Infor	mation						
roduct Type		HUMAN OTC DRUG	Item Code	e (Source	e) N	NDC:799	903-253
	stration	HUMAN OTC DRUG ORAL	Item Code	e (Source	e) N	NDC:799	903-253
	stration		ltem Code	e (Sourco	e) N	1DC:799	903-253
oute of Admini		ORAL	ltem Code	e (Source	e) N	1DC:799	903-253
oute of Admini	ent/Active	ORAL Moiety	Item Code				
oute of Adminis	ent/Active Ingred	ORAL Moiety ient Name	Item Code	Basis	of Streng	th	Strength
aoute of Adminis	ent/Active Ingred	ORAL Moiety	Item Code		of Streng	th	
active Ingredie	ent/Active Ingred	ORAL Moiety ient Name	Item Code	Basis	of Streng	th	Strength
Route of Adminis Active Ingredie IENTHOL (UNII: L7	ent/Active Ingred T10EIP3A) (MEN	ORAL Moiety ient Name	Item Code	Basis	of Streng	th	Strength
Coute of Adminis	ent/Active Ingred T10EIP3A) (MEN dients	ORAL Moiety ient Name	Item Code	Basis	of Streng	th	Strength 5.4 mg
Route of Adminis Active Ingredie IENTHOL (UNII: L7 nactive Ingree	ent/Active Ingred T10EIP3A) (MEN dients Ing	ORAL Moiety ient Name NTHOL - UNII:L7T10EIP3A)	Item Code	Basis	of Streng	th	Strength 5.4 mg
Route of Adminis Active Ingredie IENTHOL (UNII: L7 nactive Ingree	ent/Active Ingred T10EIP3A) (MEN dients Ing	ORAL Moiety ient Name NTHOL - UNII:L7T10EIP3A)	Item Code	Basis	of Streng	th	Strength 5.4 mg
Route of Adminis Active Ingredie MENTHOL (UNII: L7 nactive Ingree VATER (UNII: 059Q)	ent/Active Ingred T10EIP3A) (MEN dients Ing F0KOOR)	ORAL Moiety ient Name NTHOL - UNII:L7T10EIP3A)	Item Code	Basis	of Streng	th	Strength 5.4 mg
Coute of Administ Active Ingredia ENTHOL (UNII: L7 Nactive Ingred ATER (UNII: 059Q)	ent/Active Ingred T10EIP3A) (MEN dients Ing F0KOOR)	ORAL Moiety ient Name NTHOL - UNII:L7T10EIP3A)	Item Code	Basis	of Streng	th <u>t</u> rengt	Strength 5.4 mg
Route of Adminis Active Ingredie IENTHOL (UNII: L7 nactive Ingred VATER (UNII: 059Q) Product Chara	ent/Active Ingred T10EIP3A) (MEN dients Ing F0KOOR)	ORAL Moiety ient Name THOL - UNII:L7T10EIP3A)	Item Code	Basis	of Streng	th trengt	Strength 5.4 mg th
nactive Ingre NATER (UNII: 059Q) Product Chara Color Shape	ent/Active Ingred T10EIP3A) (MEN dients Ing F0KO0R)	ORAL Moiety ient Name THOL - UNII:L7T10EIP3A)	Item Code	Basis MENTHOL	s of Streng	th trengt	Strength 5.4 mg th

Warnings Sore throat warning: if sore throat is severe, per more than 2 days, is accompanied or followed by headache, rash, swelling, nausea, or vomiting, co	y fever,	
 Uses temporarily relieves: cough as may occur with a cold occasional minor initation and sore throat 		
qqus dguoO	sesthetic pressant/ pressant/	
Drug Facts		
		+
- – – – – - ЗЯЗН ЯАЗТ	H 8A3T	- 4 зизн
	H RABTE	- 4 383H

÷	ackaging				
	Item Code	Package	Description	Marketing Start Date	Marketing End Date
	NDC:79903-253- 30	30 in 1 BAG; Type 0: Product	Not a Combination	02/26/2024	
			10		
			-		
			Len ?		
					2
			* *	*	
			* *	*	
			* *		
	arketing I Marketing	nformation	umber or Monogra	ph Marketing Start	Marketing En

Labeler - Walmart (051957769)

Registrant - Bestco (002149136)

Establishment

E.

Name	Address	ID/FEI	Business Operations
Bestco		002149136	manufacture(79903-253)

Revised: 6/2024

Walmart