

**LORATADINE AND PSEUDOEPHEDRINE- loratadine and pseudoephedrine tablet, extended release  
Bryant Ranch Prepack**

-----  
**DRUG FACTS**

**ACTIVE INGREDIENTS (IN EACH TABLET)**

Loratadine, USP 10 mg

Pseudoephedrine sulfate, USP 240 mg

**PURPOSE**

Antihistamine

Nasal decongestant

**USES**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - sneezing
  - itchy, watery eyes
  - runny nose
  - itching of the nose or throat
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily restores freer breathing through the nose

**WARNINGS**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland

- liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product do not take more than directed.**

Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever.
- nervousness, dizziness or sleeplessness occurs

**If pregnant or breast-feeding**

Ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**DIRECTIONS**

- do not divide, crush, chew or dissolve the tablet

---

adults and children 12 years and over	1 tablet daily with a full glass of water; not more than 1 tablet in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

---

**OTHER INFORMATION**

- **sodium:** contains 10 mg/tablet
- **calcium:** contains 25 mg/tablet
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° C to 25° C (68° F to 77° F)
- protect from light and store in a dry place

**INACTIVE INGREDIENTS**

Calcium carbonate, colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, iron oxide black, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, sodium alginate, sodium citrate, talc and titanium dioxide

**QUESTIONS?**

Call **1-800-406-7984**

## HOW SUPPLIED

NDC: 63629-7766-1: 5 Tablets in a BOTTLE

NDC: 63629-7766-2: 10 Tablets in a BOTTLE

NDC: 63629-7766-3: 14 Tablets in a BOTTLE

## Loratadine/pseudoephedrine 24 Hour tab

*Packaged by Bryant Ranch Prepack*

*Burbank, CA 91504*

**Loratadine/pseudoephedrine 24 Hour tab**

LOT 1523487

white CAPSULE RX724

Compare To

Claritin-D 24 Hour Tablet  
Blister Pack

Ohm Laboratories Inc.

Store at room temp of  
20°-25°C (68°-77°F)

Keep all drugs out of  
reach of children.

# 5

EXP MM/YY

NDC 6362977661



0776651523487

## LORATADINE AND PSEUDOEPHEDRINE

loratadine and pseudoephedrine tablet, extended release

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63629-7766(NDC:51660-724)
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	10 mg
PSEUDOEPHEDRINE SULFATE (UNII: Y9DL7QPE6B) (PSEUDOEPHEDRINE -	PSEUDOEPHEDRINE	240 mg

UNII:7CUC9DDI9F)

SULFATE

240 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYDROXYPROPYL CELLULOSE (1600000 WAMW)</b> (UNII: RFW2ET671P)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>SODIUM ALGINATE</b> (UNII: C269C4G2ZQ)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	RX724
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63629-7766-1	5 in 1 BOTTLE; Type 0: Not a Combination Product	12/22/2021	
2	NDC:63629-7766-2	10 in 1 BOTTLE; Type 0: Not a Combination Product	06/19/2018	
3	NDC:63629-7766-3	14 in 1 BOTTLE; Type 0: Not a Combination Product	11/12/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076557	11/17/2004	

**Labeler** - Bryant Ranch Prepack (171714327)

**Registrant** - Bryant Ranch Prepack (171714327)

**Establishment**

Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(63629-7766) , RELABEL(63629-7766)

Revised: 12/2021

Bryant Ranch Prepack