

FOLLIXIL HAIR REGROWTH TREATMENT- 2% minoxidil liquid Matykos Beauty LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FoB 2% Lotion

Active ingredient

Minoxidil 2% w/v

Purpose

Hair regrowth treatment

Use

to regrowth hair.

Warnings

For external use only. For use by men only.

Flammable. Keep away from fire or flame.

Indications

- Prevent and Stop Hair Loss.
- Stimulate Hair Growth.
- Improve Fullness of Hair.
- Restore Vitality of Hair.
- Strengthen and Activates Dormant Hair Follicles.

Do not use if

- you have no family history of hair loss.
- your hair loss is sudden and/or patchy.
- you do not know the reason for your hair loss.
- you are under 18 years of age. Do not use if on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful.
- you use other medicines on the scalp.

Ask a doctor before use if you have heart disease.

When using this product

- do not apply on other parts of the body.
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture.
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for everyone.

Stop use and ask doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs

Do not use it on babies and children.

Inactive Ingredients

alcohol, butylene glycol, water, vitamin h, rosmarinus officinalis (rosemary) leaf water, ethoxydiglycol, 1,2-hexanediol, polyglycerin-10, sodium, polyglutamate, ethylhexylglycerin, niacinamide, caffeine, cyclodextrin.

Store

at 20 to 25°C (68 to 77°F), and keep tightly closed.

CAUTIONS

Don't use Follixil if you are:

- Pregnant.
- Having heart sensitivity.
- Super-sensitive skin.
- Having open wounds.
- Unexcited to boost your follicles and to achieve bushy hair!
- Planning to do physical activities in the next hour.

DIRECTIONS

- Apply one mL with a dropper 2 times a day directly onto the scalp in the hair loss area.
- Using more or more often will not improve results.
- Continued use is necessary to increase and keep your hair regrowth.

Other information:

- Before use, read all the information on the carton and the inside brochures.
- Store at 20 to 25°C (68 to 77°F). Keep tightly closed.

INGREDIENTS

ALCOHOL, BUTYLENE GLYCOL, WATER, MINOXIDIL, VITAMIN H, ROSMARINUS OFFICINALIS (ROSEMARY) LEAF WATER, ETHOXYDIGLYCOL, 1,2-HEXANEDIOL, POLYGLYCERIN-10, SODIUM, POLYGLUTAMATE, ETHYLHEXYLGLYCERIN, NIACINAMIDE, CAFFEINE, CYCLODEXTRIN

www.folliclebooster.com
support@folliclebooster.com



**USP 2%
 MINOXIDIL
 TOPICAL LOTION**

**HAIR REGROWTH
 TREATMENT**

Infused with:

- Caffeine
- Niacinamide
- Vitamin H (Biotin)

60mL (2FL OZ)



**REVITALIZES
 DORMANT
 HAIR FOLLICLES**

UNSCENTED



 @thehairlossdude

MUST DO!

I know that most beauty products brochures are long and tedious. That's why I did my best to make ours short and sweet! Please read them all because they are crucial for your hair growth.

DRUG FACTS

Active ingredient Minoxidil 2% w/v..... **Purpose** Hair regrowth treatment.

Use to regrow hair.

Warnings

For external use only. For use by men only. Flammable. Keep away from fire or flame.

Indications

- Prevent and Stop Hair Loss.
- Stimulate Hair Growth.
- Improve Fullness of Hair.
- Restore Vitality of Hair.
- Strengthen and Activates Dormant Hair Follicles.

Do not use if

- you have no family history of hair loss.
- your hair loss is sudden and/or patchy.
- you do not know the reason for your hair loss.
- you are under 18 years of age. Do not use it on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful.
- you use other medicines on the scalp.

Ask a doctor before use if you have heart disease.

When using this product

- do not apply on other parts of the body.
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture.
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for everyone.

Stop use and ask doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs.

Inactive Ingredients

alcohol, butylene glycol, water, vitamin h, rosmarinus officinalis (rosemary), leaf water, ethoxydiglycol, 1,2-hexanediol, polyglycerin-10, sodium, polyglutamate, ethylhexylglycerin, niacinamide, caffeine, cyclodextrin.

Store

At 20° to 25°C (68° to 77°F), and keep tightly closed.

CAUTIONS

Don't use Follixil if you are:

- Pregnant.
- Having heart sensitivity.
- Super-sensitive skin.
- Having open wounds.
- Unexcited to boost your follicles and to achieve bushy hair!
- Planning to do physical activities in the next hour.

FOLLICLE BOOSTER

USP 2% MINOXIDIL TOPICAL LOTION

HAIR REGROWTH TREATMENT

Infused with:

- Caffeine
- Niacinamide
- Vitamin H (Biotin)



0% SULFATES ALUMINIUM PARABENS



UNSCENTED

- CLINICALLY PROVEN TO HELP REGROW HAIR
- REACTIVATES DORMANT HAIR FOLLICLES

60mL (2FL OZ)



DIRECTIONS


- Apply one mL with a dropper 2 times a day directly onto the scalp in the hair loss area.
- Using more or more often will not improve results.
- Continued use is necessary to increase and keep your hair regrowth.

Other information:

- Before use, read all the information on the carton and the inside brochures.
- Store at 20° to 25°C (68° to 77°F). Keep tightly closed.

Distributed by:

Matykos Beauty LLC, 8 The Green, Suite A, Dover, Delaware, 19901



X0037XLTH1

2% Minoxidil Lotion 1 Bottle New

MADE IN PRC

CAUTIONS

Don't use Follixil if you are:

- Pregnant.
- Having heart sensitivity.
- Super-sensitive skin.
- Having open wounds.
- Unexcited to boost your follicles and to achieve bushy hair!
- Planning to do physical activities in the next hour.

DIRECTIONS

- Apply one mL with a dropper 2 times a day directly onto the scalp in the hair loss area.
- Using more or more often will not improve results.
- Continued use is necessary to increase and keep your hair regrowth.

Other information:

- Before use, read all the information on the carton and the inside brochures.
- Store at 20° to 25°C (68° to 77°F). Keep tightly closed.

0% SULFATES ALUMINIUM PARABENS



DRUG FACTS

Active ingredient Minoxidil 2% w/v..... **Purpose** Hair regrowth treatment. **Use** to regrow hair.

www.folll support@



FOLLIXIL HAIR REGROWTH TREATMENT

2% minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83835-231
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	2 g in 100 mL
---	-----------	---------------

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAFFEINE (UNII: 3G6A5W338E)	
CYCLODEXTRINS (UNII: 7E6SK9QDT8)	
BIOTIN (UNII: 6SO6U10H04)	
ROSMARINUS OFFICINALIS FLOWERING TOP OIL (UNII: OXN0D3N28L)	
NIACINAMIDE (UNII: 25X51I8RD4)	
WATER (UNII: 059QF0KO0R)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POLYGLYCERIN-10 (UNII: P9060O936A)	
SODIUM (UNII: 9NEZ333N27)	
POLYGLYCOLIC ACID (UNII: H1IL6F7KB8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83835-231-21	1 in 1 BOX	02/27/2024	
1	NDC:83835-231-02	60 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:83835-231-23	3 in 1 BOX	02/27/2024	
2	NDC:83835-231-02	60 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/27/2024	

Labeler - Matykos Beauty LLC (118726242)

Registrant - Matykos Beauty LLC (118726242)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Colif Cosmetics Co., Ltd		699427130	manufacture(83835-231)

