

SPORT SUNBLOCK- octinoxate and titanium dioxide lotion
Kareway Product, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Octyl Methoxycinnamate 7%

Titanium Dioxide 2.8%

Purpose

Sunscreen

Sunscreen

Use

helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, **not** skin cancer or early skin aging.

For external use only

Do not use

on damaged or broken skin

When using this product

Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or call a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months: Ask a doctor

Other information

protect this product from excessive heat and direct sun

Inactive Ingredients

Water, Glycerin, Stearic acid,
Cetearyl Alcohol, Glyceryl Stearate, PEG-100 Stearate,
Phenoxyethanol, Triethanolamine, Dimethicone, Acrylates/
C10-30 alkyl acrylate crosspolymer, Chlorphenesin,
Lavandula Angustifolia (Lavender) Extract, Salvia Sclarea
(Clary) Extract, Hyacinthus Orientalis Extract, Chamomilla
Recutita (Matricaria) Flower/Leaf Extract, Borago officinalis
Extract, Centaurea cyanus flower Extract, Butylene Glycol,
1,2- Hexanediol, Ethylhexylglycerin, Disodium EDTA, Fragrance

Package label

Sport Sunscreen



SPORT SUNSCREEN SPF30 is an ultra water and sweat resistant formula specially designed for active adults to provide protection against sunburn. The non-greasy formula is quickly absorbed into skin and leaves no residue.

Drug Facts

Active Ingredients	Purpose
Octyl Methoxycinnamate 7%	Sunscreen
Titanium Dioxide 2.8%	Sunscreen

Uses ■ helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, **not** skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or call a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months: Ask a doctor

Other Information

- protect this product from excessive heat and direct sun
- may stain fabrics
- for Lot and Expiration Date, see crimp of tube

Inactive ingredients Water, Glycerin, Stearic acid, Cetearyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Phenoxyethanol, Triethanolamine, Dimethicone, Acrylates/C10-30 alkyl acrylate crosspolymer, Chlorphenesin, Lavandula Angustifolia (Lavender) Extract, Salvia Sclarea (Clary) Extract, Hyacinthus Orientalis Extract, Chamomilla Recutita (Matricaria) Flower/Leaf Extract, Borago officinalis Extract, Centaurea cyanus flower Extract, Butylene Glycol, 1,2-Hexanediol, Ethylhexylglycerin, Disodium EDTA, Fragrance



Exclusively distributed by:
Kareway Product Inc.
2550 S. Dominguez Hills Dr.
Compton, CA 90220

Made in Korea



SPORT



Sunscreen Lotion

SPF 30

Hypo-allergenic
Sweat + Water Resistant
(40 minutes)

3.5 oz (100mL)

SPORT SUNBLOCK

octinoxate and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67510-0083
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.8 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CARBOMER COPOLYMER TYPE A (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 71DD5V995L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0K00R)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67510-0083-5	100 mL in 1 TUBE; Type 0: Not a Combination Product	10/27/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/27/2011	

Labeler - Kareway Product, Inc. (121840057)

Revised: 10/2019

Kareway Product, Inc.