

SANINTA 10% POVIDONE-IODINE- povidone-iodine solution liquid
Lernapharm

Drug Facts - Saninta 10% w/v Povidone-Iodine Solution

Active Ingredient

Povidone-Iodine 10% w/v

Purpose

Antiseptic

Use

Antiseptic skin preparation. Helps reduce bacteria that potentially can cause skin infection.

Warnings

For external use only.

Do not use

Do not use

- if allergic to iodine
- in the eyes

Stop use and ask a doctor

Stop use and ask a doctor if

- injuries are deep puncture wounds or serious burns
- redness, irritation, swelling or pain persists or increases
- infection occurs

Avoid pooling beneath patient

Avoid pooling beneath patient

Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the area.
- apply locally as needed

Other Information

- 1% titratable iodine
- not made with natural rubber latex
- for hospital or professional use only
- Store at room temperature between 59-86°F (15 - 30°C).
- Avoid freezing and excessive heat above 40°C (104°F).

Inactive ingredients

Citric Acid, Glycerol, Nonoxynol-9, Purified Water USP, Sodium Hydroxide, Sodium Phosphate Dibasic

Questions or Comments?

Questions or Comments? Tel.: 1-866-322-4634, weekdays between 8:00 am and 4:00 pm EST

Package Label - Principal Display Panel

NDC: 68356-601-01 / 68356-601-601-02

Product # 601-01 / 601-02

Hold upright

[Tear here and pour]

[Three 4-inch antiseptic swabsticks impregnated with 10% W/V povidone-iodine solution]

[Tear open]

Saninta

Antiseptic Solution

10% w/v Povidone-Iodine Solution

10% Povidone-Iodine

[0.75 Fl. oz (22.5 mL)]

Do Not Reuse

multiple-use cross-through logo

UPC Code

Manufactured by:

Lernapharm (LORIS) Inc.


2323 HALPERN, MONTREAL

QUEBEC, CANADA H4S 1S3

Made in Canada

LOT #: XXXX


EXP.: MM/YYYY

70 mm	70 mm	70 mm	70 mm																																																																												
<p>7 mm</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th colspan="2">Drug Facts</th></tr> <tr><td>Active ingredient</td><td>Purpose</td></tr> <tr><td>Povidone-iodine 10% W/V</td><td>Antiseptic</td></tr> <tr><td colspan="2">Uses: Antiseptic skin preparation. Helps reduce bacteria that potentially can cause skin infection.</td></tr> <tr><td colspan="2">Warnings:</td></tr> <tr><td colspan="2">For external use only.</td></tr> <tr><td colspan="2">Do not use • If allergic to iodine • In the eyes.</td></tr> <tr><td colspan="2">Stop use and ask a doctor if • Injuries are deep puncture wounds or serious burns • redness, irritation, swelling or pain persists or increases • Infection occurs</td></tr> <tr><td colspan="2">Avoid pooling beneath patient</td></tr> <tr><td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td></tr> <tr><td colspan="2">Directions:</td></tr> <tr><td colspan="2">• Clean the area • apply locally as needed</td></tr> <tr><td colspan="2">Other information:</td></tr> <tr><td colspan="2">• 1% titratable iodine</td></tr> <tr><td colspan="2">• not made with natural rubber latex</td></tr> <tr><td colspan="2">• for hospital or professional use only</td></tr> <tr><td colspan="2">• Store at room temperature between 59-86 °F (15-30°C). Avoid freezing and excessive heat above 40°C (104°F).</td></tr> <tr><td colspan="2">Inactive ingredients: Citric Acid, Glycerol, Nitroxyol-9, Purified Water USP, Sodium Hydroxide, Sodium Phosphate Dibasic</td></tr> <tr><td colspan="2">Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 4:00 pm EST</td></tr> </table> <p style="text-align: center;">8 96180 01250 2</p>	Drug Facts		Active ingredient	Purpose	Povidone-iodine 10% W/V	Antiseptic	Uses: Antiseptic skin preparation. Helps reduce bacteria that potentially can cause skin infection.		Warnings:		For external use only.		Do not use • If allergic to iodine • In the eyes.		Stop use and ask a doctor if • Injuries are deep puncture wounds or serious burns • redness, irritation, swelling or pain persists or increases • Infection occurs		Avoid pooling beneath patient		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions:		• Clean the area • apply locally as needed		Other information:		• 1% titratable iodine		• not made with natural rubber latex		• for hospital or professional use only		• Store at room temperature between 59-86 °F (15-30°C). Avoid freezing and excessive heat above 40°C (104°F).		Inactive ingredients: Citric Acid, Glycerol, Nitroxyol-9, Purified Water USP, Sodium Hydroxide, Sodium Phosphate Dibasic		Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 4:00 pm EST		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th colspan="2">Drug Facts</th></tr> <tr><td>Active ingredient</td><td>Purpose</td></tr> <tr><td>Povidone-iodine 10% W/V</td><td>Antiseptic</td></tr> <tr><td colspan="2">Uses: Antiseptic skin preparation. Helps reduce bacteria that potentially can cause skin infection.</td></tr> <tr><td colspan="2">Warnings:</td></tr> <tr><td colspan="2">For external use only.</td></tr> <tr><td colspan="2">Do not use • If allergic to iodine • In the eyes.</td></tr> <tr><td colspan="2">Stop use and ask a doctor if • Injuries are deep puncture wounds or serious burns • redness, irritation, swelling or pain persists or increases • Infection occurs</td></tr> <tr><td colspan="2">Avoid pooling beneath patient</td></tr> <tr><td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td></tr> <tr><td colspan="2">Directions:</td></tr> <tr><td colspan="2">• Clean the area • apply locally as needed</td></tr> <tr><td colspan="2">Other information:</td></tr> <tr><td colspan="2">• 1% titratable iodine</td></tr> <tr><td colspan="2">• not made with natural rubber latex</td></tr> <tr><td colspan="2">• for hospital or professional use only</td></tr> <tr><td colspan="2">• Store at room temperature between 59-86 °F (15-30°C). Avoid freezing and excessive heat above 40°C (104°F).</td></tr> <tr><td colspan="2">Inactive ingredients: Citric Acid, Glycerol, Nitroxyol-9, Purified Water USP, Sodium Hydroxide, Sodium Phosphate Dibasic</td></tr> <tr><td colspan="2">Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 4:00 pm EST</td></tr> </table> <p style="text-align: center;">8 96180 01250 2</p>	Drug Facts		Active ingredient	Purpose	Povidone-iodine 10% W/V	Antiseptic	Uses: Antiseptic skin preparation. Helps reduce bacteria that potentially can cause skin infection.		Warnings:		For external use only.		Do not use • If allergic to iodine • In the eyes.		Stop use and ask a doctor if • Injuries are deep puncture wounds or serious burns • redness, irritation, swelling or pain persists or increases • Infection occurs		Avoid pooling beneath patient		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions:		• Clean the area • apply locally as needed		Other information:		• 1% titratable iodine		• not made with natural rubber latex		• for hospital or professional use only		• Store at room temperature between 59-86 °F (15-30°C). Avoid freezing and excessive heat above 40°C (104°F).		Inactive ingredients: Citric Acid, Glycerol, Nitroxyol-9, Purified Water USP, Sodium Hydroxide, Sodium Phosphate Dibasic		Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 4:00 pm EST		<p style="text-align: center;">Hold upright</p> <p style="text-align: center;">Product # 601-01 NDC: 68356-601-01</p> <p style="text-align: center;">Three 4-inch antiseptic swabsticks impregnated with 10% W/V povidone iodine solution</p> <p style="text-align: center;">◀ TEAR OPEN TEAR OPEN ▶ ◀ TEAR OPEN TEAR OPEN ▶</p> <p style="text-align: center;">Saninta</p> <p style="text-align: center;">10% Povidone-Iodine</p> <p style="text-align: center;">Antiseptic Solution</p> <p style="text-align: center;"> Do Not Reuse</p> <p style="text-align: center;">Manufactured by: Lernapharm (LORIS) Inc. 2323 HALPERN, MONTREAL QUÉBEC, CANADA, H4S 1S3 Made in Canada</p>	<p style="text-align: center;">Hold upright</p> <p style="text-align: center;">Product # 601-01 NDC: 68356-601-01</p> <p style="text-align: center;">Three 4-inch antiseptic swabsticks impregnated with 10% W/V povidone iodine solution</p> <p style="text-align: center;">◀ TEAR OPEN TEAR OPEN ▶ ◀ TEAR OPEN TEAR OPEN ▶</p> <p style="text-align: center;">Saninta</p> <p style="text-align: center;">10% Povidone-Iodine</p> <p style="text-align: center;">Antiseptic Solution</p> <p style="text-align: center;"> Do Not Reuse</p> <p style="text-align: center;">Manufactured by: Lernapharm (LORIS) Inc. 2323 HALPERN, MONTREAL QUÉBEC, CANADA, H4S 1S3 Made in Canada</p>
Drug Facts																																																																															
Active ingredient	Purpose																																																																														
Povidone-iodine 10% W/V	Antiseptic																																																																														
Uses: Antiseptic skin preparation. Helps reduce bacteria that potentially can cause skin infection.																																																																															
Warnings:																																																																															
For external use only.																																																																															
Do not use • If allergic to iodine • In the eyes.																																																																															
Stop use and ask a doctor if • Injuries are deep puncture wounds or serious burns • redness, irritation, swelling or pain persists or increases • Infection occurs																																																																															
Avoid pooling beneath patient																																																																															
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																																																															
Directions:																																																																															
• Clean the area • apply locally as needed																																																																															
Other information:																																																																															
• 1% titratable iodine																																																																															
• not made with natural rubber latex																																																																															
• for hospital or professional use only																																																																															
• Store at room temperature between 59-86 °F (15-30°C). Avoid freezing and excessive heat above 40°C (104°F).																																																																															
Inactive ingredients: Citric Acid, Glycerol, Nitroxyol-9, Purified Water USP, Sodium Hydroxide, Sodium Phosphate Dibasic																																																																															
Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 4:00 pm EST																																																																															
Drug Facts																																																																															
Active ingredient	Purpose																																																																														
Povidone-iodine 10% W/V	Antiseptic																																																																														
Uses: Antiseptic skin preparation. Helps reduce bacteria that potentially can cause skin infection.																																																																															
Warnings:																																																																															
For external use only.																																																																															
Do not use • If allergic to iodine • In the eyes.																																																																															
Stop use and ask a doctor if • Injuries are deep puncture wounds or serious burns • redness, irritation, swelling or pain persists or increases • Infection occurs																																																																															
Avoid pooling beneath patient																																																																															
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																																																															
Directions:																																																																															
• Clean the area • apply locally as needed																																																																															
Other information:																																																																															
• 1% titratable iodine																																																																															
• not made with natural rubber latex																																																																															
• for hospital or professional use only																																																																															
• Store at room temperature between 59-86 °F (15-30°C). Avoid freezing and excessive heat above 40°C (104°F).																																																																															
Inactive ingredients: Citric Acid, Glycerol, Nitroxyol-9, Purified Water USP, Sodium Hydroxide, Sodium Phosphate Dibasic																																																																															
Questions or comments? Call 1-866-322-4634, weekdays between 8:00 am and 4:00 pm EST																																																																															
<p>136mm</p> <p>7 mm</p>			<p>150 mm</p>																																																																												

PMS 7587

BLACK

601-01 - SANINTA PVP-I - 3-Swabsticks - R3643
February 26, 2024 - Version 10 - Malapan



SANINTA 10% POVIDONE-IODINE

povidone-iodine solution liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68356-601
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
NONOXYNOL-9 (UNII: 48Q180SH9T)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM PHOSPHATE DIBASIC DIHYDRATE (UNII: 94255I6E2T)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68356-601-01	3 in 1 POUCH	02/26/2024	
1		2.3 mL in 1 APPLICATOR; Type 0: Not a Combination Product		
2	NDC:68356-601-02	22.5 mL in 1 PACKET; Type 0: Not a Combination Product	02/26/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	02/26/2024	

Labeler - Lernapharm (206940905)

Registrant - Lernapharm (206940905)

Establishment

Name	Address	ID/FEI	Business Operations
Lernapharm		206940905	manufacture(68356-601) , analysis(68356-601) , label(68356-601) , pack(68356-601)

Revised: 2/2024

Lernapharm