

**60 SECOND TASTE CHOCOLATE VANILLA- topical apf fluoride gel gel**  
**Pascal Company, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

60 Second Taste Gel

Anticavity Topical APF\*

Preventive Treatment Gel

\*Acidulated Phosphate Fluoride

Chocoloate Vanilla

NOTE TO PRINTER: PLEASE PRINT STARTING 1/8" DOWN FROM TOP SHOULDER TO ALLOW MORE ROOM AT BOTTOM FOR CODING



TOP SHOULDER OF BOTTLE

PASCAL 60 SECOND TASTE REV. Aug/2014

**60 Second Taste®**

**Gel**

**PROFESSIONAL**

**Anticavity Topical APF\*  
Preventive Treatment Gel**

\*Acidulated Phosphate Fluoride

**Contains:** Active Ingredient: 1.23% w/w fluoride ion from 2.72% sodium fluoride.  
**Indications for Use:** Professionally applied dental caries preventive.  
**Contraindications:** Contraindicated in individuals who are hypersensitive to fluoride.  
**Warnings:** Keep out of reach of children. For topical intraoral use only. For professionally applied, in-office fluoride treatment only.  
**Precautions:**

- Not for systemic treatment. Do not swallow.
- Do not use on patients with an allergy to fluoride.
- 60 Second Taste contains artificial color and flavor; confirm that no known patient allergies exist (Marshmallow and Chocolate Vanilla are Dye-Free and contain no artificial colors).
- Special care should be used when administering to children under 6 years of age so that gel is not swallowed.
- Contact with abraded or sensitive oral tissue may produce discomfort.
- If more than is ordinarily used for treatment is swallowed, administer calcium (milk) and contact your local Poison Control Center immediately.

**Dosage and directions for Use:**  
Usual dosage is approximately 2.75 – 9 grams of 60 Second Taste per dual arch treatment (depending on tray size).  
**SHAKE WELL BEFORE USE**

1. After prophylaxis remove excess fluid from teeth.
2. Fill applicator tray 1/3 full with gel.
3. Insert filled tray into patient's mouth and instruct to bite down gently for one minute, or up to four minutes.
4. After treatment time is completed remove tray and have patient expectorate residual gel.
5. For maximum benefits for the prevention of caries, instruct patient not to rinse, eat, or drink for 30 minutes.

Repeat treatment at least once or twice a year. For patients with rampant or active caries, repeat treatment once or twice every six months.

If contents have become frozen, warm to room temperature and shake well before using.  
For product MSDS Information please see company website at [pascaldental.com](http://pascaldental.com) or contact Pascal directly.  
Pascal's 60 Second Taste is free of gluten, soy, milk, egg, peanut and tree nut products.  
**Rx Only (In USA) For Professional Use Only**

59°F (15°C) 66°F (30°C)

Net Contents: 16 Fl. Oz. (0.48 L)

2939 NE Northrup Way, Bellevue, WA 98004 USA  
Phone: 425.827.4684 • 800.426.8051  
[www.pascaldental.com](http://www.pascaldental.com)  
Made in USA SN 62346/0814

PMS 302 C PMS 544 C BLACK



**Contains:**

Active Ingredient: 1.23% w/w fluoride ion from 2.72% sodium fluoride

**Contraindications**

Contraindicated in individuals who are hypersensitive to fluoride

**Warnings and Precautions**

Keep out of reach of children. For topical intraoral use only. For professionally applied in office fluoride treatment only.

Not for systemic treatment. Do not swallow.

Do not use on patients with an allergy to fluoride.

60 Second Taste contains artificial color and flavor; confirm that no known patient allergies exist. Marshmallow and Chocolate Vanilla are dye free and contain no artificial colors.

Special care should be used when administering to children under 6 years of age so that gel is not swallowed.

Contact with abraded or sensitive oral tissue may produce discomfort.

If more than is ordinarily used for treatment is swallowed, administer calcium such as milk and contact your local Poison Control Center immediately.

**Dosage and Directions for Use:**

Usual dosage is approximately 2.75-9.0 grams of 60 Second Taste per dual arch treatment depending on tray size.

Shake well before use.

1. After prophylaxis remove excess fluid from teeth.

2. Fill applicator tray 1/3 full with gel.
3. Insert filled tray into patient's mouth and instruct to bite down gently for one minute or up to four minutes.
4. After treatment time is completed, remove tray and have patient expectorate residual gel.
5. For maximum benefits for the prevention of caries, instruct patient not to rinse, eat or drink for 30 minutes.

Repeat treatment at least once or twice a year. For patients with rampant or active caries, repeat treatment once or twice every six months.

If contents have become frozen, warm to room temperature and shake well before using.

### Other Safety Information

For product MSDS information please see company website at [pascaldental.com](http://pascaldental.com) or contact Pascal directly.

Pascal's 60 Second Taste is free gluten, soy, milk, egg, peanut and tree nut products.

Rx only in USA. For Professional Use only.

## 60 SECOND TASTE CHOCOLATE VANILLA

topical apf fluoride gel gel

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:10866-0885
<b>Route of Administration</b>	TOPICAL, DENTAL, BUCCAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sodium fluoride (UNII: 8ZYQ1474W7) (Fluoride ion - UNII:Q80VPU408O)	Fluoride ion	27.73 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Saccharin Sodium (UNII: SB8ZUX40TY)	5.5 mg in 1 g

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHOCOLATE	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10866-0885-	480 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination	01/15/2007	

2	Product	01/15/2007	
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		01/15/2007	

**Labeler** - Pascal Company, Inc. (009260217)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Pascal Company, Inc.		009260217	manufacture(10866-0885)

Revised: 3/2015

Pascal Company, Inc.