

NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, SHINE 30- avobenzone, homosalate, octocrylene gel
NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLOW 70- avobenzone, homosalate, octocrylene gel
NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLEAM 40- avobenzone, homosalate, octocrylene gel
NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLAZE 60- avobenzone, homosalate, octocrylene gel
Johnson & Johnson Consumer Inc.

Neutrogena MoistureShine Lip Soother with Sunscreen SPF 20, Shine 30
Neutrogena MoistureShine Lip Soother with Sunscreen SPF 20, Gleam 40
Neutrogena MoistureShine Lip Soother with Sunscreen SPF 20, Glaze 60
Neutrogena MoistureShine Lip Soother with Sunscreen SPF 20, Glow 70

Drug Facts

Active ingredient

Avobenzone (3%), Homosalate (10%), Octocrylene (10%)

Purpose

Sunscreen

Use

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions For Sunscreen Use

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other Information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Polybutene, Bis-Diglyceryl Polyacyladipate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Diisocetyl Dodecanedioate, Ricinus Communis (Castor) Seed Oil, Behenyl Alcohol, Polyglyceryl-3 Stearate, Carthamus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Spirulina Maxima Extract, Laminaria Saccharina, Extract, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Saccharin, Aloe Barbadensis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Iron Oxides, Red 7 Lake, Blue 1 Lake

Questions?

Call toll free **800-480-4812** or **215-273-8755** (collect) or visit www.neutrogena.com

Distributed by:

JOHNSON & JOHNSON

CONSUMER INC.

Skillman, NJ 08558

Drug Facts

Active ingredients

Avobenzone (3%), Homosalate (10%), Octocrylene (10%)

Purpose

Sunscreen

Use

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions For Sunscreen Use

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun

- may stain some fabrics

Inactive ingredients

Polybutene, Bis-Diglyceryl Polyacyladipate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Diisocetyl Dodecanedioate, Ricinus Communis (Castor) Seed Oil, Behenyl Alcohol, Polyglyceryl-3 Stearate, Carthamus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Spirulina Maxima Extract, Laminaria Saccharina, Extract, Saccharin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Aloe Barbadensis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Red 7 Lake, Blue 1 Lake

Questions?

Call toll free 800-480-4812 or 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by:

JOHNSON & JOHNSON

CONSUMER INC.

Skillman, NJ 08558

Drug Facts

Active ingredients

Avobenzone (3%), Homosalate (10%), Octocrylene (10%)

Purpose

Sunscreen

Use

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions For Sunscreen Use

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Polybutene, Bis-Diglyceryl Polyacyladipate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Ricinus Communis (Castor) Seed Oil, Diisocetyl Dodecanedioate, , Behenyl Alcohol, Polyglyceryl-3 Stearate, Carthamus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Laminaria Saccharina Extract, Spirulina Maxima Extract, , Saccharin , Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, , Aloe Barbadensis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Red 7 Lake, Blue 1 Lake

Questions?

Call toll free **800-480-4812** or **215-273-8755** (collect) or visit www.neutrogena.com

Distributed by:

JOHNSON & JOHNSON

CONSUMER INC.

Skillman, NJ 08558

Drug Facts

Active ingredients

Avobenzone (3%), Homosalate (10%), Octocrylene (10%)

Purpose

Sunscreen

Use

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions For Sunscreen Use

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Polybutene, Bis-Diglyceryl Polyacyladipate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Diisocetyl Dodecanedioate, Ricinus Communis (Castor) Seed Oil, Behenyl Alcohol, Polyglyceryl-3 Stearate, Carthamus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Laminaria Saccharina Extract, Spirulina Maxima Extract, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Saccharin, Aloe Barbadensis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Tin Oxide, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Mica, Titanium Dioxide, Iron Oxides, Red 7 Lake, Blue 1 Lake

Questions?

Call toll free **800-480-4812** or **215-273-8755** (collect) or visit www.neutrogena.com

Distributed by:

JOHNSON & JOHNSON

CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 10 g Tube Label, Shine 30

LIP

SOOTHER

MOISTURE SHINE

cooling hydragel

promotes hydration

for smooth lips


sunscreen

SPF 20

SHINE 30


Neutrogena®

NET WT. 0.35 OZ. (10G)



PRINCIPAL DISPLAY PANEL - 10 g Tube Label, Gleam 40

**LIP
SOOTHER
MOISTURE SHINE
cooling hydragel
promotes hydration
for smooth lips
sunscreen
SPF 20
GLEAM 40
Neutrogena®
NET WT. 0.35 OZ. (10G)**



PEEL FOR DRUG FACTS ▶



Drug Facts

Active ingredients
Avobenzone (3%), Homosalate (10%),
Octocrylene (10%)

Purpose Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only • Do not use • on damaged or broken skin • **When using this product** • keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor if** • rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

Directions For Sunscreen Use:
• apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information
• protect this product from excessive heat and direct sun • may stain some fabrics

Drug Facts (Continued)

Inactive ingredients
Polybutene, Bis-Diglyceryl Polyacrylate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Diisocetyl Dodecanediate, Ricinus Communis (Castor) Seed Oil, Behenyl Alcohol, Polyglyceryl-3 Stearate, Carthamus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Spirulina Maxima Extract, Laminaria Saccharina Extract, Saccharin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Aloe Barbadosis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Red 7 Lake, Blue 1 Lake

Questions? Call toll free 800-480-4812 or 215-273-8755 (collect) or visit www.neutrogena.com


Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558 © J&JCI 2023
Pat. www.jjciipats.com

8 56000 00898 0 3005495

GLEAM 40


PRINCIPAL DISPLAY PANEL - 10 g Tube Label, Glaze 60

**LIP
SOOTHER
MOISTURE SHINE
cooling hydragel
promotes hydration
for smooth lips
sunscreen
SPF 20
GLAZE 60
Neutrogena®
NET WT. 0.35 OZ. (10G)**



PRINCIPAL DISPLAY PANEL - 10 g Tube Label, Glow 70

**LIP
SOOTHER
MOISTURE SHINE
cooling hydragel
promotes hydration
for smooth lips
sunscreen
SPF 20
GLOW 70
Neutrogena®
NET WT. 0.35 OZ. (10G)**



PEEL FOR DRUG FACTS ▶



PEEL FOR DRUG FACTS ▶



Drug Facts

Active ingredients

Avobenzone (3%), Homosalate (10%), Octocrylene (10%)

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only • **Do not use** • on damaged or broken skin • **When using this product** • keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor if** • rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

Directions For Sunscreen Use:

• apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information

• protect this product from excessive heat and direct sun • may stain some fabrics

Drug Facts (Continued)

Inactive ingredients

Polybutene, Bis-Diglyceryl Polyacryladipate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Diisocetyl Dodecanedioate, Ricinus Communis (Castor) Seed Oil, Behenyl Alcohol, Polyglyceryl-3 Stearate, Carthamus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Laminaria Saccharina Extract, Spirulina Maxima Extract, Penterythryl Tetra-di-4-butyl Hydroxyhydrocinamate, Saccharin, Aloe Barbadensis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Tin Oxide, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Mica, Titanium Dioxide, Iron Oxides, Red 7 Lake, Blue 1 Lake

Questions? Call toll free 800-480-4812 or 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558 © J&JCI 2023
Pat. www.jjcpats.com



NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, SHINE 30

avobenzone, homosalate, octocrylene gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0849
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOCETYL DODECANEDIOATE (UNII: 1116DS0SNT)	
CASTOR OIL (UNII: D5340Y2I9G)	
POLYGLYCERYL-3 STEARATE (UNII: 8FDA8C98S3)	
TOCOPHEROL (UNII: ROZB2556P8)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	

FERROUS OXIDE (UNII: G7036X8B5H)
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)
DOCOSANOL (UNII: 9G1OE216XY)
SAFFLOWER OIL (UNII: 65UEH262IS)
MENTHOL (UNII: L7T10EIP3A)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
CHAMOMILE (UNII: FGL3685T2X)
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)
CUCUMBER (UNII: YY7C30VXJT)
SACCHARINA LATISSIMA (UNII: 68CMP2MB55)
SPIRULINA MAXIMA (UNII: 9K7IG15M0Q)
SACCHARIN (UNII: FST467XS7D)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
SOYBEAN OIL (UNII: 241ATL177A)
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0849-1	10 g in 1 TUBE; Type 0: Not a Combination Product	04/11/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/11/2024	

NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLOW 70

avobenzone, homosalate, octocrylene gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0852
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
STANNIC OXIDE (UNII: KM7N50LOS6)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOCETYL DODECANEDIOATE (UNII: 1116DS0SNT)	
CASTOR OIL (UNII: D5340Y2I9G)	
POLYGLYCERYL-3 STEARATE (UNII: 8FDA8C98S3)	
TOCOPHEROL (UNII: R0ZB2556P8)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
FERROUS OXIDE (UNII: G7036X8B5H)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
DOCOSANOL (UNII: 9G1OE216XY)	
SAFFLOWER OIL (UNII: 65UEH262IS)	
MENTHOL (UNII: L7T10EIP3A)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CHAMOMILE (UNII: FGL3685T2X)	
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)	
CUCUMBER (UNII: YY7C30VXJT)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
SACCHARINA LATISSIMA (UNII: 68CMP2MB55)	
SPIRULINA MAXIMA (UNII: 9K7IG15M0Q)	
SACCHARIN (UNII: FST467XS7D)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SOYBEAN OIL (UNII: 241ATL177A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0852-1	10 g in 1 TUBE; Type 0: Not a Combination Product	04/11/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/11/2024	

NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLEAM 40

avobenzone, homosalate, octocrylene gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0850
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOCETYL DODECANEDIOATE (UNII: 1116DS0SNT)	
CASTOR OIL (UNII: D5340Y2I9G)	
POLYGLYCERYL-3 STEARATE (UNII: 8FDA8C98S3)	
TOCOPHEROL (UNII: R0ZB2556P8)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
DOCOSANOL (UNII: 9G1OE216XY)	
SAFFLOWER OIL (UNII: 65UEH262IS)	
MENTHOL (UNII: L7T10EIP3A)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CHAMOMILE (UNII: FGL3685T2X)	
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)	
CUCUMBER (UNII: YY7C30VXJT)	
SACCHARINA LATISSIMA (UNII: 68CMP2MB55)	
SPIRULINA MAXIMA (UNII: 9K7IG15M0Q)	
SACCHARIN (UNII: FST467XS7D)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SOYBEAN OIL (UNII: 241ATL177A)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0850-1	10 g in 1 TUBE; Type 0: Not a Combination Product	04/11/2024	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	04/11/2024	

NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLAZE 60

avobenzone, homosalate, octocrylene gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0851
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOCETYL DODECANEDIOATE (UNII: 1116DS0SNT)	
CASTOR OIL (UNII: D5340Y2I9G)	
POLYGLYCERYL-3 STEARATE (UNII: 8FDA8C98S3)	
TOCOPHEROL (UNII: R0ZB2556P8)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
DOCOSANOL (UNII: 9G1OE216XY)	
SAFFLOWER OIL (UNII: 65UEH262IS)	
MENTHOL (UNII: L7T10EIP3A)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CHAMOMILE (UNII: FGL3685T2X)	
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)	
CUCUMBER (UNII: YY7C30VXJT)	
SACCHARINA LATISSIMA (UNII: 68CMP2MB55)	
SPIRULINA MAXIMA (UNII: 9K7IG15M0Q)	
SACCHARIN (UNII: FST467XS7D)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SOYBEAN OIL (UNII: 241ATL177A)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0851-1	10 g in 1 TUBE; Type 0: Not a Combination Product	04/11/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/11/2024	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 3/2024

Johnson & Johnson Consumer Inc.