

SINGISO- red ginseng tablet
Sae In Dang Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

ACTIVE INGREDIENTS

Red ginseng 15.63%

PURPOSE

Stimulant

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children

USES

To help the treatment and prevention of blood circulation, prostate, erectile dysfunction.

WARNING

If you take any serious medications or medical condition, consult your doctor.

DIRECTION

Take 1 tablet a day (after having dinner, before sleep)

INACTIVE INGREDIENT

Inactive Ingredient: Food material powders (Damiana extract powder, Soy protein isolate, Cordyceps gunnii fruiting body, Corni fructus powder, Lycii fructus powder, Astragalus membranaceus powder, Cynanchum root and rhizome, Gelatinized maca powder), Lactose (Galacto fructose) powder, L-Arginine, L-Lysine monohydrochloride, Silicon dioxide, Hydroxypropyl methylcellulose, Sucrose fatty acid ester, Zinc oxide, Magnesium stearate.

OTHER INFORMATION

- Keep product out of direct sunlight, high temperature and humidity.
- Store in a cool dry place.
- Any items past the expiration date or damaged in transit can be exchanged where you originally purchased the item

SPL UNCLASSIFIED SECTION

Do not exceed the recommended dosage.

To assure freshness and potency, store at room temperature 15 °C - 30 °C.

Store away from heat, light and moisture, if you are pregnant, nursing, taking any medication or have a medical condition, please consult your healthcare practitioner before taking any dietary supplement.

PACKAGING



SINGISO

red ginseng tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69720-1001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASIAN GINSENG (UNII: CUQ3A77YXI) (ASIAN GINSENG - UNII:CUQ3A77YXI)	ASIAN GINSENG	0.125 g in 0.8 g

Inactive Ingredients

Ingredient Name	Strength
CORNUS OFFICINALIS FRUIT (UNII: 23NL8NQ187)	
CORDYCEPS GUNNII FRUITING BODY (UNII: D11BQN236E)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
ASTRAGALUS PROPINQUUS ROOT (UNII: 922OP8YUPF)	
SOY PROTEIN (UNII: R44IWB3RN5)	
LYCIUM BARBARUM FRUIT (UNII: 930626MWDL)	
CYNANCHUM STAUNTONII ROOT (UNII: 2A4Y8J8BVJ)	
LEPIDIUM MEYENII WHOLE (UNII: 94866V8426)	

LACTOSE (UNII: J2B2A4N98G)	
LYSINE HYDROCHLORIDE (UNII: JNJ23Q2COM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
SUCROSE (UNII: C151H8M554)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TURNERA DIFFUSA LEAF (UNII: 812R0W1I3K)	

Product Characteristics

Color	brown	Score	score with uneven pieces
Shape	OVAL	Size	180mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69720-1001-1	30 g in 1 BOX; Type 0: Not a Combination Product	04/02/2015	



Drug Facts
Precautions: SINGISO (Silymarin/Phosphatidylserine) may have a mild sedative effect on some individuals. Avoid alcohol consumption while taking SINGISO. Tell your doctor if you are taking any other medications or medical conditions, consult your doctor.
Warnings: Tell your doctor if you are taking any other medications or medical conditions, consult your doctor.
Other Ingredients: SINGISO contains other ingredients that may cause allergic reactions or other adverse effects. See the full prescribing information for a complete list of ingredients.
Keep out of reach of children. Store at room temperature (20° to 25°C) (68° to 77°F). Excursions permitted to 15° to 30°C (59° to 86°F). See USP Controlled Room Temperature. Protect from light and moisture. See USP Controlled Room Temperature. Excursions permitted to 15° to 30°C (59° to 86°F). See USP Controlled Room Temperature. Excursions permitted to 15° to 30°C (59° to 86°F). See USP Controlled Room Temperature. Excursions permitted to 15° to 30°C (59° to 86°F).
CAUTION:
 Do not exceed the recommended dosage.
 To ensure effectiveness and potency, store at room temperature (20° to 25°C).
 Store away from heat, light and moisture, if you are pregnant, nursing, taking any medication or have a medical condition, please consult your healthcare practitioner before taking any dietary supplement.

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/01/2015	

Labeler - Sae In Dang Co., Ltd. (689513142)

Registrant - Sae In Dang Co., Ltd. (689513142)

Establishment

Name	Address	ID/FEI	Business Operations
Orye Life Science Co., Ltd.		688546629	manufacture(69720-1001)

Establishment

Name	Address	ID/FEI	Business Operations
Saindang Co. Ltd.		689513142	manufacture(69720-1001)

Revised: 4/2015

Sae In Dang Co., Ltd.