# EXCEDRIN TENSION HEADACHE- acetaminophen, caffeine tablet, film coated Haleon US Holdings LLC

-----

## **Drug Facts**

## Active ingredients (in each caplet)

Acetaminophen 500 mg

Caffeine 65 mg

#### Purposes

Pain reliever

Pain reliever aid

#### Uses

- temporarily relieves minor aches and pain due to:
- headache
- muscular aches

## Warnings

# Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

#### Caffeine warning:

The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat.

## Do not use

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

## Ask a doctor before use if

• you have liver disease

## Ask a doctor or pharmacist before use if you are

• taking the blood thinning drug warfarin

## Stop use and ask a doctor if

- any new symptoms occur
- painful area is red or swollen
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

These could be signs of a serious condition.

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## Directions

- do not use more than directed
- adults and children 12 years and over: take 2 caplets every 6 hours; not more than 6 caplets in 24 hours
- children under 12 years: ask a doctor

## Other information

- store at 20°-25°C (68°-77°F)
- close cap tightly after use
- read all product information before using. Keep this box for important information.

## Inactive ingredients

benzoic acid, D&C red no. 27 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C yellow no. 6 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

## **Questions or comments?**

1-800-468-7746

# **Principal Display Panel**

EXCEDRIN

## **TENSION HEADACHE**

ASPIRIN-FREE

## Acetaminophen 500 mg, Caffeine 65 mg

Pain Reliever / Pain Reliever Aid

ACTUAL SIZE

## 24 CAPLETS

## TAMPER-EVIDENT BOTTLE

# DO NOT USE IF INNER SAFETY SEAL UNDER CAP IMPRINTED WITH "SEALED for YOUR PROTECTION" IS BROKEN OR MISSING

Distributed by: Haleon, Warren, NJ 07059

 $\ensuremath{\mathbb{C}}$  2023 Haleon or licensor. Trademarks are owned by or licensed to the Haleon group of companies. 6200000201976

ESPIRIN-FREE Acetaminophen 5 Pain Reliever / Po	N HEAD	<b>ACHE</b> e 65 mg		4	ALEON CTUAL SIZE
EXCEDRIN TENSION					
acetaminophen, caffeine tabl	et, film coated				
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (So	urce)	NDC:006	7-8139
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
Ingr	edient Name		<b>Basis of Strength</b>		Strength
ACETAMINOPHEN (UNII: 36209ITI	INOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)		ACETAMINOPHEN		500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)		)	CAFFEINE		65 mg
Inactive Ingredients					
mactive myrealents	Ingredient Name			-	trength
BENZOIC ACID (UNII: 85KN0B0MI	Ingredient Name			3	uengui
D&C RED NO. 27 ALUMINUM LA					
FD&C BLUE NO. 2 (UNII: L06K8R7					
FD&C YELLOW NO. 6 (UNII: H77)					
MAGNESIUM STEARATE (UNII: 70					
MICROCRYSTALLINE CELLULOS					
POLYETHYLENE GLYCOL, UNSP		A)			
POLYVINYL ALCOHOL, UNSPECI					
POVIDONE, UNSPECIFIED (UNII)	-				

POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)

	TARCH, CORN (UN		-				
	FEARIC ACID (UNI						
	TANIUM DIOXIDE		X9V2JP)				
T/	ALC (UNII: 7SEV7J4	R1U)					
Ρ	roduct Chara	cteristi	s				
Color		RED				no score	
Shape		OVAL	. ((Caplet))	Size		17mm	
Flavor				Imprint Code		ETH	
Contains							
P	ackaging						
#	ltem Code		Package Description		Marketing Start Date	Marketing End Date	
1	NDC:0067-8139- 01	1 in 1 CAR	n 1 CARTON		12/15/2016		
1		24 in 1 BO Product	4 in 1 BOTTLE; Type 0: Not a Combination roduct				
			in 1 CARTON				
2	NDC:0067-8139- 02	1 in 1 CAR	ΤΟΝ		12/15/2016		
2 2			TON OTTLE; Type 0: Not a Comb		12/15/2016		
		100 in 1 B			12/15/2016		
		100 in 1 B			12/15/2016		
2		100 in 1 B Product	OTTLE; Type 0: Not a Comb		12/15/2016		
2	02	100 in 1 B Product	OTTLE; Type 0: Not a Comb	ination	12/15/2016 Marketing Start Date	Marketing End Date	

Labeler - Haleon US Holdings LLC (079944263)

Revised: 3/2024

Haleon US Holdings LLC