

## **ASPEN SODIUM SALICYLATE 60% WITH CAFFEINE 5.7%- sodium salicylate with caffeine liquid**

**Aspen Veterinary Resources, Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

### **Aspen Sodium Salicylate 60% with Caffeine 5.7%**

#### **INDICATIONS**

For use in the drinking water of poultry and swine as an aid in reducing pain, fever and inflammation.

#### **WARNINGS**

Not for use in lactating dairy cattle. A withdrawal period of 24 hours is recommended in meat. Not for human use. Keep container tightly closed. Keep out of reach of children. Store at room temperature.

#### **DIRECTIONS FOR USE**

Mix the following amounts of Sodium Salicylate into the drinking water daily as analgesic/antipyretic or anti-inflammatory for:

Growing swine - ages wean to market

Growing Chickens - ages 0-15 weeks

Growing turkeys - ages 0-24 weeks

#### **Analgesic and Antipyretic:**

Mix 0.6 ounces of Sodium Salicylate per 1000 lb bodyweight (42 mL per 1000 kg) into the drinking water daily to provide the target dose of 25 mg sodium salicylate per kg bodyweight.

#### **Anti-inflammatory / Anti-prostaglandin Effect:**

**First day** - Mix 1.2 ounces of Sodium Salicylate per 1000 lb bodyweight (84 mL per 1000 kg) into the drinking water daily to provide the target dose of 50 mg sodium salicylate per kg bodyweight.


**Following days** - Mix 0.7 ounces of Sodium Salicylate per 1000 lb bodyweight (50 mL per 1000 kg) into the drinking water daily to provide the target dose of 30 mg sodium salicylate per kg bodyweight.

**Prepare fresh solutions daily. Repeat as necessary.**


NDC 46066-187-93

**INDICATIONS**  
For use in the drinking water of poultry and swine as an aid in reducing pain, fever and inflammation.

**WARNINGS**  
Not for use in lactating dairy cattle. A withdrawal period of 24 hours is recommended in meat. Not for human use. Keep container tightly closed. Keep out of reach of children. Store at room temperature.



**Sodium Salicylate 60% w/v**  
**with Caffeine 5.7% w/v**  
**Liquid Sodium Salicylate for Drinking Water Solutions**



**ANALGESIC, ANTIPYRETIC, AND ANTI-INFLAMMATORY**

For Animal Use Only  
Keep Out of Reach of Children

**ACTIVE INGREDIENT**  
Sodium Salicylate - 600,000 milligrams/liter (17,740 mg per oz).  
Caffeine - 5.7% w/v


**CONTENTS**  
White willow (Salix alba bark extract), disodium phosphate, monopotassium phosphate, and water.

**DIRECTIONS FOR USE**  
Mix the following amounts of Sodium Salicylate into the drinking water daily as analgesic/antipyretic or anti-inflammatory for:  
Growing swine - ages wean to market  
Growing chickens - ages 0-15 weeks  
Growing turkeys - ages 0-24 weeks


**Analgesic and Antipyretic:**  
Mix 0.6 ounces of Sodium Salicylate per 1000 lb bodyweight (42 mL per 1000 kg) into the drinking water daily to provide the target dose of 25 mg sodium salicylate per kg bodyweight.

**Anti-inflammatory / Anti-prostaglandin Effect:**  
First day - Mix 1.2 ounces of Sodium Salicylate per 1000 lb bodyweight (84 mL per 1000 kg) into the drinking water daily to provide the target dose of 50 mg sodium salicylate per kg bodyweight. **Following days** - Mix 0.7 ounces of Sodium Salicylate per 1000 lb bodyweight (50 mL per 1000 kg) into the drinking water daily to provide the target dose of 30 mg sodium salicylate per kg bodyweight.

**Prepare fresh solutions daily. Repeat as necessary.**



0 99355 03940 7



Manufactured for:  
Aspen Veterinary Resources®, LTD.  
Liberty, MO 64068  
www.aspenveterinaryresources.com  
A0140, BR Rev. 11/23

LOT NO:                      EXP. DATE:

**NET CONTENTS:**  
**1 Gallon (3.79 L)**

Add image transcription here...

## ASPEN SODIUM SALICYLATE 60% WITH CAFFEINE 5.7%

sodium salicylate with caffeine liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:46066-187
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM SALICYLATE</b> (UNII: WQ1H85SYP) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SODIUM SALICYLATE	600 g in 1 L
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	57 g in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-187-93	3.79 L in 1 JUG		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/29/2023	

Revised: 12/2023

Aspen Veterinary Resources, Ltd.