

**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - SHELL-  
titanium dioxide, zinc oxide lotion**  
**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - CREAM-  
titanium dioxide, zinc oxide lotion**  
**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - BEIGE-  
titanium dioxide, zinc oxide lotion**  
**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - SAND-  
titanium dioxide, zinc oxide lotion**  
**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - GOLDEN-  
titanium dioxide, zinc oxide lotion**  
**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - HONEY-  
titanium dioxide, zinc oxide lotion**  
**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - ALMOND-  
titanium dioxide, zinc oxide lotion**  
**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 -  
CARAMEL- titanium dioxide, zinc oxide lotion**  
**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 -  
ESPRESSO- titanium dioxide, zinc oxide lotion**  
**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - TRUFFLE-  
titanium dioxide, zinc oxide lotion**  
**Rodan & Fields**

-----

## **Drug Facts**

### **Active Ingredients**

Titanium Dioxide 3.44%

Zinc Oxide 4.0%

### **Purpose**

Sunscreen

### **Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only**

### **Do not use**

- On damaged or broken skin.

### **When using this product**

- Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.

- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.–2 p.m.
- Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months: Ask a doctor.

### **Other Information**

Protect this product from excessive heat and direct sun.

### **Inactive Ingredients**

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprates, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Crosspolymer, Polysilicone-11, PEG/ PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide- 16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Distearidimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl Dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxyethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

### **Questions**

1-888-995-5656

**Principal Display Panel - 50 mL Cream Box Label**

**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Cream/1.5

DERDS01 8500-09-0013



### Drug Facts

#### Active Ingredients

Titanium Dioxide 3.44%  
Zinc Oxide 4.0%

#### Purpose

Sunscreen

#### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

##### For external use only

##### Do not use

- On damaged or broken skin.

##### When using this product

- Keep out of eyes. Rinse with water to remove.

##### Stop use and ask a doctor if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses.
  - Children under 6 months: Ask a doctor. ▶

### Drug Facts (continued)

#### Other Information

Protect this product from excessive heat and direct sun.

#### Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Disteardimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

**Questions** 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

### RADIANT DEFENSE

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0011) 0A

**Cream / 1.5**

DERDS01 8500-09-0013



**Principal Display Panel - 50 mL Cream Bottle Label**


**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Cream/1.5

DERDS01 8500-09-0013



**RODAN+FIELDS**

**RADIANT DEFENSE**

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

**Cream / 1.5**

DERDS01 8500-09-0013

**ACTIVE INGREDIENTS:**

Titanium Dioxide 3.44%,  
Zinc Oxide 4% – Sunscreens

**DIRECTIONS:** Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

**WARNINGS:** For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0009) 0A

**QUESTIONS**

1-888-995-5656  
rodanandfields.com

**50 mL / 1.69 Fl. Oz.**



**Principal Display Panel - 50 mL Shell Box Label**

**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Shell/1

DERDS01 8500-09-0001

R+F

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 3.44% Zinc Oxide 4.0%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use**

- On damaged or broken skin.

**When using this product**

- Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**  
rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses.
  - Children under 6 months: Ask a doctor. ▶

**Drug Facts (continued)**

**Other Information**

Protect this product from excessive heat and direct sun.

**Inactive Ingredients**

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Disteardimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

**Questions** 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

**RADIANT DEFENSE**

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0011) 0A

Shell / 1

DERDS01 8500-09-0001





**Principal Display Panel - 50 mL Shell Bottle Label**


**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Shell/1

DERDS01 8500-09-0001



**Principal Display Panel - 50 mL Beige Box Label**

**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Beige/2

DERDS01 8500-09-0002

R+F

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 3.44% Zinc Oxide 4.0%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only

**Do not use**

- On damaged or broken skin.

**When using this product**

- Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses.
  - Children under 6 months: Ask a doctor. ▶

**Drug Facts (continued)**

**Other Information**

Protect this product from excessive heat and direct sun.

**Inactive Ingredients**

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Disteardimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

**Questions** 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30


50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0011) 0A

Beige / 2

DERD01 8500-09-0002



**Principal Display Panel - 50 mL Beige Bottle Label**


**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Beige/2

DERDS01 8500-09-0002



**RODAN+FIELDS**

**RADIANT DEFENSE**

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

**Beige / 2**

DERDS01 8500-09-0002

**ACTIVE INGREDIENTS:**

Titanium Dioxide 3.44%,  
Zinc Oxide 4% – Sunscreens

**DIRECTIONS:** Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

**WARNINGS:** For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0009) 0A

**QUESTIONS**

1-888-995-5656  
rodanandfields.com

**50 mL / 1.69 Fl. Oz.**



**Principal Display Panel - 50 mL Sand Box Label**

**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Sand/3

DERDS01 8500-09-0003

R+F

**Drug Facts**

**Active Ingredients**

Titanium Dioxide 3.44%  
Zinc Oxide 4.0%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use**

- On damaged or broken skin.

**When using this product**

- Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses.
  - Children under 6 months: Ask a doctor. ▶

**Drug Facts (continued)**

**Other Information**

Protect this product from excessive heat and direct sun.

**Inactive Ingredients**

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Disteardimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxyethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

**Questions** 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

**RADIANT DEFENSE**

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.


rodanandfields.com

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0011) 0A

Sand / 3

DERDS01 8500-09-0003





**Principal Display Panel - 50 mL Sand Bottle Label**


**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Sand/3

DERDS01 8500-09-0003



**RODAN+FIELDS**

**RADIANT DEFENSE**

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

**Sand / 3**

DERDS01 8500-09-0003

**ACTIVE INGREDIENTS:**

Titanium Dioxide 3.44%,  
Zinc Oxide 4% – Sunscreens

**DIRECTIONS:** Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

**WARNINGS:** For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0009) 0A

**QUESTIONS**

1-888-995-5656  
rodanandfields.com

**50 mL / 1.69 Fl. Oz.**



**Principal Display Panel - 50 mL Honey Box Label**

**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Honey/4.5

DERDS01 8500-09-0014

R+F

**Drug Facts**

**Active Ingredients**

Titanium Dioxide 3.44%  
Zinc Oxide 4.0%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use**

- On damaged or broken skin.

**When using this product**

- Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if rash occurs.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses.
  - Children under 6 months: Ask a doctor. ▶

**Drug Facts (continued)**

**Other Information**

Protect this product from excessive heat and direct sun.

**Inactive Ingredients**

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Distearidimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

**Questions** 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

**RADIANT DEFENSE**

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0011) 0A

**Honey / 4.5**

DERDS01 8500-09-0014



**Principal Display Panel - 50 mL Honey Bottle Label**


**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Honey/4.5

DERDS01 8500-09-0014



**RODAN+FIELDS**

**RADIANT DEFENSE**

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

**Honey / 4.5**

DERDS01 8500-09-0014

**ACTIVE INGREDIENTS:**

Titanium Dioxide 3.44%,  
Zinc Oxide 4% – Sunscreens

**DIRECTIONS:** Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

**WARNINGS:** For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0009) 0A

**QUESTIONS**

1-888-995-5656  
rodanandfields.com

**50 mL / 1.69 Fl. Oz.**



**Principal Display Panel - 50 mL Golden Box Label**

**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Golden/4

DERDS01 8500-09-0004



### Drug Facts

#### Active Ingredients

Titanium Dioxide 3.44%  
Zinc Oxide 4.0%

#### Purpose

Sunscreen

#### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

##### For external use only

##### Do not use

- On damaged or broken skin.

##### When using this product

- Keep out of eyes. Rinse with water to remove.

##### Stop use and ask a doctor if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses.
  - Children under 6 months: Ask a doctor. ▶

### Drug Facts (continued)

#### Other Information

Protect this product from excessive heat and direct sun.

#### Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Distearidimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

**Questions** 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

### RADIANT DEFENSE

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0011) 0A

Golden / 4

DERD501 8500-09-0004





**Principal Display Panel - 50 mL Golden Bottle Label**


**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Golden/4

DERDS01 8500-09-000



**RODAN+FIELDS**

**RADIANT DEFENSE**

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

**Golden / 4**

DERDS01 8500-09-0004

**ACTIVE INGREDIENTS:**

Titanium Dioxide 3.44%,  
Zinc Oxide 4% – Sunscreens

**DIRECTIONS:** Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

**WARNINGS:** For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0009) 0A

**QUESTIONS**

1-888-995-5656  
rodanandfields.com

**50 mL / 1.69 Fl. Oz.**



**Principal Display Panel - 50 mL Almond Box Label**

**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Almond/5

DERDS01 8500-09-0004



### Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 3.44% Zinc Oxide 4.0%	Sunscreen

### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

#### For external use only

#### Do not use

- On damaged or broken skin.

#### When using this product

- Keep out of eyes. Rinse with water to remove.

#### Stop use and ask a doctor if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses.
  - Children under 6 months: Ask a doctor. ▶

### Drug Facts (continued)

#### Other Information

Protect this product from excessive heat and direct sun.

#### Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/-Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Distearidimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxyethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

#### Questions 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

### RADIANT DEFENSE

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30


50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0011) 0A

Almond / 5

DERDS01 8500-09-0005



**Principal Display Panel - 50 mL Golden Bottle Label**


**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Almond/5

DERDS01 8500-09-0005



**Principal Display Panel - 50 mL Caramel Box Label**

**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Caramel/5.5

DERDS01 8500-09-0015



**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 3.44% Zinc Oxide 4.0%	} Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use**

- On damaged or broken skin.

**When using this product**

- Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**  
rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses.
  - Children under 6 months: Ask a doctor. ▶

**Drug Facts (continued)**

**Other Information**

Protect this product from excessive heat and direct sun.

**Inactive Ingredients**

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Distearidimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

**Questions** 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

**RADIANT DEFENSE**

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0011) 0A

**Caramel / 5.5**

DERDS01 8500-09-0015





**Principal Display Panel - 50 mL Caramel Label**


**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Caramel/5.5

DERDS01 8500-09-0015



**Principal Display Panel - 50 mL Espresso Box Label**

**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Espresso/6

DERDS01 8500-09-0006



### Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 3.44% Zinc Oxide 4.0%	Sunscreen

### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

#### For external use only

#### Do not use

- On damaged or broken skin.

#### When using this product

- Keep out of eyes. Rinse with water to remove.

#### Stop use and ask a doctor if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses.
  - Children under 6 months: Ask a doctor. ▶

### Drug Facts (continued)

#### Other Information

Protect this product from excessive heat and direct sun.

#### Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/-Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Disteardimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

**Questions** 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

### RADIANT DEFENSE

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0011) 0A

Espresso / 6

DERDS01 8500-09-0006



**Principal Display Panel - 50 mL Espresso Label**


**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Espresso/6

DERDS01 8500-09-0006



**Principal Display Panel - 50 mL Truffle Box Label**

**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Truffle/7

DERDS01 8500-09-0007

R|+|F

**Drug Facts**

**Active Ingredients**

Titanium Dioxide 3.44%  
Zinc Oxide 4.0%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use**

- On damaged or broken skin.

**When using this product**

- Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if rash occurs.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses.
  - Children under 6 months: Ask a doctor.

**Drug Facts (continued)**

**Other Information**

Protect this product from excessive heat and direct sun.

**Inactive Ingredients**

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/-Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Camosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Distearidimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

**Questions** 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

**RADIANT DEFENSE**

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0011) 0A

**Truffle / 7**

DERDS01 8500-09-0007





**Principal Display Panel - 50 mL Truffle Label**


**RODAN+FIELDS**

RADIANT DEFENSE  
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Truffle/7

DERDS01 8500-09-0007



**RODAN+FIELDS**

**RADIANT DEFENSE**

PERFECTING LIQUID  
BROAD SPECTRUM SPF 30

**Truffle / 7**

DERDS01 8500-09-0007

**ACTIVE INGREDIENTS:**

Titanium Dioxide 3.44%,  
Zinc Oxide 4% – Sunscreens

**DIRECTIONS:** Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

**WARNINGS:** For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC  
San Francisco, CA 94105  
(6000-09-0009) 0A

**QUESTIONS**

1-888-995-5656  
rodanandfields.com

**50 mL / 1.69 Fl. Oz.**



**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - SHELL**

titanium dioxide, zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14222-2030
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)	
<b>BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE</b> (UNII: 7D4Q5YJ8NV)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ECTOINE</b> (UNII: 7GXZ3858RY)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)	
<b>OLIGOPEPTIDE-10</b> (UNII: Q46328TRNK)	
<b>RICE BRAN</b> (UNII: R60QEP13IC)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	

<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)	
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2030-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/10/2020	

## **RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - CREAM**

titanium dioxide, zinc oxide lotion

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14222-2031
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

<b>Inactive Ingredients</b>	
Ingredient Name	Strength
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)	
<b>BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE</b> (UNII: 7D4Q5YJ8NV)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	

<b>CARNOSINE</b> (UNII: 8HO6PVN24W)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>ECTOINE</b> (UNII: 7GXZ3858RY)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>HONEY</b> (UNII: Y9H1V576FH)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)
<b>OLIGOPEPTIDE-10</b> (UNII: Q46328TRNK)
<b>RICE BRAN</b> (UNII: R60QEP13IC)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)
<b>WATER</b> (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2031-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/10/2020	

**RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - BEIGE**

titanium dioxide, zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14222-2032
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)	
<b>BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE</b> (UNII: 7D4Q5YJ8NV)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ECTOINE</b> (UNII: 7GXZ3858RY)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)	
<b>OLIGOPEPTIDE-10</b> (UNII: Q46328TRNK)	
<b>RICE BRAN</b> (UNII: R60QEP13IC)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	

<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2032-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/10/2020	

## RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - SAND

titanium dioxide, zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14222-2033
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)	
<b>BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE</b> (UNII: 7D4Q5YJ8NV)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	

<b>SHEA BUTTER</b> (UNII: K49155WL9Y)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>ECTOINE</b> (UNII: 7GXZ3858RY)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>HONEY</b> (UNII: Y9H1V576FH)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)
<b>OLIGOPEPTIDE-10</b> (UNII: Q46328TRNK)
<b>RICE BRAN</b> (UNII: R60QEP13IC)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)
<b>WATER</b> (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2033-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/10/2020	



# RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - GOLDEN

titanium dioxide, zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14222-2034
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)	
<b>BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE</b> (UNII: 7D4Q5YJ8NV)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ECTOINE</b> (UNII: 7GXZ3858RY)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)	
<b>OLIGOPEPTIDE-10</b> (UNII: Q46328TRNK)	
<b>RICE BRAN</b> (UNII: R60QEP13IC)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)
<b>WATER</b> (UNII: 059QF0K00R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2034-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/10/2020	

## RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - HONEY

titanium dioxide, zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14222-2035
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)
<b>BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE</b> (UNII: 7D4Q5YJ8NV)
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>ECTOINE</b> (UNII: 7GXZ3858RY)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>HONEY</b> (UNII: Y9H1V576FH)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)
<b>OLIGOPEPTIDE-10</b> (UNII: Q46328TRNK)
<b>RICE BRAN</b> (UNII: R60QEP13IC)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>PHENYL TRIMETHICONE</b> (UNII: DROK5NOJ4R)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)
<b>WATER</b> (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2035-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/10/2020	

## RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - ALMOND

titanium dioxide, zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2036
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)	
<b>BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE</b> (UNII: 7D4Q5YJ8NV)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ECTOINE</b> (UNII: 7GXZ3858RY)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KB1I)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	

<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)
<b>OLIGOPEPTIDE-10</b> (UNII: Q46328TRNK)
<b>RICE BRAN</b> (UNII: R60QEP13IC)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>PHENYL TRIMETHICONE</b> (UNII: DROK5NOJ4R)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)
<b>WATER</b> (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2036-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/10/2020	

## RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - CARAMEL

titanium dioxide, zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14222-2037
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)	
<b>BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE</b> (UNII: 7D4Q5YJ8NV)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ECTOINE</b> (UNII: 7GXZ3858RY)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)	
<b>OLIGOPEPTIDE-10</b> (UNII: Q46328TRNK)	
<b>RICE BRAN</b> (UNII: R60QEP13IC)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2037-1	1 in 1 CARTON	03/10/2020	

1	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	
---	--	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/10/2020	

## RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - ESPRESSO

titanium dioxide, zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2038
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)	
<b>BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE</b> (UNII: 7D4Q5YJ8NV)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ECTOINE</b> (UNII: 7GXZ3858RY)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>HONEY</b> (UNII: Y9H1V576FH)	

<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)
<b>OLIGOPEPTIDE-10</b> (UNII: Q46328TRNK)
<b>RICE BRAN</b> (UNII: R60QEP13IC)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)
<b>WATER</b> (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2038-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/10/2020	

## RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - TRUFFLE

titanium dioxide, zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14222-2039
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------



<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)	
<b>BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE</b> (UNII: 7D4Q5YJ8NV)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CARNOSINE</b> (UNII: 8HO6PVN24W)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ECTOINE</b> (UNII: 7GXZ3858RY)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>ISOPROPYL TITANIUM TRIISOSTEARATE</b> (UNII: 949E3KBJ1I)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)	
<b>OLIGOPEPTIDE-10</b> (UNII: Q46328TRNK)	
<b>RICE BRAN</b> (UNII: R60QEP13IC)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2039-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/10/2020	

**Labeler** - Rodan & Fields (051659584)

Revised: 12/2023

Rodan & Fields