CHILDRENS LORATADINE- loratadine solution Taro Pharmaceuticals U.S.A., Inc.

Children's Loratadine

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if carton is opened, or if imprinted safety seal is broken or missing
- see bottom panel for expiration date
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

artificial grape flavor, citric acid monohydrate, glycerin, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sucrose

Questions?

Call 1-866-923-4914

Distributed by:

Taro Pharmaceuticals U.S.A., Inc.

Hawthorne, NY 10532

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

NDC xxxxx-xxxx-x

Compare to the active ingredient in Children's Claritin®*

GRAPE FLAVOR

Original

Prescription Strength

Ages two years and older

Children's

Loratadine

Syrup

(Loratadine

Oral Solution)

5 mg/5 mL

Antihistamine

Grape Flavored Syrup

24 Hour Non-Drowsy[†] Allergy Relief

Indoor &

Outdoor

Allergies

Relief of:

Sneezing; Runny Nose, Itchy, Watery Eyes, Itchy Throat or Nose

4 FL OZ (120 mL)

[†] When taken as directed. See Drug Facts Panel.



CHILDRENS LORATADINE

loratadine solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51672-2085
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Loratadine (UNII: 7AJO3BO7QN) (Loratadine - UNII:7AJO3BO7QN)	Loratadine	5 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
citric acid monohydrate (UNII: 2968 PHW8 QP)			
glycerin (UNII: PDC6A3C0OX)			
propylene glycol (UNII: 6DC9Q167V3)			
water (UNII: 059QF0KO0R)			
sodium benzoate (UNII: OJ245FE5EU)			
sodium metabisulfite (UNII: 4VON5FNS3C)			
sucrose (UNII: C151H8M554)			

Product Characteristics			
Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:51672-2085-8	1 in 1 CARTON	08/20/2004		
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:51672-2085-4	1 in 1 CARTON	08/20/2004		
2		60 mL in 1 BOTTLE; Type 0: Not a Combination Product			
3	NDC:51672-2085-5	1 in 1 CARTON	08/20/2004		
3		180 mL in 1 BOTTLE; Type 0: Not a Combination Product			
4	NDC:51672-2085-1	1 in 1 CARTON	08/20/2004		
4		240 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	08/20/2004	

Labeler - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment				
Name	Address	ID/FEI	Business Operations	
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(51672-2085)	