

**5% MINOXIDIL HAIR GROWTH- minoxidil 5% solution**  
**Qingdao Kuajie Online Electronic Technology Co., Ltd**

-----

**ACTIVE INGREDIENT**

MINOXIDIL 5%

**PURPOSE**

Hair Growth

**HOW TO USE**

Apply 1 ML(few drops)directly onto scalp on the hair loss area.

Use fingertips to massage solution into skin/hair for 2-3 minutes or use a roller to roll 4-5 times.

Allow time for hair to fully absorb Growth Oil, don't apply anything to your hair for a few hours.

**WARNINGS**

For external use only. For use by men only.

Flammable : Keep away from fire or flame.

Keep out of reach of children.

**STOP USE AND ASK A DOCTOR IF**

Chest pain, rapid heartbeat, faintness, or dizziness occurs

Sudden, unexplained weight gain occurs

Your hands or feet swell

Scalp irritation or redness occurs

Unwanted facial hair growth occurs

You do not see hair regrowth in 4 months

**DO NOT USE IF**

your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline.

you have no family history of hair loss.

your hair loss is sudden and/or patchy.

you do not know the reason for your hair loss.

you are under 18 years of age. Do not use on babies and children.

your scalp is red, inflamed, infected, irritated, or painful.

you use other medicines on the scalp.

Ask a doctor before use if you have heart disease.

May be harmful if used when pregnant or breast-feeding.

## **WHEN USING THIS PRODUCT**

Do not apply on other parts of the body.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. Results may occur at 2 months with twice a day usage.

For some men, you may need to use this product for at least 4 months before you see results.

The amount of hair regrowth is different for each person.

This product will not work for all men.

## **STORAGE**

Store in a dark, cool place.

Store at controlled room temperature 59°F-77°F(15°C-25°C).

Keep out of direct sunlight.

Keep the cap on tightly when not in use.

## **KEEP OUT OF REACH OF CHILDREN**

Flammable : Keep away from fire or flame.

Keep out of reach of children.

## **DOSAGE**

Apply 1 ML(few drops)directly onto scalp on the hair loss area.

Use fingertips to massage solution into skin/hair for 2-3 minutes or use a roller to roll 4-5 times.

Allow time for hair to fully absorb Growth Oil, don't apply anything to your hair for a few hours.

## **INACTIVE INGREDIENT**

WATER 81%

ZINGIBERENSIS SAPONIN I 0.6%

PANAX GINSENG ROOT OIL 0.6%

BIOTIN 1%

ROSMARINUS OFFICINALIS FLOWERING TOP OIL 0.5%

VITAMIN D5 0.1%

1.2-BUTANEDIOL 5%

ARGAN OIL 0.6%

GLYCERIN 5%

HYALURONIC ACID 0.1%

PHENOXYETHANOL 0.5%


ChicSX

# MINOXIDIL HAIR GROWTH

TOPICAL SOLUTION FOR HAIR AND BEARD GROWTH

**5% MINOXIDIL WITH BIOTIN**





Stimulate Hair Beard Growth



Grow Thicker-looking Hair



Revitalize Hair Follicles



Reduces Hair Loss

60ml/2fl.oz

**WHEN USING THIS PRODUCT:**

- Do not apply on other parts of the body.
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture.
- It takes time to regrow hair. Results may occur at 2 months with twice a day usage.
- For some men, you may need to use this product for at least 4 months before you see results.
- The amount of hair regrowth is different for each person.
- This product will not work for all men.

**STOP USE AND ASK A DOCTOR IF:**

- Chest pain, rapid heartbeat, faintness, or dizziness occurs.
- Sudden, unexplained weight gain occurs.
- Your hands or feet swell.
- Scalp irritation or redness occurs.
- Unwanted facial hair growth occurs.
- You do not see hair regrowth in 4 months.

**HOW TO USE**

1. Apply 1 mL (few drops) directly onto scalp on the hair loss area.
2. Use fingertips to massage solution into skin/hair for 2-3 minutes or use a roller to roll 4-5 times.
3. Allow time for hair to fully absorb Growth Oil, don't apply anything to your hair for a few hours.

**MINOXIDIL HAIR GROWTH**

**5% MINOXIDIL WITH BIOTIN**

**INGREDIENTS:**

Aqua, Glycerin, Minoxidil, Butanediol, Biotin, Zingiber Officinale(Ginger), Argan Oil, Panax Ginseng Extract, Rosmarinus Officinalis(Rosemary) Leaf Oil, Phenoxyethanol, Hyaluronic Acid, Vitamin B5.

**WARNINGS:**

For external use only. For use by men only. Flammable - Keep away from fire or flame. Keep out of reach of children.

**DO NOT USE IF:**

- Your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss.
- Your hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- You use other medicines on the scalp.
- Ask a doctor before use if you have heart disease.
- May be harmful if used when pregnant or breast-feeding.

**STORAGE:**

Store in a dark, cool place. Store at controlled room temperature 59°F-77°F(15°C-25°C). Keep out of direct sunlight. Keep the cap on tightly when not in use.

**SHELF LIFE:**

3 Years

**MADE IN CHINA**

**MANUFACTURER:**  
QINGDAO HUARIE ONLINE ELECTRONIC TECHNOLOGY CO., LTD  
ADDRESS:  
201, UNIT 3, BUILDING 10, NO. 689 QINGWEI ROAD, CHENGYANG DISTRICT, QINGDAO, SHANDONG, CHINA

## 5% MINOXIDIL HAIR GROWTH

minoxidil 5% solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84033-002
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>PANAX GINSENG ROOT OIL</b> (UNII: P9T4K47OM0)	0.6 g in 100 mL
<b>ARGAN OIL</b> (UNII: 4V59G5UW9X)	0.6 g in 100 mL
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	0.1 g in 100 mL
<b>BIOTIN</b> (UNII: 6SO6U10H04)	1 g in 100 mL
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	0.5 g in 100 mL
<b>ROSMARINUS OFFICINALIS FLOWERING TOP OIL</b> (UNII: OXN0D3N28L)	0.5 g in 100 mL
<b>VITAMIN D5</b> (UNII: 0W2I161LCL)	0.1 g in 100 mL
<b>ZINGIBERENSIS SAPONIN I</b> (UNII: N7TJ111YCJ)	0.6 g in 100 mL
<b>1,2-BUTANEDIOL</b> (UNII: RUN0H01QEU)	5 g in 100 mL
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	5 g in 100 mL
<b>WATER</b> (UNII: 059QF0KO0R)	81 mL in 100 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84033-002-01	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/06/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076239	03/06/2024	

**Labeler** - Qingdao Kuajie Online Electronic Technology Co., Ltd (974662026)

### Establishment

Name	Address	ID/FEI	Business Operations
Qingdao Kuajie Online Electronic Technology Co., Ltd		974662026	label(84033-002) , manufacture(84033-002)

Revised: 3/2024

Qingdao Kuajie Online Electronic Technology Co., Ltd