

**EXDEPLOY 5% MINOXIDIL TOPICAL GEL- minoxidil gel**  
**Guangzhou Ruijiu Electronic Technology Co., Ltd.**

-----  
**EXDEPLOY 5% MINOXIDIL TOPICAL GEL**

EXDEPLOY 5% MINOXIDIL TOPICAL GEL

Minoxidil 5%

Hair regrowth treatment

to regrow hair on the scalp

For external use only.

Your amount of hair loss is different than that shown the side of this carton, 5% Minoxidil Gel is not intended for frontal baldness or receding hairline.

Your hair loss is sudden and/or patch.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 1 time a day for at least 3 months before you see results. The amount of hair regrowth is different for each person. The product will not work for everyone.

If scalp irritation or redness occurs. If you get unwanted facial hair growth. If you do not see hair regrowth in 4 months. If sudden, unexplained weight gain occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately at 1-800-222-1222

Keep the bottle open by turning the cap. Squeeze bottle gently when using. Apply 3-5 drops of minoxidil gel directly to the scalp in the area to be treated.

Just apply it with the tip of the bottle and spread it out, you don't even need to massage it in with your hands. It's very easy to use.

Rotate the cap to reseal the bottle.

Using more often or increasing the amount will not improve results; consistent use is essential to promote and maintain hair regrowth.

Read all information on the box before use.

Keep the box. It contains important information.

Store at a controlled room temperature of 10 to 30°C (50 to 86°F).

Ensure that the lid remains closed. Do not store at temperatures above 40°C (104°F).

Alcohol

Glycerin

Anhydrous citric acid

Butylated hydroxytoluene

Lactic acid

Polysorbate 60  
Biotin  
Carbomer homopolymer  
Trolamine  
Water

Drug Facts

Active Ingredient  
Minoxidil 5% w/v

Active Ingredient  
Hair regrowth treatment

Use to regrow hair on the scalp

Warnings

For external use only.

Do not use if

- Your amount of hair loss is different than that shown the side of this carton, 5% Minoxidil Gel is not intended for frontal baldness or receding hairline
- Your hair loss is sudden and/or patch
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

When Using

- Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair.
- You may need to use this product 1 time a day for at least 3 months before you see results. The amount of hair regrowth is different for each person. The product will not work for everyone.

Stop Use

If scalp irritation or redness occurs. If you get unwanted facial hair growth. If you do not see hair regrowth in 4 months. If sudden, unexplained weight gain occurs.

Ask Doctor

If you have chest pain, rapid heart beat, faintness, or dizziness occurs. If you have heart disease. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

Directions

- Keep the bottle open by turning the cap. Squeeze bottle gently when using. Apply 3-5 drops of minoxidil gel directly to the scalp in the area to be treated.
  - Just apply it with the tip of the bottle and spread it out, you don't even need to massage it in with your hands. It's very easy to use.
  - Rotate the cap to reseal the bottle.
- Using more often or increasing the amount will not improve results; consistent use is essential to promote and maintain hair regrowth.

Other information


- Read all information on the box before use.
- Keep the box. It contains important information.
- Store at a controlled room temperature of 10 to 30°C (50 to 86°F). Ensure that the lid remains closed. Do not store at temperatures above 40°C (104°F).

Inactive ingredients

Alcohol, Glycerin, Anhydrous citric acid, Butylated hydroxytoluene, Lactic acid, Polysorbate 60, Biotin, Carbomer homopolymer, Trolamine, Water



EXDEPLOY 5% MINOXIDIL Topical Gel is a lightweight gel formulation that uses advanced technology to keep hair follicles open. This innovative minoxidil gel facilitates improved scalp circulation, promoting the delivery of essential oxygen and nutrients to the follicle, thereby stimulating hair growth. It is easy to use, formulated with low levels of ethanol and free of propylene glycol, making it safe and gentle on the scalp and suitable for all hair types.



Distributor: Guangzhou Ruijiu Electronic Technology Co., Ltd.  
6th Floor, No. 4, Lingshan East Road  
Tianhe District, Guangzhou  
MADE IN PRC

EXDEPLOY

5% MINOXIDIL  
TOPICAL GEL  
WITH BIOTIN

For Men  
HAIR REGROWTH TREATMENT

Easy-To-Use  
Minoxidil Gel

FREE OF PROPYLENE GLYCOL



Fast & Non-Irritating



Reactivates Hair Follicles



To Stimulate Regrowth

6 MONTH SUPPLY

Three 60g (2.11 Fl Oz) CANS

THIS PACKAGE CONTAINS  
Three 60g (2.11 Fl Oz) CANS  
EXDEPLOY 5% MINOXIDIL Topical Gel  
6 Month Supply

Used once daily. Consistently. To ensure effectiveness, apply the product directly to your scalp, not your hair, so it reaches your hair follicles and aids in regrowing your hair. We suggest leaving it on the scalp for approximately 4 hours.



Keep the bottle open by turning the cap. Squeeze bottle gently when using. Apply 3-5 drops of minoxidil gel directly to the scalp in the area to be treated.




Rotate the cap to reveal the bottle.

Using more often or increasing the amount will not improve results; consistent use is essential to promote and maintain hair regrowth. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



762715748805

MFD:2024-3-12 EXP:2026-3-12



## EXDEPLOY 5% MINOXIDIL TOPICAL GEL

minoxidil gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83767-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)			MINOXIDIL	5 g in 100 g
Inactive Ingredients				
Ingredient Name				Strength
ALCOHOL (UNII: 3K9958V90M)				
LACTIC ACID (UNII: 33X04XA5AT)				
POLYSORBATE 60 (UNII: CAL22UVI4M)				
WATER (UNII: 059QF0KO0R)				
BIOTIN (UNII: 6SO6U10H04)				
GLYCERIN (UNII: PDC6A3C0OX)				
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)				
TROLAMINE (UNII: 9O3K93S3TK)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83767-201-01	2 in 1 BOX	03/08/2024	
1		60 g in 1 CAN; Type 0: Not a Combination Product		
2	NDC:83767-201-02	3 in 1 BOX	03/08/2024	
2		60 g in 1 CAN; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		505G(a)(3)	03/08/2024	

**Labeler** - Guangzhou Ruijiu Electronic Technology Co., Ltd. (631973699)

**Registrant** - Guangzhou Ruijiu Electronic Technology Co., Ltd. (631973699)

## Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Ruijiu Electronic Technology Co., Ltd.		631973699	manufacture(83767-201)