

AXIV ALLERGY- diphenhydramine hydrochloride capsule, liquid filled
VIVUNT PHARMA LLC

AXIV Allergy

Drug Facts

Active Ingredient (in each softgel)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Keep out of reach of children

Keep out of reach of children.

If pregnant or breast-feeding

ask a health professional before use.

Overdose Warning

In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

- Take every 4 to 6 hours, or as directed by a doctor
- Do not take more than 12 Softgels in 24 hours for Adults and children 12 years and over. Do not take more than 6 Softgels for children 6 to under 12 years of age in 24 hours.

adults and children 12 years and over	1 or 2 Softgels
children 6 to under 12 years	1 Softgel
children under 6 years	do not use

Other information

- Store at 20° - 25 °C (68 °- 77 °F)
- Read all product information before using
- Tamper Evident: Do not use if the foil printed on the blister is torn or ripped.
- Tamper Evident: Do not use if carton or pouch is open

Inactive ingredients

Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Propylparaben, Purified Water, Sorbitol, Titanium Dioxide

PRINCIPAL DISPLAY PANEL 24

Compare to Benadryl® Allergy Liqui-Gels®

active ingredients*

NDC 82706-019-01

AXIV Antihistamine

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat

DYE-FREE

Diphenhydramine HCl

24 SOFTGELS** **Liquid-filled capsules

Drug Facts

Active ingredient (in each softgel) Diphenhydramine HCl 25 mg Antihistamine
Purpose Antihistamine

Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat ■ temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing

Warnings
 Do not use ■ with any other product containing diphenhydramine, even one used on skin.
 ■ to make a child sleep ■ Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis
 ■ glaucoma ■ trouble urinating due to an enlarged prostate gland.
 ■ Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
 ■ When using this product do not exceed recommended dose
 ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children.
Keep out of reach of children.
 If pregnant or breast-feeding, ask a health professional before use.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions
 ■ take every 4 to 6 hours, or as directed by a doctor
 ■ do not take more than 12 softgels in 24 hours for adults and do not take more than 6 softgels for children 6 to 12 years of age in 24 hours.
 adults and children over 12 years 1 or 2 softgels
 children 6 to under 12 years 1 softgel
 children under 6 years do not use

Other information
 ■ Store at 20°-25°C (68°-77°F)
 ■ Read all product information before using
 ■ Tamper evident: Do not use if the foil printed on the blister is torn or ripped.

Allergy Relief


ANTIHISTAMINE



Allergy Relief
ANTIHISTAMINE



Compare to Benadryl®
 Allergy Liqui-Gels®
 active ingredients*
 NDC 82706-019-01



Allergy Relief

ANTIHISTAMINE

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat

DYE-FREE

Diphenhydramine HCl

24 SOFTGELS**
 **Liquid-filled capsules

VIVUNT™ 30 Years

Distributed by: VIVUNT PHARMA LLC
 8950 SW 74th Court, Suite 1901
 Miami, FL 33156-3178
 Made in India.
www.vivunt.live

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., owner of the registered trademarks Benadryl® Allergy Liqui-Gels®.



Sortbol, Titanium Dioxide.



AXIV ALLERGY

diphenhydramine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82706-019
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
GELATIN (UNII: 2G86QN327L)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL (UNII: 506T60A25R)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white (Transparent)	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	AXIV
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82706-019-01	2 in 1 CARTON	03/08/2024	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:82706-019-02	3 in 1 CARTON	03/08/2024	03/09/2024
2		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/08/2024	

Labeler - VIVUNT PHARMA LLC (045829437)

Revised: 5/2024

VIVUNT PHARMA LLC