# SOUND BODY MILK OF MAGNESIA- magnesium hydroxide suspension Big Lots Stores, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Big Lots, Inc Milk of Magnesia Drug Facts

#### Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

#### Purpose

Saline laxative

#### Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

#### Warnings

#### Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

#### Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

#### Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

do not exceed the maximum recommended daily dose in a 24 hour period

- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose
- for accurate dosing, use dose cup provided
- mL = milliliter

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

#### Other information

- each 15 mL contains: calcium 20 mg, magnesium 595 mg, potassium 2 mg and sodium 3 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- close cap tightly after use
- avoid freezing

#### **Inactive ingredients**

anhydrous citric acid, D&C red #28, flavor, glycerin, purified water, sorbitol solution, sucrose, xanthan gum

#### Questions or comments?

1-800-719-9260

#### **Principal Display Panel**

Compare to the Active Ingredient in Phillips'® Milk of Magnesia

Stimulant Free

**GENUINE** 

Milk of Magnesia

Saline Laxative

Magnesium Hydroxide,

1200 mg per 15 mL

#1 DOCTOR RECOMMENDED

saline laxative active ingredient

ALCOHOL 0.4%

Wild Cherry Flavor

12 FL OZ (355 mL)



Compare to the Active Ingredient in Phillips'® Milk of Magnesia\*

**GENUINE** 

**Stimulant Free** 

# Mikof Magnesia

Saline Laxative Magnesium Hydroxide, 1200 mg per 15 mL

**ALCOHOL 0.4%** 

Wild Cherry Flavor 12 FL 0Z (355 mL)

:94940 TM F2



saline laxative active ingredient

# Drug Facts

#### DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING.

## Active ingredient (in each 15 mL)

Purpose

Magnesium hydroxide 1200 mg......Saline laxative

**Uses** ■ relieves occasional constipation (irregularity)

■ generally produces bowel movement in ½ to 6 hours

### Warnings

Ask a doctor before use if you have

- kidney disease
   a magnesium-restricted diet
   stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug.

Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.

■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose
- for accurate dosing, use dose cup provided
   mL = milliliter

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

#### Other information

- each 15 mL contains: calcium 20 mg, magnesium 595 mg, potassium 2 mg and sodium 3 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F) close cap tightly after use avoid freezing

**Inactive ingredients** anhydrous citric acid, D&C red #28, flavor, glycerin, purified water, sorbitol solution, sucrose, xanthan gum

#### Questions or comments? 1-800-719-9260

: 94940 TM B1

\*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Phillips'® Milk of Magnesia.

In the U.S. Source: AlphalmpactRx

Distributed By: Perrigo Company 515 Eastern Avenue Allegan, Michigan 49010 V#5003185 ITEM#94940



HYDRO XIDE

in 15 mL



#### SOUND BODY MILK OF MAGNESIA

magnesium hydroxide suspension

HYDRO XIDE ION - UNII:9159UV381P)

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50594-015

Route of Administration ORAL

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, MAGNESIUM 1200 mg

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)			
GLYCERIN (UNII: PDC6A3C0OX)			
WATER (UNII: 059QF0KO0R)			
SUCROSE (UNII: C151H8M554)			
XANTHAN GUM (UNII: TTV12P4NEE)			
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0 Y5NH)			
SORBITOL (UNII: 506T60A25R)			

Product Characteristics			
Color	PINK (Opaque Light pink)	Score	
Shape		Size	
Flavor	CHERRY (wild cherry)	Imprint Code	
Contains			

P	ackaging			
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date
1	NDC:50594-015-40	$355\ mL$ in 1 BOTTLE; Type 0: Not a Combination Product	03/24/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/24/2016	

Labeler - Big Lots Stores, Inc. (017885351)

Revised: 10/2017 Big Lots Stores, Inc.