

KETOTIFEN FUMARATE- ketotifen fumarate solution/ drops

Akorn

Drug Facts

Active ingredient

Ketotifen (0.025%)
(equivalent to Ketotifen Fumarate 0.035%)

Purpose

Antihistamine

Use

Temporarily relieves itchy eyes due to pollen, ragweed, grass, animal hair and dander.

Warnings

Do not use

- if solution changes color or becomes cloudy
- if you are sensitive to any ingredient in this product
- to treat contact lens related irritation

When using this product

- do not touch tip of container to any surface to avoid contamination
- remove contact lenses before use
- wait at least 10 minutes before reinserting contact lenses after use
- replace cap after each use

Stop use and ask a doctor if you experience any of the following:

- eye pain
- changes in vision
- redness of the eye
- itching worsens or lasts for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Adults and children 3 years of age and older:** Put 1 drop in the affected eye(s) twice daily, every 8-12 hours, no more than twice per day.
- **Children under 3 years of age:** Consult a doctor.

Other information

- Only for use in the eye.
- Store at 20° to 25°C (68° TO 77°F) [see USP Controlled Room Temperature].

Inactive ingredients

Benzalkonium Chloride 0.01%; Glycerin and Purified Water. May contain Hydrochloric Add and/or Sodium Hydroxide (to adjust pH).

Questions?

call toll-free **1-800-932-5676**, weekdays, 7:00 AM - 5:30 PM CST

Principal Display Panel Text for Container Label:

NDC 17478-717-10

Ketotifen Fumarate

Ophthalmic Solution

ANTIHISTAMINE EYE DROPS

5 mL (0.17 FL OZ) Sterile



Principal Display Panel Text for Carton Label:

Now OTC! NDC 17478-060-12

Akorn Logo

Ketotifen

Fumarate

Ophthalmic

Solution

ANTIHISTAMINE EYE DROPS

UP TO 12 HOURS EYE ITCH RELIEF

Works in Minutes

Original Prescription Strength

FOR AGES 3 YEARS AND OLDER

30 DAY SUPPLY

5 mL (0.17 FL OZ) Sterile



24

Drug Facts (continued)

Other information

- Only for use in the eye.
- Store at 20° to 25°C (68° TO 77°F) [see USP Controlled Room Temperature].

Inactive ingredients

Benzalkonium Chloride 0.01%; Glycerin and Water for Injection. May contain Hydrochloric Acid and/or Sodium Hydroxide (to adjust pH).

Questions?

call toll-free 1-800-932-5676, weekdays, 7:00 AM - 5:30 PM CT

Do not use if seal on bottle is missing or broken.

FOR TOPICAL OPHTHALMIC USE ONLY. WARNING-KEEP OUT OF THE REACH OF CHILDREN.

PRECAUTION: Do not touch dropper tip to any surface, as this may contaminate the solution.

Manufactured for: Akorn, Inc., Lake Forest, IL 60045
Made in Switzerland



Now OTC!

NDC 17478-717-10

AKORN

Ketotifen Fumarate Ophthalmic Solution

ANTIHISTAMINE EYE DROPS



- ◆ Works in Minutes
- ◆ Original Prescription Strength

FOR AGES 3 YEARS AND OLDER
30 DAY SUPPLY

5 mL (0.17 FL OZ) Sterile

Ketotifen Fumarate Ophthalmic Solution

Original Prescription Strength

◆
Up to 12 Hour Itch Relief

◆
30 Day Supply

◆
Works in Minutes

◆
For Ages 3 Years and Older

Drug Facts

Active ingredient	Purpose
Ketotifen (0.025%)	Antihistamine (equivalent to Ketotifen Fumarate 0.035%)

Use

Temporarily relieves itchy eyes due to pollen, ragweed, grass, animal hair and dander.

Warnings

Do not use

- if solution changes color or becomes cloudy
- if you are sensitive to any ingredient in this product
- to treat contact lens related irritation

When using this product

- do not touch tip of container to any surface to avoid contamination
- remove contact lenses before use
- wait at least 10 minutes before reinserting contact lenses after use
- replace cap after each use

Stop use and ask a doctor if you experience any of the following:

- eye pain
- changes in vision
- redness of the eye
- itching worsens or lasts for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 3 years of age and older: Put 1 drop in the affected eye(s) twice daily, every 8-12 hours, no more than twice per day.
- Children under 3 years of age: Consult a doctor.

EKKTAAC Rev. 03/17



24

KETOTIFEN FUMARATE

ketotifen fumarate solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17478-717
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ketotifen fumarate (UNII: HBD503WORO) (Ketotifen - UNII:X49220T18G)	Ketotifen	0.35 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
benzalkonium chloride (UNII: F5UM2KM3W7)	
glycerin (UNII: PDC6A3C0OX)	
water (UNII: 059QF0KO0R)	
hydrochloric acid (UNII: QTT17582CB)	
sodium hydroxide (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17478-717-10	1 in 1 CARTON	10/01/2007	
1		5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:17478-717-11	1 in 1 CARTON	09/30/2016	05/18/2022
2		10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077958	10/01/2007	

Labeler - Akorn (117693100)**Establishment**

Name	Address	ID/FEI	Business Operations
Akorn AG		482198285	MANUFACTURE(17478-717) , ANALYSIS(17478-717) , PACK(17478-717) , LABEL(17478-717)

Establishment

Name	Address	ID/FEI	Business Operations
Akorn		117693100	MANUFACTURE(17478-717) , ANALYSIS(17478-717) , LABEL(17478-717) , PACK(17478-

Revised: 9/2022

Akorn