

NEUTROGENA INVISIBLE DAILY DEFENSE SUNSCREEN BROAD SPECTRUM SPF 60 PLUS- avobenzone, homosalate, octisalate, and octocrylene lotion
Johnson & Johnson Consumer Inc.

Neutrogena® Invisible Daily defense lotion sunscreen BROAD SPECTRUM SPF 60+

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 13.5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

water, butyloctyl salicylate, glycerin, alcohol denat., silica, dimethicone, aluminum starch octenylsuccinate, polyurethane-62, phenoxyethanol, pentylene glycol, sodium acryloyldimethyltaurate/VP crosspolymer, acrylates/dimethicone copolymer, glyceryl stearate, chlorphenesin, styrene/acrylates copolymer, fragrance, menthyl lactate, tocopheryl acetate, disodium EDTA, trideceth-6, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, sodium hydroxide, yellow 5, red 40

Questions?

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit www.neutrogena.com

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 88 mL Tube Label

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Invisible Daily

defense

lotion

sunscreen

BROAD SPECTRUM SPF 60+

60+

sun + environment

oxybenzone free

water resistant (80 minutes)

3.0 FL OZ (88 mL)

lacquer free area



30050763



Neutrogena Invisible Daily™ defense with Helioplex® + technology provides superior broad spectrum UVA/UVB protection. Antioxidants help fight environmental aggressors such as cold, ozone and pollution. Rubs in invisible on all skin tones.

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Invisible Daily defense

lotion

sunscreen

BROAD SPECTRUM SPF 60+

60+

sun + environment
oxybenzone free
water resistant (80 minutes)

3.0 FL OZ (88 mL)

Drug Facts

Active ingredients
Avobenzone 3%, Homosalate 11.5%,
Octisalate 5%, Octocrylene 10% **Purpose**
Sunscreen

Uses • Help prevent sunburns • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
• For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions • Apply liberally 15 minutes before sun exposure • Reapply • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including • limit time in the sun, especially from 10 A.M. - 2 P.M. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

Other information • protect this product from excessive heat and direct sun • May stain some fabrics

Inactive ingredients water, butyltolyl acrylate, cyclopentadiene, acrylate, ethyl acrylate, acrylonitrile, styrene-butadiene copolymer, polyethylene glycol, dimethylsiloxane, polyethylene glycol, sodium acryloyldimethylsulfonate VP, croscarelline, acrylate-styrene copolymer, glyceryl stearate, chlorhexene, cyclotriphosphorotriazine, fragrance, methyl acrylate, lauryl acrylate, decyl acrylate, octadecyl acrylate, styrene-butadiene copolymer, sodium hydroxide, yellow 5, red 40

Questions? Call toll-free 800-295-4706 or 215-177-4700 (collect) or visit www.neutrogena.com



Manufactured by: JANSSEN & JANSSEN CONSUMER INC., Skillman, NJ 08558 © J&JCI 2021 Pat. www.jjcpats.com

NEUTROGENA INVISIBLE DAILY DEFENSE SUNSCREEN BROAD SPECTRUM SPF 60 PLUS

avobenzone, homosalate, octisalate, and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0661
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	135 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
METHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
FEVERFEW (UNII: Z64FK7P217)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POLYURETHANE-62 (UNII: TBK645J3J8)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0661-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/05/2020	
2	NDC:69968-0661-2	2 in 1 CARTON	10/05/2020	
2		88 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/05/2020	

Revised: 12/2023

Johnson & Johnson Consumer Inc.