

OLISMO 5% MINOXIDIL SPRAY.- 5% minoxidil spray. spray
IBBUY Inc.

84182-001

Active Ingredient

Minoxidil 5% w/w

Purpose

Hair regrowth treatment

Use

to regrow hair on the scalp

Warnings

For external use only.

Do not use

- no one in your family has hair loss, but if you have hair loss is sudden or patchy or both.
- you don't know why your hair is falling out.
- you are under 18 years of age. Do not use it on babies and children.
- the scalp becomes red, inflamed, infected, inflamed, and painful.
- you are using other medicines on your scalp.

Stop Use

- Chest pain, rapid heart rate, fainting, and dizziness may occur.
- Sudden, unexplained weight gain.
- Your hands or feet swell
- Inflammation and redness of the scalp occur
- Unwanted hair grows on your face. After 4 months, the hair will stop growing.

Ask Doctor

- Chest pain, rapid heart rate, fainting, and dizziness may occur.
- Sudden, unexplained weight gain.
- Your hands or feet swell
- Inflammation and redness of the scalp occur
- Unwanted hair grows on your face. After 4 months, the hair will stop growing.

Keep Out Of Reach Of Children

If swallowed, get medical help or contact a poison control center right away.

Directions

- Apply 3-4 pumps of spray directly to the treated area of the scalp.
- After massaging the scalp with your Soft Silicone Bristles, wash it thoroughly. Using more of the hair growth spray or using it more often does not improve the results.
- Continued use is required to increase and maintain hair regrowth.
- Discontinuation may lead to hair loss.

Other information

- Read all information on pack before use.
- Save the box. Contains important information.
- Store at controlled room temperature 20-25°C (68-77°F).
- Content under pressure. Do not puncture or burn container. Do not expose to heat or store above 120°F (9°C).

Inactive ingredients

Biotin, Water, Propylene Glycol, Dimethyl Isosorbide, Acetic Acid, Panthenol, Niacinamide, Polysorbate 20, Sodium Lauroyl Sarcosinate, Aloe Barbadensis Flower Extract, PEG-50 Hydrogenated Castor Oil, Perfume, Hydrolyzed Collagen

PRINCIPAL DISPLAY PANEL



2个喷瓶+按摩头
90*67*113mm

OLISMO 5% MINOXIDIL SPRAY.

5% minoxidil spray. spray

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:84182-001 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------|
| MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1) | MINOXIDIL | 5 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| DIMETHYL ISOSORBIDE (UNII: SA6A6V432S) | |
| HYDROLYSED MARINE COLLAGEN (ENZYMATIC; 2000 MW) (UNII: 2WD9OCG7P) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| ACETIC ACID (UNII: Q40Q9N063P) | |
| PANTHENOL (UNII: WV9CM0067Z) | |
| SODIUM LAUROYL SARCOSINATE (UNII: 632GS99618) | |
| ALOE VERA FLOWER (UNII: 575DY8C1ER) | |
| BIOTIN (UNII: 6SO6U10H04) | |
| WATER (UNII: 059QF0KO0R) | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | |
| POLYOXYL 50 HYDROGENATED CASTOR OIL (UNII: R07D3A9614) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:84182-001-01 | 2 in 1 BOX | 03/16/2024 | |
| 1 | | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M032 | 03/16/2024 | |

Labeler - IBBUY Inc. (718132886)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------|---------|-----------|---|
| IBBUY Inc. | | 718132886 | label(84182-001) , manufacture(84182-001) |