

COUGH RELIEF COUGH SUPPRESSANT- dextromethorphan hbr liquid QUALITY CHOICE (Chain Drug Marketing Association)

Drug Facts

Active ingredient (in each 5 mL)

Dextromethorphan HBr 15 mg

Purpose

Cough suppressant

Uses

- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- chronic cough that lasts as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

When using this product

- **do not use more than directed**

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take recommended dosage or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- shake well before using
- mL = milliliter

| age | dose |
|---------------------------------------|--|
| adults and children 12 years and over | 10 mL every 6-8 hours no to exceed 4 doses in 24 hours |
| children 6 to 11 years of age | 5 mL every 6-8 hours not to exceed 4 doses in 24 hours |
| children under 6 years of age | do not use |

Other information

- **each 5 mL contains:** sodium 3 mg
- store between 20-25° C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C yellow #6 flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose, xanthan gum

Questions or comments?

Call **1-248-449-9300 Monday-Friday 9AM-5PM EST**

Principal Display Panel

COUGH RELIEF

Cough Suppressant

Dextromethorphan HBr 15 mg

Cough Suppressant

For Ages 6 & Over

6-8 Hour Relief

Alcohol Free

Orange Flavor

FL OZ (mL)

Contains no fever reducer or pain reliever

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Distributed by C.D.M.A., Inc, ©

43157 W. Nine Mile

Novi, MI 48376-0995

www.qualitychoice.com

Package Label

Drug Facts

| | |
|--|-------------------|
| Active ingredient (in each 5 mL) | Purpose |
| Dextromethorphan HBr 15 mg | Cough suppressant |

Uses

- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the impulse to cough to help you get to sleep

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- chronic cough that lasts as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if cough lasts more than 7 days, cough comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

When using this product, do not use more than directed.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take recommended dosage or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- shake well before using
- mL = milliliter

| age | dose |
|---------------------------------------|---|
| adults and children 12 years and over | 10 mL every 6-8 hours not to exceed 4 doses in 24 hours |
| children 6 to 11 years of age | 5 mL every 6-8 hours not to exceed 4 doses in 24 hours |
| children under 6 years of age | do not use |

Drug Facts (continued)

Other information

- each 5 mL contains: sodium 3 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients citric acid, disodium EDTA, FD&C yellow #6, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose, xanthan gum

Questions or comments?
Call 1-248-449-9300 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

100% SATISFACTION GUARANTEED

Distributed by C.D.M.A., Inc. ©
43157 W. Nine Mile
Novi, MI 48375
www.qualitychoice.com
Questions: 248-449-9300

NDC 63868-957-04

QC QUALITY CHOICE

Cough Relief

Cough Suppressant

Dextromethorphan HBr 15 mg
Cough Suppressant

For Ages 6 & Over
6-8 Hour Relief
Alcohol-Free



Orange Flavor

4 FL OZ (118 mL)

QC QUALITY CHOICE

Cough Relief

Cough Suppressant

Dextromethorphan HBr 15 mg
Cough Suppressant

| Age | Dose |
|-------------------------------------|-----------------------|
| adults & children 12 years and over | 10 mL every 6-8 hours |
| children 6 to 11 years of age | 5 mL every 6-8 hours |
| children under 6 years of age | do not use |

See side panel for full dosing directions.

Contains
No Fever Reducer
Or Pain Reliever



PLD-F258C F0004130

Lot No.:

Exp. Date:

QUALITY CHOICE Cough Relief

COUGH RELIEF COUGH SUPPRESSANT

dextromethorphan hbr liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63868-957

| | |
|--------------------------------|------|
| Route of Administration | ORAL |
|--------------------------------|------|

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|----------------------------------|------------------|
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 15 mg in 5 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KO0R) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| SUCROSE (UNII: C151H8M554) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| HYDROXYETHYL CELLULOSE (1500 MPAS AT 1%) (UNII: L605B5892V) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | ORANGE | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:63868-957-04 | 1 in 1 BOX | 07/31/2015 | |
| 1 | | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 07/31/2015 | |

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Registrant - P & L Development, LLC (079765031)

Revised: 4/2024

QUALITY CHOICE (Chain Drug Marketing Association)