

## **COUGH RELIEF COUGH SUPPRESSANT- dextromethorphan hbr liquid QUALITY CHOICE (Chain Drug Marketing Association)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredient (in each 5 mL)**

Dextromethorphan HBr 15 mg

#### **Purpose**

Cough suppressant

#### **Uses**

- temporarily relieves
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the impulse to cough to help you get to sleep

### **Warnings**

#### **Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### **Ask a doctor before use if you have**

- chronic cough that lasts as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

#### **Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

#### **When using this product**

- **do not use more than directed**

#### **If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

- take recommended dosage or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- shake well before using
- mL = milliliter

age	dose
adults and children 12 years and over	10 mL every 6-8 hours no to exceed 4 doses in 24 hours
children 6 to 11 years of age	5 mL every 6-8 hours not to exceed 4 doses in 24 hours
children under 6 years of age	do not use

## Other information

- **each 5 mL contains:** sodium 3 mg
- store between 20-25° C (68-77°F). Do not refrigerate.

## Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C yellow #6 flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose, xanthan gum

## Questions or comments?

Call **1-248-449-9300 Monday-Friday 9AM-5PM EST**

## Principal Display Panel

### COUGH RELIEF

Cough Suppressant

Dextromethorphan HBr 15 mg

Cough Suppressant

For Ages 6 & Over

6-8 Hour Relief

Alcohol Free

Orange Flavor

FL OZ (mL)

Contains no fever reducer or pain reliever

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

Distributed by C.D.M.A., Inc., ©

43157 W. Nine Mile

Novi, MI 48376-0995

[www.qualitychoice.com](http://www.qualitychoice.com)

## Package Label

**Drug Facts**

**Active ingredient**  
(in each 5 mL)  
Dextromethorphan HBr 15 mg.....Cough suppressant

**Purpose**

**Uses**

- temporarily relieves
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the impulse to cough to help you get to sleep

**Warnings**

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- chronic cough that lasts as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

**Stop use and ask a doctor** if cough lasts more than 7 days, cough comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

**When using this product, do not use more than directed.**

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**  
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- take recommended dosage or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- shake well before using
- mL = milliliter

age	dose
adults and children 12 years and over	10 mL every 6-8 hours not to exceed 4 doses in 24 hours
children 6 to 11 years of age	5 mL every 6-8 hours not to exceed 4 doses in 24 hours
children under 6 years of age	do not use

**Drug Facts (continued)**

**Other information**

- each 5 mL contains sodium 3 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** citric acid, disodium EDTA, FD&C yellow #6, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose, xanthan gum

**Questions or comments?**  
Call 1-248-449-9300 Monday-Friday 9AM-5PM EST

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

**SATISFACTION GUARANTEED**

Distributed by C.D.M.A., Inc. ©  
43157 W. Nine Mile  
Novi, MI 48375  
[www.qualitychoice.com](http://www.qualitychoice.com)  
Questions: 248-449-9300

NDC 63868-957-04

**QC QUALITY CHOICE**

# Cough Relief

**Cough Suppressant**

Dextromethorphan HBr 15 mg  
Cough Suppressant

For Ages 6 & Over  
6-8 Hour Relief  
Alcohol-Free

**Orange Flavor**

**4 FL OZ (118 mL)**

**QC QUALITY CHOICE**

# Cough Relief

**Cough Suppressant**

Dextromethorphan HBr 15 mg  
Cough Suppressant

Age	Dose
adults & children 12 years and over	10 mL every 6-8 hours
children 6 to 11 years of age	5 mL every 6-8 hours
children under 6 years of age	do not use

See side panel for full dosing directions.

Contains  
No Fever Reducer  
Or Pain Reliever

6 35515 99413 3

PLD-F258C F0004130

Lot No.:  
Exp. Date:

**QUALITY CHOICE Cough Relief**

**COUGH RELIEF COUGH SUPPRESSANT**

dextromethorphan hbr liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-957
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYDROXYETHYL CELLULOSE (1500 MPA.S AT 1%) (UNII: L605B5892V)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

## Product Characteristics

Color		Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-957-04	1 in 1 BOX	07/31/2015	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC monograph final	part341	07/31/2015	

**Labeler** - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

**Registrant** - P & L Development, LLC (079765031)

Revised: 12/2022

QUALITY CHOICE (Chain Drug Marketing Association)